# BEFORE THE TENNESSEE REGULATORY AUTHORITY NASHVILLE, TENNESSEE

#### June 23, 2004

Petition of DIECA Communications, Inc.,	)
d/b/a Covad Communications Company, for	$)$ $\Delta U = \Delta \Delta / Q C$
Arbitration of Interconnection Agreement	) Docket No. <u>04-00/8</u> 6
Amendment with BellSouth	)
Telecommunications, Inc Pursuant to Section	)
252(b) of the Telecommunications Act of	
1996	

#### PETITION FOR ARBITRATION OF DIECA COMMUNICATIONS, INC.

NOW COMES, DIECA Communications, Inc., d/b/a Covad Communications Company ("Covad") and respectfully submits this Petition for Arbitration in accordance with Section 12 and 16 of the Parties' Interconnection Agreement and 47 U.S.C § 252.

Communications regarding this Petition should be directed to:

Charles E. (Gene) Watkins Covad Communications 1230 Peachtree Street, N.E. Atlanta, GA 30309 404-942-3492 gwatkins@covad.com Henry Walker Boult Cummings Conners Berry, PLC 414 Union Street, Suite 1600 Nashville, TN 37219 615-252-2363 hwalker@bccb.com

DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad") respectfully requests that the Tennessee Regulatory Authority ("TRA") resolve one important open issue resulting from the interconnection negotiations between Covad and BellSouth Telecommunications, Inc ("BellSouth") (BellSouth and Covad are collectively referred to herein as the "Parties") Covad requests that the TRA resolve the issue designated herein by ordering the Parties to amend their interconnection agreement to incorporate Covad's position. This Petition includes: (1) the General Terms and Conditions and Attachment 2 to

the Parties' current interconnection agreement (Attachment A) (the entire interconnection agreement is on file with the TRA), (2) The disputed issue for which Covad seeks TRA resolution, with the position of the Parties on the issue and reference to the applicable section of the agreement (Attachment B); and (3) a matrix depicting the suggested language of Covad and BellSouth on the disputed issue (the "Proposed Language Matrix") (Attachment C).

#### **PARTIES**

- 1. DIECA Communications, Inc. d/b/a Covad Communications Company is a Virginia corporation and a wholly-owned subsidiary of Covad Communications Group, Inc., a publicly traded corporation formed under the laws of the state of Delaware DIECA d/b/a Covad is a telecommunications carrier authorized to provide telecommunications services in the State of Tennessee.
- 2. BellSouth Telecommunications, Inc. is a corporation organized and formed under the laws of the State of Georgia. BellSouth is a certificated local exchange and intraLATA interexchange carrier and currently provides local service, intraLATA service and other services within its certificated areas in Tennessee. BellSouth is an incumbent local exchange carrier ("ILEC") in Tennessee as defined by Section 251(h) of the Act. See 47 U.S.C. §251(h). BellSouth is also a Bell operating company ("RBOC") as defined by 47 U.S.C. §153 and 274(i)(3). Within its operating territory, BellSouth has been the incumbent local exchange provider of telephone exchange services at all relevant times

#### **JURISDICTION**

- The TRA has jurisdiction over Covad's Petition pursuant to sections 12 and 16 of the Parties' Interconnection Agreement ("Agreement"). Attachment A, Sections 12 and 16. The TRA also has jurisdiction over Covad's Petition pursuant to 47 U S C § 252. On December 4, 2003, BellSouth provided Covad with proposed amendments to the Parties Agreement related to the Federal Communications Commission's Triennial Review Order pursuant to Section 16.3, the change of law provision, of the Parties' Agreement In thirty-two (32) separate paragraphs and an Exhibit containing rates, BellSouth's proposed amendments to Attachment 2 of the Agreement related to line sharing rates, terms and conditions. On April 16, 2004, Covad provided BellSouth with its counter-proposal regarding amendments related to line sharing rates, terms and conditions.
- Section 16 of the Agreement provides that in the event that proposed amendments to implement changes in law are not renegotiated within ninety (90) days after a party requests such a negotiation, the dispute shall be referred to the Dispute Resolution procedure set forth in the Agreement. Section 12, entitled Resolution of Disputes, provides that in the event that there is a dispute, "either Party may petition the Commission for a resolution of the dispute." Accordingly, Covad respectfully petitions the TRA to resolve the Parties' dispute over access to line sharing.

#### STANDARD OF REVIEW

5. This arbitration must be resolved by the standards established in Sections 201, 202, 252 and 271 of the Act and the effective rules adopted by the Federal Communications Commission ("FCC").

#### **ISSUES IN DISPUTE**

- Agreement in its December 4, 2003 proposed TRO amendment, Covad and BellSouth have only exchanged proposed language regarding line sharing Moreover, many of the changes proposed by BellSouth were (or will be when the mandate issues) reversed and/or vacated by the March 2, 2004 decision of the United States District Court of Appeals for the District of Columbia Circuit Line sharing, however, was not one of the issues reversed or vacated As a consequence, Covad only seeks TRA resolution as to a single open issue: line sharing, as set forth in Attachments B and C to this Petition. Attachment B includes a short description of the issue, assigns the issue a number, sets forth the positions of Covad and BellSouth, and identifies the section(s) of the Interconnection Agreement which are affected.
- 7. Attachment C to this Petition is the Proposed Language Matrix, which depicts the proposed language of Covad and BellSouth on the disputed issue.

#### RELIEF REQUESTED

WHEREFORE, Covad respectfully requests that the TRA arbitrate the open issue identified in this Petition in accordance with Sections 201, 202, 252 and 271 of the Federal Telecommunications Act of 1996, and adopt the positions of Covad as set forth therein, and require the parties to amend their Interconnection Agreement to incorporate and adopt the 960150 v1 101717-001 6/23/2004

specific terms and contract language proposed by Covad, which are identified in the Proposed Language Matrix (Attachment C)

Covad further requests that the TRA order the Parties to file on a date certain an amended Interconnection Agreement (between Covad and BellSouth), incorporating the TRA's decision as described above, for approval by the TRA pursuant to Section 252(e) of the Act

#### **CONCLUSION**

For all the foregoing reasons, Covad respectfully requests that the TRA resolve the issue identified in favor of Covad and by approving the attached proposed interconnection agreement

Respectfully submitted,

BOULT, CUMMINGS, CONNERS & BERRY, PLC

Henry Walker

414 Union Street, Suite 1600

P.O. Box 198062

Nashville, Tennessee 37219

(615) 252-2363

Attorney for Covad Communications Company

960150 v1 101717-001 6/23/2004

### **ATTACHMENT A**

General Terms and Conditions and Attachment 2 of the

Interconnection Agreement by and between BellSouth Telecommunications, Inc. and DIECA

Communications, Inc. d/b/a Covad Communications Company, dated December 19, 2001.

#### **AGREEMENT**

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad"), a Virginia corporation, and shall be deemed effective as of the date of the last signature of both Parties ("Effective Date"). This Agreement may refer to either BellSouth or Covad or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Covad is or seeks to become a competitive local exchange carrier ("CLEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Covad wishes to purchase unbundled network elements and other services from BellSouth, resell BellSouth's telecommunications services, and/or the Parties wish to interconnect their facilities and exchange traffic pursuant to sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and Covad agree as follows:

#### 1. Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communication Commission.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

#### 2. Purpose

This Agreement sets forth the terms and conditions under which Covad will obtain services and unbundled network elements from BellSouth to provide telecommunications services to Covad customers within the territory of BellSouth. BellSouth will provide Covad with the functionalities of unbundled network elements so that Covad can provide any telecommunications service that can be offered by means of the unbundled elements as described in Attachment 2.

#### 2.1 Term of the Agreement

- 2.2 The term of this Agreement shall be three years, and shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. This Agreement shall become effective on the date the last party executes the Agreement. (1211912001)
- 2.3 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement ("Subsequent Agreement"). If as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Section 2.4.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.4 below.

- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.3 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252. In the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the Subsequent Agreement without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective on the date the last party executes the Agreement. Until the Subsequent Agreement becomes effective, the Parties shall continue to exchange traffic and BellSouth shall continue to provide Covad unbundled network elements and services for resale pursuant to the terms and conditions of this Agreement, except as provided in 2.4.1 and 2.4.2.
- In the event that as of the date of expiration of this Agreement and conversion of 2.4.1 this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.4 above, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Covad pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein. BellSouth will continue to provide services to Covad pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective as of the date of execution.
- 2.4.2 Notwithstanding Section 2.4 above, in the event that as of the date of expiration of this Agreement the Parties have not entered into a Subsequent Agreement and (1) no arbitration proceeding has been filed in accordance with Section 2.3 above, and (2) Covad either is not certified as a CLEC in any particular state to which this Agreement applies or has not ordered any services under this Agreement as of the date of expiration, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.
- 2.4.3 The Parties may negotiate changes in section 2 as necessary.
- 3. OSS

Covad shall, where appropriate, pay charges for Operational Support Systems (OSS).

#### 4. Parity

When Covad purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. For resale purposes, BellSouth will provide Covad with pre-ordering, ordering, maintenance, and trouble reporting, and daily usage data functionality that will enable Covad to provide equivalent levels of customer service to its customers and end users as BellSouth provides to its own customers and end users. When Covad purchases unbundled network elements from BellSouth, to the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Covad shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of Covad shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by Covad.

#### 5. White Pages Listings

ł

- BellSouth shall provide Covad and their customers access to white pages directory listings under the following terms:
- 5.2. <u>Listings</u>. Covad shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Covad residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Covad and BellSouth subscribers.
- 5.2.1 Rates. So long as Covad provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Covad one (1) primary White Pages listing per Covad subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting Covad Subscriber Information are found in BellSouth's Ordering Guide for manually processed listings and in the Local Exchange Ordering Guide for mechanically submitted listings.
- Notwithstanding any provision(s) to the contrary, Covad shall provide to BellSouth, and BellSouth shall accept, Covad's Subscriber Listing Information

(SLI) relating to Covad's customers in the geographic area(s) covered by this Interconnection Agreement. Covad authorizes BellSouth to release all such Covad SLI provided to BellSouth by Covad to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such CLEC SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.

- 5.3.2 No compensation shall be paid to Covad for BellSouth's receipt of Covad SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Covad's SLI, or costs on an ongoing basis to administer the release of Covad SLI, Covad shall pay to BellSouth its proportionate share of the reasonable costs associated therewith.
- 5.3.3 BellSouth shall not be liable for the content or accuracy of any SLI provided by Covad under this Agreement. Covad shall indemnify, hold harmless and defend BellSouth from and against any damages, losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Covad listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Covad any complaints received by BellSouth relating to the accuracy or quality of Covad listings.
- 5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.4 <u>Unlisted/Non-Published Subscribers</u>. Covad will be required to provide to BellSouth the names, addresses and telephone numbers of all Covad customers that wish to be omitted from directories.
- 5.5 <u>Inclusion of Covad Customers in Directory Assistance Database</u>. BellSouth will include and maintain Covad subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Covad shall provide such Directory Assistance listings at no recurring charge. BellSouth and Covad will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.

- Listing Information Confidentiality. BellSouth will accord Covad's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Covad's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.
- 5.7 <u>Optional Listings</u>. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Delivery.</u> BellSouth or its agent shall deliver White Pages directories to Covad subscribers at no charge or as specified in a separate BAPCO agreement.

#### 6. Bona Fide Request/New Business Request Process for Further Unbundling

- BellSouth shall, upon request of Covad, provide to Covad access to its network elements at any technically feasible point for the provision of Covad's telecommunications service where such access is necessary and failure to provide access would impair the ability of Covad to provide services that it seeks to offer. Any request by Covad for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Exhibit 1 hereto.
- Covad shall submit any Bona Fide Request/New Business Request in writing to Covad's Account Manager. The BFR/NBR shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The BFR/NBR also shall include Covad's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business.

# 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information

7.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Covad, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Covad end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Covad end users for the same length of time it maintains such information for its own end users.

- 7.2 <u>Subpoenas Directed to Covad</u>. Where BellSouth is providing to Covad telecommunications services for resale or providing to Covad the local switching function, then Covad agrees that in those cases where Covad receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Covad end users, and where Covad does not have the requested information, Covad will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 7.1 above.
- 7.3 In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

#### 8. Liability and Indemnification

- 8.1 Covad Liability. In the event that Covad consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Covad under this Agreement.
- 8.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Covad for any act or omission of another telecommunications company providing services to Covad.

#### 8.3 Limitation of Liability

#### 8.3.1 <u>Liability Cap</u>

With respect to any claim or suit, whether based in contract, tort or any other 8.3.1.1 theory of legal liability, by Covad, any Covad customer or by any other person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, BellSouth's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages from the gross negligence or willful misconduct of BellSouth and claims for damages by Covad resulting from the failure of BellSouth to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability. Covad acknowledges that, to the extent BellSouth's obligations hereunder involve provisioning elements and services within any particular interval, BellSouth may not be able to meet such intervals 100% of the time. Covad bears the burden of showing that the number or percentage of intervals missed by BellSouth constitutes a material breach of this Agreement pursuant to applicable law. Any damages found payable to Covad

under this Section shall be reduced by the amount of any performance penalties for the same occurrence payable to Covad under this Agreement.

- With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth customer or by any other person or entity, for damages associated with any of the services provided by Covad pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, Covad's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages from the gross negligence or willful misconduct of Covad and claims for damages by BellSouth resulting from the failure of Covad to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability.
- 8.3.2 Neither Party shall be liable for any act or omission of any other telecommunications company to the extent such other telecommunications company provides a portion of a service.
- 8.3.3 Neither Party shall be liable for damages to the other Party's terminal location,
  Interconnection Point or the other Party's customers' premises resulting from the
  furnishing of a service, including but not limited to the installation and removal of
  equipment and associated wiring, except to the extent the damage is caused by such
  Party's gross negligence or willful misconduct, or by a Party's failure properly to
  ground a local loop after disconnection using sound engineering principles.
- The Party providing services under this Agreement, its affiliates and its parent company 8.3.4 shall be indemnified, defended and held harmless by the Party receiving such services against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement, involving: 1) claims for libel, slander, invasion of privacy or copyright infringement arising from the content of the receiving Party's own communications; 2) any claim, loss, or damage claimed by the receiving Party's customer(s) arising from such customer's use of any service, including 911/E911, that the customer has obtained from the receiving Party and that the receiving Party has obtained from the supplying Party under this Agreement; or 3) all other claims arising out of an act or omission of the receiving Party in the course of using services provided pursuant to this Agreement. Notwithstanding the foregoing, to the extent that a claim, loss or damage is caused by the gross negligence or willful misconduct of a supplying Party the receiving Party shall have no obligation to indemnify, defend and hold harmless the supplying Party hereunder. Nothing herein is intended to modify or alter in any way the indemnification obligations set forth in Section 9, supra, relating to intellectual property infringement.

- 8.3.5 Neither Party guarantees or makes any warranty with respect to its services when used in an explosive atmosphere. Each Party shall be indemnified, defended and held harmless by the other Party or the other Party's customer from any and all claims by any person relating to the other Party or the other Party's customer's use of services so provided.
- Promptly after receipt of notice of any claim or the commencement of any action for 8.3.6 which a Party may seek indemnification pursuant to this Section, such Party (the "Indemnified Party") shall promptly give written notice to the other Party (the "Indemnifying Party") of such claim or action, but the failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability it may have to the Indemnified Party except to the extent the Indemnifying Party has actually been prejudiced thereby. The Indemnifying Party shall be obligated to assume the defense of such claim, at its own expense. The Indemnified Party shall cooperate with the Indemnifying Party's reasonable request for assistance or information relating to such claim, at the Indemnifying Party's expense. The Indemnified Party shall have the right to participate in the investigation and defense of such claim or action, with separate counsel chosen and paid for by the Indemnified Party. Unless the Indemnified Party chooses to waive its rights to be indemnified further in any claim or action, the Indemnified Party's counsel shall not interfere with the defense strategy chosen by the Indemnifying Party and its counsel, and the Indemnified Party when such course of action in representation of the Indemnified Party's counsel shall not raise any claims, defenses, or objections or otherwise take a course of action in representation of the Indemnified Party when such course of action might be in conflict with a course of action or inaction chosen by the Indemnifying Party. The Indemnifying Party is not liable under this Section 8 for settlements or compromises by the Indemnified Party of any claim, demand, or lawsuit unless the Indemnifying Party ahs approved the settlement or compromise in advance or unless the Indemnified Party has tendered the defense of the claim, demand, or lawsuit to the Indemnifying Party in writing and the Indemnifying Party has failed to promptly undertake the defense.
- 8.4 Both Parties agree that they, at their own cost and expense, shall maintain throughout the term of this Agreement, all insurance required by law or required under this Agreement, and may at their own cost and expense purchase insurance or self-insure for their employer, public, professional and legal liabilities. No limit of liability on any policy, no program or self-insurance, nor any failure to maintain adequate insurance coverage shall limit the direct or indirect liability of either Party.
- 8.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE

OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 9. Intellectual Property Rights and Indemnification

- 9.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Covad is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark. Notwithstanding the foregoing, Covad may use BellSouth's name solely in response to inquiries of customers or potential customers regarding the source of the underlying service or the identity of repair or service technicians under this Agreement.
- 9.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 9.3 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.
- 9.4 Claim of Infringement. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or

1

- 9.4.2 obtain a license sufficient to allow such use to continue.
- 9.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 9.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 9.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

#### 10. Proprietary and Confidential Information

- 10.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Covad, each as the "Discloser," to provide to the other party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, prices, costs, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All Information shall be provided to Recipient in written or other tangible or electronic form, clearly marked with a confidential and, proprietary notice. Information orally or visually provided to Recipient must be designated by Discloser as confidential and proprietary at the time of such disclosure and must be reduced to writing marked with a confidential and proprietary notice and provided to Recipient within thirty (30) calendar days after such oral or visual disclosure.
- 10.1.1 Each Party shall fully comply with all Customer Proprietary Network Information ("CPNI") and carrier information set forth in Section 222 of the Act and the FCC's rules and regulations implementing, or promulgated under, Section 222 of the Act.
- 10.2 <u>Use and Protection of Information.</u> Recipient shall use the Information solely for the purpose(s) of performing its obligations under this Agreement, and Recipient shall protect Information from any use, distribution or disclosure except as

permitted hereunder. Recipient will use the same standard of care to protect Information as Recipient uses to protect its own similar confidential and proprietary information, but not less than a reasonable standard of care. Recipient may disclose Information solely to the Authorized Representatives of the Recipient who (a) have a substantive need to know such Information in connection with performance of the Agreement; (b) have been advised of the confidential and proprietary nature of the Information; and (c) have personally agreed in writing to protect from unauthorized disclosure all confidential and proprietary information, of whatever source, to which they have access in the course of their employment. "Authorized Representatives" are the officers, directors and employees of Recipient and its Affiliates, as well as Recipient's and its Affiliates' consultants, contractors, counsel and agents.

- Ownership, Copying & Return of Information. Information remains at all times the property of Discloser. Recipient may make tangible or electronic copies, notes, summaries or extracts of Information only as necessary for use as authorized herein. All such tangible or electronic copies, notes, summaries or extracts must be marked with the same confidential and proprietary notice as appears on the original. Upon Discloser's request, all or any requested portion of the Information (including, but not limited to, tangible and electronic copies, notes, summaries or extracts of any information) will be destroyed and Recipient will provide Discloser with written certification stating that such Information has been destroyed.)
- Exceptions. Discloser's Information does not include: (a) any information publicly disclosed by Discloser; (b) any information Discloser in writing authorizes Recipient to disclose without restriction; (c) any information already lawfully known to Recipient at the time it is disclosed by the Discloser, without an obligation to keep confidential; or (d) any information Recipient lawfully obtains from any source other than Discloser, provided that such source lawfully disclosed and/or independently developed such information. If Recipient is required to provide Information to any court or government agency pursuant to written court order, subpoena, regulation or process of law, Recipient must first provide Discloser with prompt written notice of such requirement and cooperate with Discloser to appropriately protect against or limit the scope of such disclosure. To the fullest extent permitted by law, Recipient will continue to protect as confidential and proprietary all Information disclosed in response to a written court order, subpoena, regulation or process of law.
- Equitable Relief. Recipient acknowledges and agrees that any breach or threatened breach of this Section 10 is likely to cause Discloser irreparable harm for which money damages may not be an appropriate or sufficient remedy. Recipient therefore agrees that Discloser or its Affiliates, may be entitled to receive injunctive or other equitable relief to remedy or prevent any breach or threatened breach of this Section 10. Such remedy is not the exclusive remedy for any breach

or threatened breach of this Section 10, but is in addition to all other rights and remedies available at law or in equity.

10.6 Survival of Confidentiality Obligations. The parties' rights and obligations under this Section 10 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### 11. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the effective date thereof and, provided further, if the assignee is an assignee of Covad, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

#### 12. Resolution of Disputes

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, either Party may petition the Commission for a resolution of the dispute. Each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 13. Taxes

1

Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services

furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

- 13.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 13.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 13.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 13.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee; provided, however, that this provision shall not apply to any interest, penalties, or other charges or payable expenses (including reasonable attorney fees) attributable to the providing Party's failure to timely remit any taxes or fees collected from the purchasing Party.
- 13.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 13.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties.

  Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the

existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 13.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

#### 14. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either 14.1 directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease. BellSouth understands that its obligation to

)

provide Covad with nondiscriminatory access to unbundled network elements is not altered by a work stoppage, strike or other labor problem.

#### 15. Adoption of Agreements

BellSouth shall make available without unreasonable delay to Covad any individual interconnection, service, or network element arrangement contained in any agreement to which it is a party that is approved by a state commission pursuant to section 252 of the Act, upon the same rates, terms and conditions as those provided in the agreement. If BellSouth believes that it is no longer reasonable to allow Covad to opt into a particular agreement because of changes in technology or pricing or for any other reason, BellSouth may petition the Commission requesting that Covad not be allowed to opt-in.

#### 16. Modification of Agreement

- 16.1 If Covad changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Covad to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Covad or BellSouth to perform any material terms of this Agreement, Covad or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.
- Notwithstanding anything to the contrary in this Agreement, this Agreement shall not be amended or modified after the expiration date hereof as set forth in Section 2 above.

#### 17. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such

decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 18. Severability

If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be affected thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

#### 19. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

#### 20. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

#### 21. Notices

\* 21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### BellSouth Telecommunications, Inc.

Account Team 600 North 19<sup>th</sup> Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

\* This section was amended pursuant to an Amendment to the IA dated Jan. 02,2003. Please see Amendment immediately following for current notice Provisions.

Dhruv Khanna
Executive Vice President and General Counsel
Covad Communications Company
3420 Central Expressway
Santa Clara, CA 95054

and

Catherine F. Boone
Senior Counsel
Covad Communications Company
10 Gleniake Parkway, Suite 130
Atlanta, GA 30328

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 21.3 Notwithstanding the foregoing, BellSouth may provide Covad notice via Internet posting of price changes, changes to the terms and conditions of services available for resale, changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

#### 22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 23. Multiple Counterparts

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### 24. Implementation of Agreement

If Covad is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, presales testing and full operational time frames for the business and residential markets. An implementation template which may be used for the implementation schedule is contained in Attachment 10 of this Agreement.

#### 25. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Covad and BellSouth shall share those fees evenly. Covad shall be responsible for publishing the required notice. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Covad is duly certified as a local exchange carrier in such state.

#### 26. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

#### 27. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### 28. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 29. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except

insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Covad as a requesting carrier under the Act).

#### 30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 31. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

#### This Agreement may include the following attachments:

Network Elements and Other Services Local Interconnection Resale Collocation

The following services are included as options for purchase by Covad. Covad may elect to purchase said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc.	DIECA Communications, Inc. d/b/a Covad Communications Company
Gragory R Fallonebee	Shuffham
Signature	Signature
Gregory R Follensber	DHRUV KHANNA
Name	Name
Senior Director	EXECUTIVE VICE PRESIDENT - GENERAL COUNSEL
Title	Title
12-19-01	<b>DECEMBER 18, 2001</b>
Date	Date

# AMENDMENT TO THE AGREEMENT BETWEEN DIECA COMMUNICATIONS, INC. d/b/a

# DIECA COMMUNICATIONS, INC. d/b/a COVAD COMMUNICATIONS COMPANY AND

## BELLSOUTH TELECOMMUNICATIONS, INC. DATED DECEMBER 19, 2001

Pursuant to this Amendment, (the "Amendment"), DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 19, 2001 ("Agreement")

WHEREAS, The Parties desire to amend the Interconnection Agreement entered into on December 19, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows

- 1 The Parties hereby agree to delete Section 21 1 of the General Terms and Conditions and replace with new Section 21 1 as follows
  - 21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to.

#### BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 8<sup>th</sup> Floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W Peachtree Street Atlanta, GA 30375

#### DIECA Communications, Inc. d/b/a Covad Communications Company

Douglas Carlen, Esq Assistant General Counsel 3420 Central Expressway Santa Clara, CA 95051

and

William H. Weber Vice President, External Affairs 1230 Peachtree Street, NE 19<sup>th</sup> Floor, Promenade II Atlanta, GA 30309 or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- 2 All of the other provisions of the Agreement, dated December 19, 2001, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

DIECA Communications, Inc. d/b/a Covad Communications Company	BellSouth Telecommunications, Inc.
By: Coll	By. Ma Shurgha
,	Name Elizabeth R A Shiroishi
Name: <u>Douglas Carlen, Esq</u>	
Title. Assistant General Counsel	Title: Assistant Director
Date: 12/10/02	Date

# Attachment 2 Network Elements and Other Services

#### **TABLE OF CONTENTS**

1.	INTRODUCTION	3
2.	UNBUNDLED LOOPS, INTEGRATED DIGITAL LOOP CARRIERS, NETWORK INTERFACES DEVICE, UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM, SUB LOOPS AND DARK FIBER	
3.	SWITCHING	32
4.	UNBUNDLED NETWORK ELEMENT COMBINATIONS	., 43
5.	PORT/LOOP COMBINATIONS	48
6.	TRANSPORT AND DARK FIBER	50
7.	BELLSOUTH SWA 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE	56
8.	LINE INFORMATION DATABASE (LIDB)	58
9	SIGNALING	61
10.	OPERATOR CALL PROCESSING, INWARD OPERATOR SERVICES AND DIRECTORY ASSISTANCE SERVICES	70
11.	CALLING NAME (CNAM) DATABASE SERVICE	77
12.	BASIC 911 AND E911	79
13.	TRUE-UP	80
LII	DB Storage AgreementExhibit A	¥
CN	AM Database ServicesExhibit l	В
Rai	tes Exhibit	·C

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1. Introduction

- 1.1. This Attachment sets forth the unbundled network elements and combinations of unbundled network elements that BellSouth agrees to offer to Covad in accordance with its obligations under Section 251(c)(3) of the Act. The specific terms and conditions that apply to the unbundled network elements are described below in this Attachment 2. The price for each unbundled network element and combination of unbundled Network Elements are set forth in Exhibit C of this Agreement.
- 1.2. For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment provided by BellSouth on an unbundled basis as is used by the CLEC in the provision of a telecommunications service. These unbundled network elements will be consistent with the requirements of the FCC 319 rule. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.2.1. Except as otherwise required by law, BellSouth shall not impose limitation restrictions or requirements or requests for the use of the network elements or combinations that would impair the ability of Covad to offer telecommunications service in the manner Covad intends.
- 1.2.2 Except upon request by Covad, BellSouth shall not separate requested network elements that BellSouth currently combines.
- 1.3. BellSouth shall, upon request of Covad, and to the extent technically feasible, provide to Covad access to its network elements for the provision of Covad's telecommunications service. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.
- 1.4. Covad may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner Covad chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by Covad for combining to the designated Covad collocation space. The network elements shall be provided as set forth in this Attachment.
- 1.5. BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 unless BellSouth's actual performance or applicable industry

standards are greater than such technical reference, in which event BellSouth shall provide UNE's at such greater level. In the event the applicable industry standard exceeds the BellSouth technical reference, BellSouth shall provide UNE's consistent with the Industry Standard within ninety (90) days of notice from Covad that the industry standard exceeds the BellSouth technical reference.

- In the event that any effective legislative, regulatory, judicial or other legal action modifies or redefines the "Network Elements" in a manner which materially affects the terms of this Attachment or the Network Elements and/or prices set forth herein, either Party may, on thirty (30) days written notice, require renegotiation of such terms, and the Parties shall renegotiate in good faith such new terms in accordance with such legislative, regulatory, judicial or other legal action. In the event such new terms are not renegotiated within ninety (90) days after the notice for renegotiation, either Party may petition the Commission for resolution of the dispute between the Parties. Each Party reserves the right to seek judicial review of any Commission ruling concerning this Attachment.
- 1.7. Covad will adopt and adhere to the standards contained in the applicable CLEC Work Center BellSouth Operational Understanding Agreement regarding maintenance and installation of service.
- 1.8 If one or more of the requirements set forth in this Agreement are in conflict, the parties shall mutually agree on which requirement shall apply. If the parties cannot reach agreement, the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, shall apply.
- 2. Unbundled Loops, Integrated Digital Loop Carriers, Network Interfaces Device, Unbundled Loop Concentration (ULC) System, Sub loops and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled loops.

#### 2.1 Unbundled Loops

#### 2.1.1 <u>Definition</u>

j

2.1.2 The local loop network element ("Loop(s)") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop network element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.

- 2.1.3 The provisioning of service to a CLEC collocation space will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment. These cross-connects are a separate component, that are not considered a part of the loop, and thus have a separate charge.
- 2.1.4 The Loop shall be provided to Covad in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references. Covad shall be provided with six months notice of any changes to the existing loop specifications proposed by BellSouth to TR73600 after execution of this Agreement. The 6 months notification will not apply if Industry Standards, or legal or regulatory mandates require a different timeframe, if an applicable regulatory authority or industry forum requires modifications within a shorter time frame, or if otherwise agreed to by Covad and BellSouth.

Covad may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such serves are consistent with industry standards and BellSouth's TR73600.

BellSouth will only provision, maintain and repair the loops to the standards that are consistent with the type of loop ordered. In those cases where Covad has requested that BellSouth modify a loop so that it no longer meets the technical parameters of the original loop type, the resulting loop will be maintained as an Unbundled Copper Loop (UCL), and Covad shall pay the recurring and non-recurring charges for the resulting UCL.

- 2.1.5 BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination Time Specific."
- 2.1.6 "Order Coordination" allows BellSouth and Covad to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Covad's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and Covad advised. OC shall be provided in accordance with the chart set forth below.
- 2.1.7 "Order Coordination Time Specific" refers to service order coordination in which Covad requests a specific time for a service order conversion to take place. BellSouth will make every effort to accommodate Covad's specific conversion time request. However, BellSouth reserves the right to negotiate with Covad a conversion time based on load and appointment control when necessary. Loops on a single service

order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. Covad may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Covad specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

If Coyad cancels an order for network elements and other services, any reasonable 2.1.8 costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4. If Covad cancels an order for network elements and other services prior to the DLR Date for provisioning of the loop, Covad shall not be required to pay the above referenced cancellation charge. Notwithstanding the foregoing, if Covad places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services ordered in accordance with the transmission characteristics of the network elements or services ordered, cancellation charges described in this Section shall not apply. Where Covad places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Covad may cancel its order as to those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Covad elect to cancel the entire LSR, cancellation charges as described in this Section shall apply as to those elements and services that were not the subject of inaccurate loop makeup information. In order to obtain the credit in those loop makeup instances described above where a credit would be due, Covad must provide (1) backup documentation to confirm cancellation of the service order, such documentation to include the purchase order number and the order status; and (2) a copy of the correlating loop makeup response output with the facility reservation number, such loop makeup response being the original catalyst for Covad's submission of the service order for the facility, which is the subject of the inaccurate loop makeup information; and (3) the Billing Adjustment Request (BAR) Form. Upon presentation of that information, BellSouth may investigate whether cancellation charges are appropriate. BellSouth shall issue the appropriate credit within 60 days of receiving the above referenced information from Covad, irrespective of whether it elected to perform an investigation. No other billing dispute process shall be required for Covad to obtain the necessary credit for these

charges.

- 2.1.9 If a Covad order for a local loop is cancelled or modified by Covad or a Covad enduser, and the cancellation or modification is not caused by BellSouth, Covad will compensate BellSouth costs incurred by BellSouth for provisioning or accommodating the modification of the local loop, unless such costs are already being recovered through approved rates. Covad may charge BellSouth order modification or cancellation charges using the same rates and conditions as BellSouth utilizes for assessing such charges to Covad, if the modification or cancellation is caused by BellSouth.
- 2.1.10 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.1.11 Unbundled Voice Loops SL1 loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 loops when reuse of existing facilities has been requested by Covad. Covad may also order OC-TS when a specificied conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop makeup information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users. If Covad requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.
- 2.1.12 Unbundled Voice Loop SL2 loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a design layout record provided to Covad. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Covad to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.1.13 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Design Layout Record (DLR).
- 2.1.14 As a chargeable option on all loops except the Universal Digital Channel (UDC) and all Unbundled Copper Loops (UCLs), BellSouth will offer Order Coordination Time Specific (OC-TS). This will allow Covad the ability to specify the time that the

coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

- 2.1.15 Covad will be responsible for testing and isolating troubles on the loops. Once Covad has isolated a trouble to the BellSouth provided loop, Covad will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop on the first trouble ticket opened. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.
- 2.1.16 If Covad reports a trouble and BellSouth appropriately tests its loop but finds no trouble, BellSouth will charge Covad for any dispatching and testing (inside and outside the CO for non-designed loops and outside the CO for designed loops) required by BellSouth in order to confirm the loop's working status. In the event BellSouth closes a Covad trouble ticket as "no trouble found," and Covad reports a subsequent trouble on the same loop within 30 days of the previous trouble ticket, Covad may provide to BellSouth in writing, using the Billing Adjustment Request (BAR) Form, the PON number of the order, the number of repeat trouble tickets and confirmation that the loop is currently operational. At that time, BellSouth shall investigate the trouble tickets to determine if the subsequent trouble was in fact the same trouble that had been previously reported and closed as "no trouble found." If the investigation reveals that the subsequent trouble was the same trouble reported by Covad within 30 days prior to the subsequent trouble, BellSouth shall credit Covad for all charges related to those trouble tickets within 60 days of Covad's providing the information specified above. No other formal billing dispute shall be required to obtain this credit. If the investigation reveals that the subsequent trouble was unrelated to the previous reported trouble, no credit will be due to Covad where the trouble tickets were closed as "no trouble found."

# 2.1.17 xDSL Capable Loops

BellSouth will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, ADSL, HDSL, DS1 and digital data (up to 64 kb/s). Specifically, BellSouth shall make available the following:

- 2.1.17.1 ADSL: Asymmetrical Digital Subscriber Line (ADSL) Capable Loop: These copper loops are provisioned according to the Revised Resistance Design (RRD) industry standards which means they may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap which is included in of the loop length.
- 2.1.17.2 HDSL: High Big Rate Digital Subscriber Line (HDSL) Capable Loop: These copper loops are provisioned according to the Industry Standard Carrier Service Area ("CSA") guidelines. It will be 12,000 feet or less on 24 gauge wire and 9,000 feet or

less on 26 gauge wire, inclusive of up to 2,500 feet of bridged tap (with no one bridged tap exceeding 2000 feet).

2.1.17.3 xDSL: Subscriber Line ("DSL") technologies. The "x" in xDSL is a placeholder for the various types of digital subscriber line services. A loop is a dedicated transmission facility between a distribution frame, or its equivalent, in a BellSouth central office and the loop demarcation point at the customer premises.

An xDSL loop is a plain twisted pair of cooper loop of unlimited length without intervening devices, such as load coils, repeaters (unless so requested by the requesting carrier), or digital access main lines ("DAMLs"), and which may contain minimal bridge tap. A cooper loop used for such purposes will meet basic electrical standards such as metallic conductivity and capacitive and resistive balance.

- 2.1.17.4 UCL/short: an Unbundled Copper Loop (UCL). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A short UCL (18 kft or less) will be provisioned according to Resistance Design parameters. The UCL is a dry cooper loop and is not intended to support any particular telecommunications service. Covad may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of Covad's choosing. Covad will determine the type of service that will be provided over the loop. Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.
- 2.1.17.5 UCL/long: Unbundled Copper Loop/long (UCL/long). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A long UCL (18 kft or more) will be provisioned with a maximum 2800 ohms resistence. The UCL is a dry cooper loop and is not intended to support any particular telecommunications service. Covad may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of Covad's choosing. Covad will determine the type of service that will be provided over the loop. Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.

- 2.1.17.6 When attempting to provide cooper-based loops, BellSouth will attempt to use any available copper facility that serves the end users address. This includes performing Line and Station Transfers (LSTs) to free up copper facilities that may be currently in use but could be provisioned using a different spare media that will support the service currently in use.
- 2.1.17.7 Where facilities are available, BellSouth will install ADSL, HDSL, UCL and UCL-ND loops in no more than a 5 business day interval from receipt of Firm Order Confirmation ("FOC"). For orders of 14 or more loops at the same address, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by Covad, expedite charges will apply for intervals less than 5 days. The charges outlined in BellSouth's FCC #1 Tariff, Section 5.1.1, will apply.

#### 2.1.17.8 **ISDN/IDSL/UDC**

- 2.1.17.8.1 Due to technical limitations associated with certain DLC systems, certain ports on Digital Loop Carrier ("DLC") systems do not support ISDN Digital Subscriber Lines (IDSL).
- 2.1.17.8.2 BellSouth will offer the IDSL-Compatible Loop, known internally at BellSouth as the Universal Digital Channel (UDC), as a part of its Unbundled Digital Loop offerings as an xDSL capable loop. The IDSL-Compatible loop is compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. The technical specifications which govern this loop are those set forth in BellSouth's TR73600, which is in effect on the date of execution of this agreement.
- 2.1.17.8.3 Like the ISDN-capable loop, the IDSL-Compatible loop may be provisioned on copper or through a DLC system. When IDSL-Compatible loops are provisioned using a DLC system, BellSouth will ensure that they are only provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.1.17.8.4 The Universal Digital Channel (UDC)/IDSL Compatible Loop shall be provisioned by BellSouth in no more than 10 business days from the date of the receipt of the Firm Order Confirmation.
- 2.1.17.8.5 The rates for the IDSL-Compatible shall be the same as the rates for ISDN loops, subject to true-up when and if BellSouth's proposed rates for the IDSL-Compatible are approved and accepted by a state commission.

2.1.17.8.6 Covad shall exclusively order the UDC for its IDSL service.

## 2.1.17.9 Acceptance Testing and Cooperative Testing

)

- 2.1.17.9.1 Cooperative Acceptance Testing is acknowledged by both BellSouth and Covad to assist in the timely and efficient provisioning of functioning loops. If both parties agree in writing that this testing is no longer necessary, it can be suspended at any time.
- 2.1.17.9.2 BellSouth will dispatch a technician to provide normal acceptance testing where BellSouth determines a dispatch is required to provision the loop. Normal acceptance testing includes: Placing a short on the tip and ring conductors, listening for tone, and placing a ground on tip and ring. BellSouth will call Covad with the technician on the line to perform the above mentioned tests and Covad will within 15 minutes begin testing with the technician. The BellSouth technician will test with Covad for a period not to exceed 15 minutes. Testing not considered to be normal acceptance testing as outlined above may be performed by BellSouth, if requested by Covad. BellSouth will charge and Covad will pay for additional acceptance testing, by paying additional acceptance charges as outlined in FCC No. 1 Tariff. BellSouth shall deliver loops which perform according to the characteristics of TR73600 for the particular loop ordered.
- 2.1.17.9.3 Where a technician is dispatched to provision a loop, the BellSouth technician shall tag a circuit for identification purposes. Where a technician is not dispatched by BellSouth, BellSouth will provide sufficient information to Covad to enable Covad to locate the circuit being provisioned. Upon delivery of the loop BellSouth will contact CLEC via a toll free number to provide notification of the completion of the loop and where required, provide acceptance testing as provided for in this agreement.
- 2.1.17.9.4 If Covad is not available to perform acceptance testing within 15 minutes of the time of loop turn up by BellSouth then CLEC may request and BellSouth, if mutually agreed to, will require the BellSouth technician to standby. CLEC would then be required to pay standby charges as provided for in FCC No. 1 Tariff.
- 2.1.17.9.5 If BellSouth is unable to contact a Covad employee to perform acceptance testing at the time of loop turn up (placed on hold for more than 15 minutes, reaches voice mail or other recording, no answer or repeated busy conditions), BellSouth will test the loop to ensure the loop is provisioned according to requirements of TR73600 for the type of loop requested by CLEC. BellSouth will complete the local service request without obtaining acceptance from Covad and will have no further obligation to perform normal acceptance testing of the provisioned loop. On any such orders where

BellSouth completes the local service request without obtaining acceptance from Covad, BellSouth must provide the reason for which it was unable to contact Covad.

If at any time Covad feels that the process described in this paragraph is not being appropriately executed by BellSouth, Covad may escalate to the appropriate BellSouth Manager for immediate resolution. Such resolution shall include but not be limited to: an immediate review of the processes described above by BellSouth personnel, joint meetings of the parties to mutually resolve issues and any other such action which both parties agree may need to be implemented to correct the process failure.

- 2.1.17.9.6 If the Acceptance Test fails loop Continuity Test parameters, as defined by TR73600 for the loop being provisioned, the BellSouth technician will take any or all reasonable steps, if possible, to immediately resolve the problem with CLEC on the line including, but not limited to, calling the central office to perform work or troubleshooting for physical faults. If the problem cannot be resolved in an expedient manner, the technician will release the CLEC representative, and perform the work necessary to correct the situation. Once the loop is correctly provisioned, BellSouth will re-contact the CLEC representative to repeat the Acceptance Test.
- 2.1.17.9.7 Both Parties declare they will work together, in good faith, to implement Acceptance Testing procedures that are efficient and effective. If the Parties mutually agree to additional testing, procedures and/or standards not covered by this Appendix or any Public Utilities Commission or FCC ordered tariff, the Parties will negotiate terms and conditions to implement such additional testing, procedures and/or standards.
- 2.1.17.9.8 BellSouth will not bill for loop repairs when the repair resulted from a BellSouth problem.

#### 2.1.17.10 Unbundled Copper Loop - Non-Designed (UCL-ND)

2.1.17.10.1 The UCL-ND will be provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog

voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a design layout record or a test point.

- 2.1.17.10.2 The UCL-ND will be provisioned according to the specifications for the UCL-ND set forth in BellSouth's TR73600.
- 2.1.17.10.3 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, COVAD can request Loop Make Up for which additional charges would apply.
- At Covad's option. Covad may request that BellSouth participate in Joint 2.1.17.10.4 Acceptance Testing on the UCL-ND under the following terms, conditions, and rates. BellSouth'shall take all steps necessary to complete an order for the UCL-ND. After BellSouth has confirmed that the UCL-ND loop meets the applicable technical specifications, BellSouth shall call Covad and participate in Joint Acceptance Testing. The charges for testing shall be assessed as follows: 1) At the time of testing, if the parties agree that the loop complies with technical specifications set forth in TR73600, Covad will pay for the Joint Acceptance Testing; 2) At the time of testing, if the parties agree that the loop does not comply with technical specifications set forth in TR73600, BellSouth shall not charge Covad for the Joint Acceptance Testing and any subsequent, technically feasible work and testing necessary to deliver a UCL-ND that meet the technical specifications; and 3) At the time of testing, if the Parties disagree as to whether the UCL-ND complies with applicable technical specifications, BellSouth and Covad will both dispatch a technician to the end user location at a mutually agreeable time. During this joint dispatch, the technicians will work cooperatively to isolate the trouble to the loop and will retest the loop to determine if the loop meets the applicable specifications. If the jointly dispatched test indicates that the UCL-ND meets applicable technical specifications, Covad will only be billed for the time associated with the first Joint Acceptance Test. If the jointly dispatched testing indicates a non-conforming loop, then BellSouth will take whatever technically feasible action necessary to bring the loop into specifications. In such case, BellSouth will be responsible for all charges associated with Joint Acceptance Testing as well as the cost of the Covad technician's participation in the joint testing on a time and materials basis (rates will be negotiated and agreed to in advance). If the loop cannot be brought into specifications, then Covad may cancel the order and will not be charged cancellation charges for that loop. In the event the Commission establishes Joint Acceptance Testing rates different from those set forth herein, the Parties will amend this Agreement to incorporate such rates.

- 2.1.17.10.5 BellSouth will perform continuity validation on UCL-ND loops which require a dispatch to provision prior to order completion.
- 2.1.17.10.6 UCL-ND loops are not intended to support any particular service and may be utilized by COVAD to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.1.17.10.7 The UCL-ND will be delivered to COVAD's collocation space via a cross-connect. This cross-connect element will be provisioned as a part of BellSouth's Collocation offering.
- 2.1.17.10.8 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth's facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.1.17.10.9 COVAD may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.
- 2.1.17.10.10 The provisioning interval for the UCL-ND is as set forth in Section 2.1.8 of this Attachment.
- 2.1.17.10.11 When BellSouth provisions a UCL-ND, BellSouth will take necessary steps to identify the pair as an xDSL compatible loop. As such, when making modifications to its network, BellSouth will maintain the same specified physical characteristics of the UCL-ND in accordance with TR 73600 until the loop is disconnected by the CLEC or the end-user.

## 2.2 Loop Conditioning/Loop Modification

- 2.2.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by Covad, whether or not BellSouth offers advanced services to the End User on that loop. BellSouth shall deliver a conditioned loop in no more than 14 business days from receipt of Firm Order Confirmation.
- 2.2.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline

Version 1Q00:3/6/00

telecommunications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, low pass filters, and range extenders.

- 2.2.3 Charges for conditioning a loop, if any, will be determined by each state public service commission.
- 2.2.4 The unbundled Loop Modifications (ULM) offering provides the following elements:

  1) removal of equipment on loops less than 18kft, 2) removal of equipment of loops longer than (18kft), 3) removal of bridged-taps on loops of any length.

## 2.3 Integrated Digital Loop Carriers

2.3.1 In the event that BellSouth has chosen to deploy Integrated Digital Loop Carrier (IDLC) systems to provide the local loop that do no permit unbundling of that local loop, BellSouth will provide a suitable alternative facility (such as a contiguous local copper loop which is in existence at that location and which is not currently being utilized by BellSouth or any other customer) without additional cost. If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities.

#### 2.4 Network Interface Device

#### 2.4.1 Definition

)

}

The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the point of demarcation at the end users premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's on-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

- 2.4.2. BellSouth shall permit Covad to connect Covad's loop facilities to on-premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.4.3 Access to Network Interface Device (NID)
- 2.4.3.1. Due to the wide variety of NIDs utilized by BellSouth (based on subscriber size and environmental considerations), Covad may access the on-premises wiring by any of the following means: BellSouth shall allow Covad to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are

- not used by BellSouth or any other telecommunications carriers to provide service to the premise. It is the responsibility of Covad to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID.
- 2.4.3.2. Where an adequate length of on-premises wiring is present and environmental conditions permit, either Party may remove the on-premises wiring from the other Party's NID and connect that wire to that Party's own NID; or
- 2.4.3.3. Enter the subscriber access chamber or "side" of "dual chamber" NID enclosures for the purpose of extending a connecterized or spliced jumper wire from the on-premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.4.3.4. Request BellSouth to make other rearrangements to the on-premises wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting Party (i.e., Covad, its agent, the building owner or the subscriber). Such charges will be billed to the requesting Party.
- 2.4.3.5. In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors, without state regulatory requirement, without providing prior notice to the other Party, and without appropriately capping off and guarding the other Party's loop. In such cases, it shall be the responsibility of the disconnecting party to properly ground the other party's loop, maintain the NID, and assume full liability for its action and any adverse consequences.
- 2.4.3.6. In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.4.3.7. In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.4.3.8. Due to the wide variety of NID enclosures and outside plant environments BellSouth will work with Covad to develop specific procedures to establish the most effective means of implementing this Section, 2.4.3.
- 2.4.4 <u>Technical Requirements</u>
- 2.4.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.4.4.2 The NID shall be capable of transferring electrical analog or digital signals between the subscriber's inside wiring and the Distribution Media and/or cross connect to Covad's NID, consistent with the NID's function at the Effective Date of this Agreement.

- 2.4.4.3 Where a BellSouth NID exists, it is provided in its "as is" condition. Covad may request BellSouth do additional work to the NID in accordance with Section 2.4.3.8.
- 2.4.4.4 When Covad deploys its own local loops with respect to multiple-line termination devices, Covad shall specify the quantity of NIDs connections that it requires within such device.
- 2.4.5 <u>Interface Requirements</u>
- 2.4.5.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the applicable industry standard technical references.

## 2.5 Unbundled Loop Concentration (ULC) System

- 2.5.1 BellSouth will provide to Covad Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.5.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and may connect to Covad at Covad's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

## 2.6 Sub-loop Elements

- 2.6.1 BellSouth shall offer access to its Unbundled Sub Loop (USL), Unbundled Subloop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements. BellSouth shall provide non-discriminatory access, in accordance with 51.311 and section 251(c) (3) of the Act, to the subloop. On an unbundled basis and pursuant to the following terms and conditions and the rates approved by the Commission and set forth in this Attachment.
- 2.6.2 Subloop components include but are not limited to the following:
- 2.6.2.1 Unbundled Sub-Loop Distribution;

- 2.6.2.2 Unbundled Sub-Loop Concentration/Multiplexing Functionality; and
- 2.6.2.3 Unbundled Network Terminating Wire; and
- 2.6.2.4 Unbundled Sub-Loop Feeder.
- 2.6.3 Unbundled Sub-Loop (distribution facilities)
- 2.6.3.1 <u>Definition</u>
- 2.6.3.2 The unbundled sub-loop distribution facility is dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. There are two offerings available for Unbundled Sub-Loops (USL):
- 2.6.3.3 Unbundled Sub-Loop Distribution (USL-D) will include the sub-loop facility from the cross-box in the field up to and including the point of demarcation.
- 2.6.3.4 BellSouth will also provide sub-loop interconnection to the intrabuilding network cable (INC) (riser cable). INC is the distribution facility inside a subscriber's building or between buildings on one customer's same premises (continuous property not separated by a public street or road). USL-INC (riser cable) will include the facility from the cross-connect device in the building equipment room up to and including the point of demarcation.
- 2.6.4. Requirements for Unbundled Sub-Loop Distribution Facilities
- 2.6.4.1 Unbundled Sub-Loop distribution facilities were originally built as part of the entire voice grade loop from the BellSouth central office to the customer network interface. Therefore, the Unbundled Sub-Loop may have load coils, which are necessary for transmission of voice grade services. The Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.6.4.2 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In a scenario that involves connection at a BellSouth cross-box located in the field, Covad would be required to deliver a cable to the BellSouth remote terminal or cross-box to provide continuity to Covad's feeder facilities. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box. Covad's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician. In a scenario that requires connection in a building

- equipment room, BellSouth will install a cross connect panel on which access to the requested sub-loops will be connected. The CLEC's cable pairs can then be connected to the Unbundled Sub-Loop pairs on this cross-connect panel by the BellSouth technician.
- 2.6.4.3 BellSouth will provide Unbundled Sub-Loops where possible. Through the firm order Service Inquiry (SI) process, BellSouth will determine if it is feasible to place the required facilities where Covad has requested access to Unbundled Sub-Loops. If existing capacity is sufficient to meet the CLEC demand, then BellSouth will perform the set-up work as described in the next section 2.6.4.4. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in 2.6.4.4) to accommodate Covad's request for Unbundled Sub-Loops, BellSouth will use its Special Construction (SC) process to determine the additional costs required to provision the Unbundled Sub-Loops. Covad will then have the option of paying the one-time SC charge to modify the facilities to meet Covad's request.
- 2.6.4.4 During the initial set-up in a BellSouth cross-connect box in the field, the BellSouth technician will perform the necessary work to splice the CLEC's cable into the cross-connect box. For the set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel that will be used to provide access to the requested USLs. Once the set-up is complete, the CLEC requested sub-loop pairs would be provisioned through the service order process based on the submission of a LSR to the LCSC.
- 2.6.5 <u>Interface Requirements</u>
- 2.6.5.1 Unbundled Sub-Loop shall be equal to or better than each of the applicable requirements set forth in the applicable industry standard technical references.
- 2.6.6 Unbundled Sub-Loop Concentration System (USLC)
- 2.6.6.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth will provide to Covad with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into Covad's collocation space. TR-008 and TR303 interface standards are available.
- 2.6.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of Covad's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of Covad's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of

two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.

2.6.6.3 In these scenarios Covad would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow Covad's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.

## 2.6.7 Unbundled Network Terminating Wire (UNTW)

2.6.7.1 BellSouth agrees to offer its Unbundled Network Terminating Wire (UNTW) to Covad pursuant to the following terms and conditions at rates as set forth in this Attachment.

#### 2.6.7.2 Definition

2.6.7.2.1 Subject to applicable and effective FCC rules and orders, UNTW is a dedicated transmission facility that BellSouth provides from the Wiring Closet /Garden Terminal (or other type of cross-connect point) at the point of termination of BellSouth's loop distribution facilities to the end user's point of demarcation.

## 2.6.7.3 Requirements

- 2.6.7.3.1 BellSouth will offer spare pairs that are available to an end user's premises to Covad. Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an end user with working service at the time of Covad's request for UNTW. If no spare pairs are available and the end user is no longer using BellSouth's local service, BellSouth will relinquish the first pair to Covad. If after BellSouth has relinquished the first pair to Covad and the end user decides to change local service providers to BellSouth, Covad will relinquish the first pair back to BellSouth.
- 2.6.7.3.2 Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an end users premises in response to a request from such end user, Covad agrees to surrender its spare pair(s) upon request by BellSouth.
- 2.6.7.3.3 If an end user of Covad desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the end

user, then Covad agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.

- 2.6.7.3.4 If Covad has placed NTW at a location and an end user desires to receive local exchange service from BellSouth and BellSouth needs access to Covad's NTW to provide local exchange service to the end user, then Covad agrees to surrender the requisite number of its spare pair(s) upon request by BellSouth.
- 2.6.7.3.5 In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of the CLEC.
- 2.6.8 <u>Technical Requirements</u>
- 2.6.8.1 In these scenarios, BellSouth will connect the requested UNTW pairs to a single point of interconnection (SPOI) designed for CLEC access to BellSouth's NTW. The SPOI will be installed either near BellSouth's garden terminal or wiring closet. Covad will be required to place a cross-box, terminal or other similar device and deliver a cable to this SPOI. Covad will then connect their cable to the cross-connect panel to access the requested UNTW pairs.

#### 2.7 Dark Fiber

#### 2.7.1 Defintion

Dark Fiber is optical transmission facilities without attached multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber also includes strands of optical fiber existing in aerial or underground cable which may have lightwave repeater (regenerator or optical amplifier) equipment interspliced to it at appropriate distances, but which has no line terminating elements terminated to such strands to operationalize its transmission capabilities.

## 2.7.2 Requirements

- 2.7.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two -year planning period, there is no requirement to provide said fiber to Covad.
- 2.7.2.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Covad's request subject to time and materials charges.
- 2.7.2.3 Covad may test the quality of the Dark Fiber to confirm its usability and performance specifications.

- 2.7.2.4 BellSouth shall use its best efforts to provide to Covad information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from Covad ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation"). From the time of the Request to forty-five (45) days after Confirmation, BellSouth shall hold such requested Dark Fiber for Covad's use and may not allow any other party to use such media, including BellSouth.
- 2.7.2.5 BellSouth shall use its best efforts to make Dark Fiber available to Covad within thirty (30) business days after it receives written confirmation from Covad that the Dark Fiber previously deemed available by BellSouth is wanted for use by Covad. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Covad to connect or splice Covad provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.
- 2.7.2.6 Dark Fiber shall meet the manufacturer's design specifications.
- 2.7.2.7 Covad may splice and test Dark Fiber obtained from BellSouth using Covad or Covad designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber. BellSouth shall provide an excess cable length of 25 feet minimum (for fiber in underground conduit) to allow the uncoiled fiber to reach from the manhole to a splicing van.

#### 2.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

## 2.9 Operational Support Systems (OSS)

BellSouth has developed and made available the following mechanized systems by which Covad may submit LSRs electronically.

LENS Local Exchange Navigation System
EDI Electronic Data Interchange
TAG Telecommunications Access Gateway

2.9.1 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted

by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, MS, NC, SC, TN	KY	. FL	LA
OSS LSR charge, per LSR received from the CLEC by one	\$3.50	\$3.50	\$3.50	\$3.50
of the OSS interactive interfaces	SOMEC	SOMEC	SOMEC	SOMEC
Incremental charge received from the CLEC by means other	See applicable rate element –	\$19.99	\$10.73	\$15.20
than one of the OSS interactive	applied on a per	applied on a per	applied on a per	applied on a per
interfaces	element basis	LSR basis	LSR basis	LSR basis
	SOMAN			
		SOMAN	SOMAN	SOMAN

For network elements and service for which BellSouth makes available an electronic ordering mechanism, Covad shall pay the manual ordering charge when it submits a manual order, unless Covad submitted the manual order when the electronic systems were non functional for any reason other than scheduled maintenance and downtime. For network elements and services for which BellSouth does not make available a electronic ordering mechanism, Covad shall pay the manual ordering rate for manually submitted orders. Notwithstanding the foregoing, if BellSouth's retail operations have electronic ordering capabilities for services analogous to those provided by BellSouth to Covad and BellSouth does not make electronic ordering available to Covad, Covad shall pay the electronic ordering rate for those services, irrespective of whether the orders are placed manually or electronically.

## 2.9.2 <u>Denial/Restoral OSS Charge</u>

In the event Covad provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

2.9.3 Covad will incur an OSS charge for an accepted LSR that is later canceled by Covad, except when BellSouth does not deliver the loop within seven (7) days of the standard loop delivery interval for each particular loop.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 2.9.4 Network Elements and Other Services Manual Additive
- 2.9.4.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means

other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit A.

## 2. 10 Loop Makeup (LMU)

- 2.10.1 <u>Description of Service</u>
- 2.10.1.1 BellSouth shall make available to Covad loop makeup information so that Covad can make an independent judgment about whether the loop is capable of supporting the advanced services equipment Covad intends to install and the services Covad wishes to provide. This section addresses LMU as a preordering transaction, distinct from Covad ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.10.1.2 BellSouth will provide Covad LMU information consistent with the effective FCC Rules, Orders and Regulations including the composition of the loop material (copper/fiber); the existence, location and type of equipment on the loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.
- 2.10.1.3 BellSouth's LMU information is provided to Covad as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.10.1.4 Covad may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth loop. The determination shall be made solely by Covad and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said loop. The specific loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop requested taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Covad's ability to provide advanced data services over the ordered loop type. Further, if Covad orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Covad is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.
- 2.10.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.10.2.1 Covad may obtain LMU information by submitting a LMUSI mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the loop from the mechanized LMUSI process, if Covad needs further loop information in order to determine loop service capability, Covad may initiate a separate Manual LMUSI for a separate nonrecurring charge as set forth in the rate exhibit for Attachment 2.
- 2.10.2.2 Manual LMUSIs shall be submitted by electronic-mail to BellSouth's Complex Resale Support Group (CRSG/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

# 2.10.3 <u>Loop Reservations</u>

- 2.10.3.1 Covad may reserve facilities for up to four (4) calendar days for each facility requested on a LMUSI from the time the LMU information is returned to Covad. During and prior to Covad placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Covad does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released. For a Mechanized LMUSI, Covad may reserve up to 10 loop facilities. For a Manual LMUSI, Covad may reserve up to 3 loop facilities.
- 2.10.3.2 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

# 2.10.4 Ordering of Other UNE Services

- 2.10.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Covad will not be billed any additional LMU charges for the loop ordered on such LSR. If however, Covad does not reserve facilities upon an initial LMUSI, Covad's placement of an order for an advanced data service type facility shall be deemed placed for such a facility rate element that "includes manual service inquiry and reservation" per the rate matrix of this Attachment.
- 2.10.4.2 Where Covad has reserved multiple loop facilities on a single reservation, Covad may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Covad, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type loop as ordered by Covad. If the ordered loop type is not available, Covad may utilize the Unbundled Loop

Modification process or the Special Construction process, as applicable, to obtain the loop type ordered.

# 2.11 High Frequency Spectrum Network Element

- 2.11.1 BellSouth shall provide Covad access to the high frequency portion of the local loop as an unbundled network element ("High Frequency Spectrum") at the rates set forth in Exhibit C. BellSouth shall provide Covad with the High Frequency Spectrum irrespective of whether BellSouth chooses to offer xDSL services on the loop.
- 2.11.1.1 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Covad the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL presumed acceptable for deployment pursuant to 47 C.F.R. Section 51.230, including, but not limited to, ADSL, RADSL, and any other xDSL technology that is presumed to be acceptable for deployment pursuant to FCC rules. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Covad shall only use xDSL technology that is within the PSD mask parameters set forth in T1.413 or other applicable industry standards. Covad shall provision xDSL service on the High Frequency Spectrum in accordance with the applicable Technical Specifications and Standards.
- 2.11.1.2 The following loop requirements are necessary for Covad to be able to access the High Frequency Spectrum: an unconditioned, 2-wire copper loop. An unconditioned loop is a copper loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601. The process of removing such devices is called "conditioning." BellSouth shall charge and Covad shall pay as interim rates, the same rates that BellSouth charges for conditioning stand-alone loops as provided in this Interconnection Agreement (e.g., unbundled copper loops, ADSL loops, and HDSL loops) until permanent pricing for loop conditioning are established either by mutual agreement or by a state public utilities commission. The interim costs for conditioning are subject to true up as provided in this agreement. BellSouth will condition loops to enable Covad to provide xDSL-based services on the same loops the incumbent is providing analog voice service, regardless of loop length. BellSouth is not required to condition a loop in connection with Covad's access to the High Frequency Spectrum if conditioning of that loop impairs service from the end users perspective. If Covad requests that BellSouth condition a loop longer than 18,000 ft. and such conditioning significantly

degrades the voice services on the loop, Covad shall pay for the loop to be restored to its original state.

- 2.11.1.3 Covad's termination point is the point of termination for Covad's on the toll main distributing frame in the central office ("Termination Point"). BellSouth will use jumpers to connect Covad's connecting block to the splitter. The splitter will route the High Frequency Spectrum on the circuit to the Covad's xDSL equipment in the Covad's collocation space.
- 2.11.1.4 For the purposes of testing line shared loops, Covad shall have access to the test access point associated with the splitter and the demarcation point between BellSouth's network and Covad's network.
- 2.11.2 PROVISIONING OF HIGH FREQUENCY SPECTRUM AND SPLITTER SPACE
- 2.11.2.1 BellSouth will provide Covad with access to the High Frequency Spectrum as follows:
- 2.11.2.2 BellSouth will install splitters within thirty-six (36) calendar days of Covad's submission of such order to the BellSouth Complex Resale Support Group.
- 2.11.2.3 BellSouth shall provide Covad the status of manually submitted LSRs for end user line sharing orders through the PON Report on the CLEC Operations Website at <a href="https://clec.bellsouth.com">https://clec.bellsouth.com</a>.

Status shall include FOC Sent, Pending, Cancelled, In Clarification, Jeopardies or Rejected. A description of these statuses can be found on this website. This is a secure website. Passwords can be obtained from your account team.

For LSRs submitted through an electronic interface (EDI, TAG, LENS, RoboTAG), the following responses will be returned to Covad electronically: FOCs, Completion Notices, Errors/Clarifications, Pending Order Status, Jeopardies, e.g. missed appointments. Covad may view CSRs through LENs.

Covad may determine the status of its line sharing end user service orders through CSOTS (CLEC Service Order Tracking System). The service order statuses are described in the Pending Order Status Job Aid located on the web at <a href="http://www.interconnection.bellsouth.com/markets/lec/oss\_info.html">http://www.interconnection.bellsouth.com/markets/lec/oss\_info.html</a>. Passwords for CSOTS can be obtained from the account team.

Covad may determine the status of its COSMOS/SWITCH work order for its line sharing end user orders through the COSMOS/SWITCH Line Sharing Report. These reports will provide the telephone number, CLLI code, cable and pair, splitter

assignment, status and in COSMOS service order number if pending. The reports also provide a summary including working pairs, pairs pending disconnect, pairs pending connect. The COSMOS/SWITCH report will be in a form that enables Covad to download it into an excel-type spreadsheet format. When Covad has received a Firm Order Confirmation ("FOC") on an order and the CSOTS system also shows that order as complete, but the order appears on the COSMOS/SWITCH report in the pending connect or pending disconnect status, Covad shall enter a trouble report through DLEC Tafi or report troubles to the BellSouth CWINS center. When Covad has received a FOC on an order and the order in pending in CSOTS beyond the due date of the order, then Covad shall check to see if BellSouth has provided a jeopardy or clarification notification via the PON Status Report. If there are no outstanding clarifications or jeopardies, Covad will contact the LCSC. The COSMOS/SWITCH report will be updated by 8:00 p.m., daily, Monday thru Sunday.

- 2.11.2.4 Covad shall be entitled to order the High Frequency Spectrum on lines served out of any central office where Covad has a splitter available for its use pursuant to Section 2.11.2.
- 2.11.2.5 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Covad access to data ports on the splitter. In the event that BellSouth elects to use a brand of splitter other than Siecor, the Parties shall renegotiate the recurring and non-recurring rates associated with the splitter. In the event the Parties cannot agree upon such rates, the then current rates (final or interim) for the Siecor splitter shall be the interim rates for the new splitter. BellSouth will provide Covad with a carrier notification letter at least 30 days before such change and shall work collaboratively with Covad to select a mutually agreeable brand of splitter for use by BellSouth. Covad shall thereafter purchase ports on the splitter as set forth more fully below.
- 2.11.2.6 BellSouth will install the splitter in (i) a common area close to the Covad collocation area, if possible; or (ii) in a BellSouth relay rack as close to the Covad DSO termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. Nothing in this section shall be construed as Covad's agreement that such placement is the most efficient network configuration. Moreover, nothing in this section shall be construed as Covad's agreement that such placement is consistent with TELRIC pricing rules or otherwise is a network configuration that would be used by an efficient forward looking provider of unbundled network elements. Notwithstanding the foregoing, neither Party waives any rights to take a position contrary to the provisions of this Section before any regulatory body regarding line sharing processes or rates. BellSouth will cross-connect the splitter data ports to a specified Covad DSO at such time that a Covad end user's service is established.

- 2.11.2.7 The High Frequency Spectrum shall only be available on loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, and Covad desires to continue providing xDSL service on such loop, Covad shall be required to purchase the full stand-alone loop unbundled network element. In the event BellSouth disconnects the end-user's voice service pursuant to its tariffs or applicable law, and Covad desires to continue providing xDSL service on such loop, Covad shall be permitted to continue using the line by purchasing the full stand-alone loop unbundled network element. BellSouth shall give Covad notice in a reasonable time prior to disconnect, which notice shall give Covad an adequate opportunity to notify BellSouth of its intent to purchase such loop. The Parties shall work collaboratively towards the method of notification and the time periods for notice. In those cases in which BellSouth no longer provides voice service to the end user and Covad purchases the full stand-alone loop, Covad may elect the type of loop it will purchase. Covad will pay the appropriate recurring and non-recurring rates for such loop as set forth in Attachment 2 of the Agreement, including a voice grade loop.
- 2.11.2.8 Covad and BellSouth shall continue to work together collaboratively to develop systems and processes for provisioning the High Frequency Spectrum in various real life scenarios. BellSouth and Covad agree that Covad is entitled to purchase the High Frequency Spectrum on a loop that is provisioned over fiber-fed digital loop carrier. BellSouth will provide Covad with access to feeder sub-loops at UNE prices. BellSouth and Covad will work together to establish methods and procedures for providing Covad access to the High Frequency Spectrum over fiber fed digital loop carriers.
- 2.11.2.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.
- 2.11.2.10 To order High Frequency Spectrum on a particular loop, Covad must have a DSLAM collocated in the central office that serves the end-user of such loop. BellSouth shall allow Covad to order splitters in central offices where Covad is in the process of obtaining collocation space. BellSouth shall install such splitters before the end of Covad's collocation provisioning interval.
- 2.11.2.11 BellSouth will devise a splitter order form that allows Covad to order splitter ports in increments of 8, 24 or 96 ports.
- 2.11.2.12 BellSouth will provide Covad the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 2.11.2.13 BellSouth will provide Covad with access to the High Frequency Spectrum of the unbundled loop as follows:

For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at the same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.

For manual orders, BellSouth will return a Firm Order Confirmation (FOC) in no more than twenty-four (24) business hours. For electronic orders, BellSouth will return a FOC in one (1) hour ninety-five percent (95%) of the time for orders that flow-through. For orders that do not flow-through, BellSouth will return a FOC in twenty-four (24) business hours.

- 2.11.2.14 BellSouth shall perform testing to confirm that all in place splitters are correctly installed to the BellSouth frame. In the event any splitters are not correctly cabled or installed shall be corrected before February 28, 2001. BellSouth shall include testing to ensure splitters are correctly installed and cabled to the BellSouth frame as a part of the splitter installation process. If BellSouth informs Covad that a splitter has been installed for Covad's use, and that splitter is later found to have been incorrectly installed, BellSouth shall waive the nonrecurring charge for that splitter installation.
- 2.11.2.15 BellSouth shall test the data portion of the loop to insure the continuity of the wiring for Covad's data using the LSVT test-set for both the provisioning and maintenance of a loop. This test shall be performed from the Covad designated tie cable pair (which is connected to Covad's DSLAM) to the Main Distribution Frame (MDF) where the customer's cable pair leaves the BellSouth central office. This process will be implemented unless, and until, Covad and BellSouth mutually agree on another process. If BellSouth delivers a line shared loop that is not properly wired by BellSouth, BellSouth shall adjust the monthly recurring charge to reflect the day that the line shared loop was placed in service.

## 2.11.3 MAINTENANCE AND REPAIR

- 2.11.3.1 Covad shall have access, for test, repair, and maintenance purposes, to any loop as to which it has access to the High Frequency Spectrum. Covad may access the loop at the point where the combined voice and data signal exits the central office splitter.
- 2.11.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer premise and the Termination Point of demarcation in the central office. Covad will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 2.11.3.3 If the problem encountered appears to impact primarily the xDSL service, the end user should call Covad. If the problem impacts primarily the voice service, the end user should call BellSouth. If both services are impaired, the end user should contact BellSouth and Covad.
- 2.11.3.4 BellSouth and Covad will work together to diagnose and resolve any troubles reported by the end-user and to develop a process for repair of lines as to which Covad has access to the High Frequency Spectrum. The Parties will continue to work together to address customer initiated repair requests and other customer impacting maintenance issues to better support unbundling of High Frequency Spectrum.
- 2.11.3.4.1 The Parties will be responsible for testing and isolating troubles on its respective portion of the loop. Once a Party ("Reporting Party") has isolated a trouble to the other Party's ("Repairing Party") portion of the loop, the Reporting Party will notify the end user to report the trouble to the other service provider. The Repairing Party will take the actions necessary to repair the loop if it determines a trouble exists in its portion of the loop.
- 2.11.3.4.2 If a trouble is reported on either Party's portion of the loop and no trouble actually exists, the Repairing Party may charge the Reporting Party for any dispatching and testing (both inside and outside the central office) required by the Repairing Party in order to confirm the loop's working status.
- 2.11.3.5 In the event Covad's deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify Covad and allow twenty-four (24) hours to cure the trouble. If Covad fails to resolve the trouble, BellSouth may discontinue Covad's access to the High Frequency Spectrum on such loop.

#### **2.11.4 PRICING**

2.11.4.1 BellSouth and Covad agree to the negotiated, interim rates for the High Frequency Spectrum. All interim prices will be subject to true up based on either mutually agreed to permanent pricing or permanent pricing established in a line sharing cost proceeding conducted by state public utility commissions. In the event interim prices are established by state public utility commissions before permanent prices are established, either through arbitration or some other mechanism, the interim prices established in this Agreement will be changed to reflect the interim prices mandated by the state public utility commissions; however, no true up will be performed until mutually agreed to permanent prices are established or permanent prices are established by state public utility commissions.

2.11.4.2 BellSouth and Covad enter into this Agreement without waiving current or future relevant legal rights and without prejudicing any position BellSouth or Covad may take on relevant issues before state or federal regulatory or legislative bodies or courts of competent jurisdiction. This clause specifically contemplates but is not limited to:

(a) the positions BellSouth or Covad may take in any cost docket related to the terms and conditions associated with access to the High Frequency Spectrum; and (b) the positions that BellSouth or Covad might take before the FCC or any state public utility commission related to the terms and conditions under which BellSouth must provide Covad with access to the High Frequency Spectrum. The interim rates set forth in Exhibit C were adopted as a result of a compromise between the parties and do not reflect either party's position as to final rates for access to the High Frequency Spectrum.

Any element necessary for interconnection that is not identified above is priced as currently set forth in the Agreement. For additional terms and obligations See > LQS Amendment (Effective from 3.16.04 to 12.31.04)

3. Switching

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of local and tandem switching.

#### 3.1 Local Switching

BellSouth shall provide non-discriminatory access to local circuit switching capability, and local tandem switching capability, on an unbundled basis, except as set forth below in Section 3.1.3 to Covad for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Covad for the provision of a telecommunications service only in the limited circumstance described below in Section 3.3.4.6.

- 3.1.1. Except as otherwise provided herein, BellSouth shall not impose any restrictions on Covad regarding the use of Switching Capabilities purchased from BellSouth provided such use does not result in demonstrable harm to either the BellSouth network or personnel or the use of the BellSouth network by BellSouth or any other telecommunication carrier.
- 3.1.2. Local Circuit Switching Capability, including Tandem Switching Capability

#### 3.1.2.1 <u>Definition</u>

Local Circuit Switching Capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and (C) All features, functions, and capabilities of the

# AMENDMENT TO THE AGREEMENT BETWEEN DIECA COMMUNICATIONS, INC. d/b/a COVAD COMMUNICATIONS COMPANY AND BELLSOUTH TELECOMMUNICATIONS, INC. DATED DECEMBER 19, 2001

Pursuant to this Amendment, (the "Amendment"), DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated December 19, 2001 ("Agreement") to be effective on the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Covad entered into the Agreement on December 19, 2001, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to add the following language to Attachment 2 of the Agreement:
- 2.12 For purposes of this Amendment, "LQS Bulk List" or "Bulk List" refers to an electronic file made available by BellSouth to Covad on at least a monthly basis via a mutually agree upon method.
- 2.12.1 The Bulk List is a single bulk file of ADSL qualified numbers across the BellSouth region, and the Bulk List will contain, at a minimum, a list of all BellSouth telephone numbers qualified for ADSL service including, at a minimum, the following:
  - 2.12.1.1 Information sufficient to allow Covad to determine, for each telephone number on the Bulk List, loop length and whether the loop can reach the customer premise without traversing fiber (i.e., is it an all-copper loop?);
  - 2.12.1.2 All fields contained in the External Response string (the first 2 rows of data) of BellSouth's Loop Qualification System (LQS) desktop application for qualified telephone numbers;
  - 2.12.1 3 A field for distinguishing between Central Office (CO) qualified numbers, CO-qualified numbers requiring pair rearrangements, and non-CO qualified numbers. For purposes of this Amendment, a "CO-qualified number" indicates a telephone number served by an all-copper loop (or capable of being served by an all copper loop after pair rearrangement) between the CO and the end-user premises.
  - 2.12.2 Covad will not distribute the LQS Bulk List to third parties.
    Notwithstanding this restriction, BellSouth understands that Covad uses

the BellSouth LQS Bulk List together with Covad's proprietary information to develop a list of customers that Covad believes are likely to qualify for Covad's DSL services ("Prequalified DSL Customer List"). The Prequalified DSL Customer List will consist of the LQS Bulk List and Covad's proprietary information. BellSouth acknowledges that Covad may supply the Prequalified DSL Customer List to Covad's wholesale partners and its affiliated ISP, Covad net (collectively, "Wholesale Partners") for the sole purpose of allowing Covad's Wholesale Partners to market Covad's DSL services either alone or as part of a bundle of telecommunications services. Nothing in this Agreement shall be construed to prevent Covad from providing the Prequalified DSL Customer List to Covad's wholesale partners.

- 2.12.3 The Parties acknowledge that they disagree about whether BellSouth is required by applicable law to provide the Bulk List to Covad.

  Nevertheless, Covad agrees to adhere to the terms and conditions enumerated below, and BellSouth agrees to provide Covad with access to LQS and a Bulk List of ADSL qualified customers from LQS subject to the change of law provisions in the Agreement:
- 2.12.3.1 BellSouth makes no claim as to the accuracy or completeness of either LQS or the Bulk List.
- 2.12.3.2 Covad is responsible for acting within the local, state, and federal law governing the use of the Bulk List for the purpose of, but not limited to, marketing of its own DSL service through direct mail or telemarketing. Furthermore, Covad hereby agrees to refrain from abusive telemarketing practices.
- 2.12 3.3 Covad agrees to use the LQS information and the Bulk List and/or any information directly derived from the Bulk List for the sole purpose of qualifying and selling its own DSL services (whether alone or in a package of other offerings). Covad will not disclose the stand-alone LQS information and/or the Bulk List to third parties, except as captured in the Prequalified DSL Customer List.
- 2.12.3.4 Covad will not use the Bulk List for the purpose of conducting research, marketing, qualifying, or selling products and/or services other than its own DSL services. This paragraph shall not be construed in a manner that would prevent Covad from providing the Prequalified DSL Customer List to its Wholesale Partners. Covad agrees, however, that its Wholesale Partners will not use the Prequalified DSL Customer List for any purpose other than to market Covad's wholesale DSL services either alone or as part of a bundle of telecommunications services.
- 2.12 3.5 BellSouth agrees to give Covad 30 days written notice should it ever intend to discontinue providing the Bulk List to Covad. In the event that Covad's right to the Bulk List is ever terminated, Covad agrees, upon written request of BellSouth, to immediately destroy or return all copies and/or components of the Bulk List. For purposes of this paragraph, the

term "immediately" shall be defined as a period of time not to exceed forty-eight (48) hours.

- 2. All of the other provisions of the Agreement, dated December 19, 2001, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch; (D) switching provided by remote switching modules.

- 3.1.2.2 When utilizing BellSouth's local circuit switching capability, local traffic shall be defined as set forth in Part B of the General Terms and Conditions.
- 3.1.3 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Covad when Covad serves end-users with four (4) or more voice-grade (DS-0) equivalents or lines in locations served by BellSouth's local circuit switches, which are in the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 3.1.4 In the event that Covad orders local circuit switching for a single end user account name at a single physical end user location with four (4) or more two (2) wire voice-grade loops from a BellSouth central office listed on Exhibit A, BellSouth's sole recourse shall be to charge Covad a rate to be negotiated for use of the local circuit switching functionality for the affected facilities, or in the alternative, to charge Covad the local services resale rate for use of all Combinations used to provide the affected facilities to Covad.
- 3.1.5 A featureless port is one that has a line port, switching facilities, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by Covad. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.
- 3.1.6 BellSouth will provide to Covad customized routing of calls: (i) to a requested directory assistance services platform; (ii) to an operator services platform pursuant to Section 10 of Attachment 2; (iii) for Covad's PIC'ed toll traffic in a two (2) PIC environment to an alternative OS/DA platform designated by Covad. Covad customers may use the same dialing arrangements as BellSouth customers.
- 3.1.7 Remote Switching Module functionality is included in Switching Capability. The switching capabilities used will be based on the line side features they support.

- 3.1.8 Switching Capability will also be capable of routing local, intraLATA, interLATA, and calls to international customer's preferred carrier; call features (e.g. call forwarding) and Centrex capabilities.
- 3.1.9 Where required to do so in order to comply with an effective Commission order,
  BellSouth will provide to Covad purchasing local BellSouth switching and reselling
  BellSouth local exchange service under Attachment 1, selective routing of calls to a
  requested directory assistance services platform or operator services platform. Covad
  customers may use the same dialing arrangements as BellSouth customers, but obtain
  a Covad branded service.

## 3.2 <u>Technical Requirements</u>

- 3.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 3.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in the applicable industry standard technical references.
- 3.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.
- 3.2.1.3 Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by Covad will be made pursuant to the Bona Fide Request/ New Business Request Process as set forth in General Terms and Conditions.
- 3.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.
- 3.2.1.5 BellSouth shall activate service for a Covad customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to Covad's services without loss of switch feature functionality as defined in this Agreement.
- 3.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 3.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.

- 3.2.1.8 BellSouth shall control congestion points such as those caused by radio station callins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 3.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.
- 3.2.1.10 Special Services provided by BellSouth will include the following:
- 3.2.1.10.1 Telephone Service Prioritization;
- 3.2.1.10.2 Related services for handicapped;
- 3.2.1.10.3 Soft dial tone where required by law; and
- 3.2.1.10.4 Any other service required by law.
- 3.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 3.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 3.2.1.13 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to Covad, upon a reasonable request from Covad. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.
- 3.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to:
- 3.2.1.14.1 Basic and primary rate ISDN;
- 3.2.1.14.2 Residential features;
- 3.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS);
- 3.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and
- 3.2.1.14.5 Advanced intelligent network triggers supporting Covad and BellSouth service applications.

3.2.2	BellSouth shall offer to Covad all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are:
3.2.2.1	Off-Hook Immediate
3.2.2.2	Off-Hook Delay
3.2.2.3	Termination Attempt
3.2.2.4	6/10 Public Office Dialing Plan
3.2.2.5	Feature Code Dialing
3.2.2.6	Customer Dialing Plan
3.2.3	When the following triggers are supported by BellSouth, BellSouth will make these triggers available to Covad:
3.2.3.1	Private EAMF Trunk
3.2.3.2	Shared Interoffice Trunk (EAMF, SS7)
3.2.3.3	NI1
3.2.3.4	Automatic Route Selection
3.2.4	Where capacity exists, BellSouth shall assign each Covad customer line the class of service designated by Covad (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from Covad customers to Covad directory assistance operators at Covad's option.
3.2.5	Where capacity exists, BellSouth shall assign each Covad customer line the class of services designated by Covad (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from Covad customers to Covad operators at Covad's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to a Covad Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.
3.2.6	Local Switching shall be offered in accordance with the technical specifications set forth in the applicable industry standard references.
3.2.7	Interface Requirements

3.2.7.1

BellSouth shall provide the following interfaces to loops:

- 3.2.7.1.1 Standard Tip/Ring interface including loop start or ground start, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 3.2.7.1.2 Coin phone signaling;
- 3.2.7.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;
- 3.2.7.1.4 Two-wire analog interface to PBX;
- 3.2.7.1.5 Four-wire analog interface to PBX;
- 3.2.7.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 3.2.7.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;
- 3.2.7.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N=1 to 24); and
- 3.2.7.1.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 3.2.7.2 BellSouth shall provide access to the following but not limited to:
- 3.2.7.2.1 SS7 Signaling Network or Multi-Frequency trunking if requested by Covad;
- 3.2.7.2.2 Interface to Covad operator services systems or Operator Services through appropriate trunk interconnections for the system; and
- 3.2.7.2.3 Interface to Covad Directory Assistance Services through the Covad switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other Covad required access to interexchange carriers as requested through appropriate trunk interfaces.
- 3.3 Tandem Switching
- 3.3.1 <u>Definition</u>

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

3.3.2 <u>Technical Requirements</u>

- 3.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 3.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 3.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Covad and BellSouth;
- 3.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 3.3.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by Covad;
- 3.3.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));
- 3.3.2.1.5.1 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 3.3.2.1.5.2 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.
- 3.3.2.1.6 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.
- 3.3.2.1.7 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).
- 3.3.2.1.8 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.
- 3.3.2.1.9 Tandem Switching shall record billable events and send them to the area billing centers designated by Covad. Tandem Switching will provide recording of all billable events as jointly agreed to by Covad and BellSouth.
- 3.3.2.1.10 Upon a reasonable request from Covad, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to Covad.

)

- 3.3.2.1.11 BellSouth shall maintain Covad's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.
- 3.3.2.1.12 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 3.3.2.1.13 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth's switching network shall be mutually agreed to by Covad and BellSouth.
- 3.3.2.1.14 Tandem Switching shall process originating toll-free traffic received from Covad's local switch.
- 3.3.2.1.15 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 3.3.2.2 Interface Requirements
- 3.3.2.2.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.
- 3.3.2.2.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.
- 3.3.2.2.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.
- 3.3.2.2.4 Tandem Switching shall interconnect with Covad's switch, using two-way trunks, for traffic that is transiting via BellSouth's network to interLATA or intraLATA carriers. At Covad's request, Tandem Switching shall record and keep records of traffic for billing.
- 3.3.2.2.5 Tandem Switching shall provide an alternate final routing pattern for Covad's traffic overflowing from direct end office high usage trunk groups.
- 3.3.2.2.6 Tandem Switching shall be equal or better than the requirements for Tandem Switching set forth in the applicable technical references.
- 3.4 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers

- 3.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Covad. AIN Selective Carrier Routing will provide Covad with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 3.4.2 Covad shall order AIN Selective Carrier Routing through its Account Team. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.
- 3.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 3.4.4 Where AIN Selective Carrier Routing is utilized by Covad, the routing of Covad's end user calls shall be pursuant to information provided by Covad and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 3.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Covad shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit A of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit A of this Attachment. For each Covad end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit A of this Attachment, payable to BellSouth pursuant to the terms of the General Terms and Conditions, incorporated herein by this reference. Covad shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit A of this Attachment.
- 3.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 coming up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN\_SCR Central Office Identification Form Form C, AIN\_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to the client's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to the client, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

- 3.4.7 The non-recurring End Office Establishment Charge will be billed to the client following our normal monthly billing cycle for this type of order.
- 3.4.8 End-User Establishment Orders will not be turned-up until the 2<sup>nd</sup> payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to the client following our normal monthly billing cycle for this type of order.
- 3.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to the client following the normal billing cycle for per query charges.
- 3.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed according per contracted rates.

# 3.5 Packet Switching Capability

#### 3.5.1 Definition

Packet Switching Capability. The packet switching capability network element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Mulitplexers, including but not limited to:

- 3.5.2 The ability to terminate copper customer loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);
- 3.5.3 The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;
- 3.5.4 The ability to extract data units from the data channels on the loops, and
- 3.5.5 The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.
- 3.5.6 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 3.5.6.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);

- 3.5.6.2 There are no spare copper loops capable of supporting the xDSL services Covad seeks to offer;
- 3.5.6.3 BellSouth has not permitted Covad to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point as defined in Section 2 of the Remote Site Collocation Attachment, nor has the Covad obtained a virtual collocation arrangement at these subloop interconnection points as defined by 47 C.F.R. § 51.319 (b); and
- 3.5.6.4 BellSouth has deployed packet switching capability for its own use.
- 3.5.7 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.
- 3.6 Interoffice Transmission Facilities

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Covad for the provision of a telecommunications service.

3.7 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

3.8 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.9 of this Attachment.

- 4. Unbundled Network Element Combinations
- 4.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs) 2) Other Non-Switched Transport Combinations 3) UNE Loop/Special Access Combinations and 4) UNE Loop/Port Combinations.
- For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.
- 4.3 Enhanced Extended Links (EELs)

Version 1Q00:3/6/00

# Sections 4 ? 5 are replaced with Attachment
Exhibit 6, pps. 1-7 to FL Rate Amendment (Parting)

Effective. 11/Ke/2002 Attachment 2

- Where facilities permit and where necessary to comply with an effective FCC and/or 4.3.1 State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 4.3.2 below.
- 4.3.2 Subject to Section 4.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 4.3.5 following. Covad shall provide to BellSouth a letter certifying that Covad is providing a significant amount of local exchange service (as described in Sections 4.3.8.1.1, 4.3.8.1.2, 4.3.8.1.3 or 4.3.8.2) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Covad's POP serving wire center. The circuit must be connected to Covad's switch for the purpose of provisioning telephone exchange service to Covad's end-user customers. The EEL will be connected to Covad's facilities in Covad's collocation space at the POP SWC, or Covad may purchase BellSouth's access facilities between Covad's POP and Covad's collocation space at the POP SWC.
- 4.3.3 When ordering EEL combinations, Coxad shall provide to BellSouth a letter certifying that Covad will provide a significant amount of local exchange service over the requested combination, as described in Section 4.3.6 below, and shall indicated under what local usage option Covad seeks to qualify. Covad shall be deemed to be providing a significant amount of local exchange service if one of the three (3) options set forth in Sections 4.3.8.1.1 through 4.3.8.1.3 is met. BellSouth shall have the right to audit Covad's records to verify that Covad is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 4.3.8.3 of this Attachment.
- BellSouth shall provide EEL combinations to Covad in Georgia, Kentucky, Louisiana, 4.3.4 Mississippi and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Covad those EEL combinations/described in Section 4.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available EEL combinations to Covad in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, in the Atlanta/GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, MC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs regardless of whether or not such EELs are Currently Combined. Except as stated above, EELs will be provided to Covad only to the extent such network elements are Currently Combined.
- 4.3.5 **EEL Combinations**
- DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- .3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop

# 4. Unbundled Network Element Combinations

4.1 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by Covad are in fact already combined by BellSouth in the BellSouth network References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by Covad are not already combined by BellSouth in the location requested by Covad but are elements that are typically combined in BellSouth's network References to "Not Typically Combined" network elements shall mean that the particular network elements requested by Covad are not elements that BellSouth combines for its use in its network

# 4.2 Enhanced Extended Links (EELs)

- 4 2.1 EELs are combinations of unbundled loops and unbundled dedicated transport as defined in Section 6. BellSouth shall provide Covad with EELs where they are available.
- 4 2.2 BellSouth will provide access to EELs in the combinations set forth in Section 4.4 1 below.
- 4.2.3 EELs are intended to provide service connectivity from an end user's location through that end user's SWC to Covad's collocation space in a BellSouth central office. The circuit must be connected to the Covad's switch for the purpose of provisioning circuit telephone exchange service to the Covad's end-user customers. Covad may connect EELs within the Covad's collocation space to other transport terminating into Covad's switch. Covad may also connect the local loops listed in Section 4.3.1.3 to an appropriate Unbundled Local Channel to form additional EELs which terminate in Covad's switch. Provided that the entire EEL circuit meets the criteria set forth in Section 4.3.1.3 below, the circuit may, upon Covad's request, terminate to a CLEC's Point of Presence ("POP"). Covad will provide a significant amount of local exchange service over the requested combination, as described in Section 4 3.1 et seq below. Upon BellSouth's request, Covad shall indicate under what local usage option Covad seeks to qualify. Covad shall be deemed to providing a significant amount of local exchange service over the requested combination if one of the options listed in Section 4.3.1 et seq. is met. BellSouth shall have the right to audit Covad's EELs as specified in Section 4 3.3 below.

# 4.3 Conversions from Special Access Service to EELs

Covad may not convert existing special access services to combinations of loop and transport network elements, whether or not Covad self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Covad uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a

particular customer To the extent Covad requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Covad shall provide to BellSouth a certification that Covad is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option Covad seeks to qualify for conversion of special access circuits. Covad shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

- 4.3 1.1 Option 1: Covad certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Covad's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Covad is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. Covad can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 4.3 1.2 Option 2: Covad certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The loop-transport combination must terminate at Covad's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 4.3.1.3 Option 3: Covad certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Covad does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local

exchange traffic specified in this option.

- In addition, there may be extraordinary circumstances where Covad is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 4.3.1 et seq. In such case, Covad may petition the FCC for a waiver of the local usage options set forth above If a waiver is granted, then upon Covad's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 4.3.3 BellSouth may, at its sole discretion, audit Covad's records in order to verify compliance with the local usage option provided by Covad pursuant to Section 4.3.1. The audit shall be conducted by a third party independent auditor, and Covad shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Covad shall reimburse BellSouth for the cost of the audit. If, based on the audit, Covad is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth will convert such combinations of loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill Covad for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that Covad is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement incorporated herein by this reference.
- 4.3.4 In the event Covad converts special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section, Covad shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 4.4 Rates
- Currently Combined EELs listed below in Sections 4.4.1 1-4.4.1.14 shall be billed at the nonrecurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit C of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit C of this Attachment.
- 4 4.1 1 DS1 Interoffice Channel + DS1 Channel zation + 2-wire VG Local Loop

DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop 4.4.1.2 4.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop 4 4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local 4.4.1.5 Loop 4 4.1.6 DS1 Interoffice Channel + DS1 Local Loop 4.4.1.7 DS3 Interoffice Channel + DS3 Local Loop STS-1 Interoffice Channel + STS-1 Local Loop 4.4.1.8 4.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 4 4.1.10 44.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 4.4.1.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 4.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 4.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop 4.4.2 Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit C of this Attachment Ordinarily combined EELs not listed in-Sections 4.4.1.1-4 4.1 14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit C of this Attachment. 4.4.3 To the extent that Covad requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the Bona Fide Request Process.

# 4.5 UNE Port/Loop Combinations

- 4.5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service
- 4.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, as long as such combinations are Ordinarily Combined in BellSouth's network.
- 4.5.3 Except as set forth in Section 4.5.4 below, BellSouth shall provide UNE port/loop combinations described in Section 4.5.6 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit C. Except as set forth in Section 4.5.4 below, BellSouth shall provide UNE port/loop combinations not described in Section 4.5.6 below or Not Typically Combined Combinations in accordance with the Bona Fide Request process.
- 4.5.4 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 4.5.4.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Covad if Covad's customer has 4 or more DS0 equivalent lines.
- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit C. If a market rate is not set forth in Exhibit C for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 4.5.5 BellSouth shall make 911 updates in the BellSouth 911 database for Covad's UNE port/loop combinations. BellSouth will not bill Covad for 911 surcharges. Covad is responsible for paying all 911 surcharges to the applicable governmental agency.
- 4.5.6 Combination Offerings
- 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU,

- common transport facilities termination, tandem switching, and tandem trunk port
- 4.5 6.2 2-wire voice grade Com port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5 6.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 4.5.6.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port
- 4.5.6.8

  4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port

# 4.6 Other UNE Combinations

- 4.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to Covad in addition to those specifically referenced in this Section 4 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent Covad requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.
- 4.6.2 Rates

4.63

The rates for Ordinarily Combined UNE Combinations shall be the sum of the recurring rates and nonrecurring rates for the stand-alone network elements as set forth in Exhibit C of this Attachment. The rates for Currently Combined UNE Combinations shall be the sum of the recurring rates for the stand-alone network elements as set forth in Exhibit C, in addition to a nonrecurring charge set forth in Exhibit C. To the extent Covad requests a Not Typically Combined Combination, or to the extent Covad requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

# 6. Transport and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled transport and dark fiber.

# 6.1. Transport

6.1.1 <u>Definition of Common (Shared) Transport</u>

Common (Shared) Transport is an interoffice transmission path between two BellSouth end-offices, BellSouth end-office and a local tandem, or between two local tandems. Where BellSouth Network Elements are connected by intra-office wiring, such wiring is provided as a part of the Network Elements and is not Common (Shared) Transport. Common (Shared) Transport consists of BellSouth inter-office transport facilities and is unbundled from local switching.

- 6.1.2 <u>Technical Requirements of Common (Shared) Transport</u>
- 6.1.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.
- 6.1.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.
- 6.1.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standard technical references.
- 6.2 Interoffice transmission facility network elements include:
- 6.2.1 Dedicated transport, defined as BellSouth's transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular customer or carrier, that provide telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Covad.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics;

- 6.2.3 Shared transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network.
- 6.2.4 BellSouth shall:
- 6.2.4.1 Provide Covad exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.2.4.2 Provide all technically feasible transmission facilities, features, functions, and capabilities that Covad could use to provide telecommunications services;
- 6.2.4.3 Permit, to the extent technically feasible, Covad to connect such interoffice facilities to equipment designated by Covad, including but not limited to, Covad's collocated facilities; and
- 6.2.4.4 Permit, to the extent technically feasible, Covad to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.
- 6.2.5 Provided that the facility is used to transport a significant amount of local exchange services Covad shall be entitled to convert existing interoffice transmission facilities (i.e., special access) to the corresponding interoffice transport network element option.

# 6.3 Dedicated Transport

- 6.3.1 Definitions
- 6.3.2 Dedicated Transport is defined as BellSouth transmission facilities dedicated to a particular customer or carrier that provide telecommunications between wire centers owned by BellSouth or requesting telecommunications carriers, or between switches owned by BellSouth or requesting telecommunications carriers.
- 6.3.3 <u>Unbundled Local Channel</u>
- 6.3.4 Unbundled Local Channel is the dedicated transmission path between Covad's Point of Presence and the BellSouth Serving Wire Center's collocation.
- 6.3.5 <u>Unbundled Interoffice Channel.</u>
- 6.3.6 Unbundled Interoffice Channel is the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.3.7 BellSouth shall offer Dedicated Transport in each of the following ways:

- 6.3.7.1 As capacity on a shared UNE facility.
- As a circuit (e.g., DS0, DS1, DS3) dedicated to Covad. This circuit shall consist of an Unbundled Local Channel or an Unbundled Interoffice Channel or both.
- 6.3.8 When Dedicated Transport is provided it shall include:
- 6.3.8.1 Transmission equipment such as, line terminating equipment, amplifiers, and regenerators;
- 6.3.8.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable.
- Rates for Dedicated Transport are listed in this Attachment. For those states that do not contain rates in this Attachment the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true up, and the Parties will amend the Agreement to reflect the new rates.
- 6.3.10 <u>Technical Requirements</u>
- 6.3.10.1 This Section sets forth technical requirements for all Dedicated Transport.
- 6.3.10.2 When BellSouth provides Dedicated Transport, the entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Covad designated traffic.
- 6.3.10.3 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, (1) DS0, DS1 and DS3 transport services, and (2) SONET at available transmission bit rates.
- 6.3.10.4 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.
- 6.3.10.5 Where applicable, for DS3, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.
- 6.3.10.6 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.3.10.6.1 DS0 Equivalent;
- 6.3.10.6.2 DS1 (Extended SuperFrame ESF);

- 6.3.10.6.3 DS3 (signal must be framed);
- 6.3.10.6.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.3.10.6.5 When Dedicated Transport is provided, BellSouth shall design it according to BellSouth's network infrastructure to allow for the termination points specified by Covad.
- 6.3.11 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.3.11.1 BellSouth Technical References:
- 6.3.11.2 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.3.11.3 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995.
- 6.3.11.4 TR 73525 MegaLink®Service, MegaLink Channel Service & MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

# 6.4 Unbundled Channelization

- 6.4.1 BellSouth agrees to offer access to Unbundled Channelization when available pursuant to following terms and conditions and at the rates set forth in the Attachment.
- 6.4.2 Definition
- Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. This can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Covad can have channels activated on an as-needed basis by having BellSouth connect lower level UNEs via Central Office Channel Interfaces (COCIs).
- 6.4.3 Channelization capabilities will be as follows:
- 6.4.3.1 DS3 Channelization System: An element that channelizes a DS3 signal into 28 DS1s/STS-1s.

- 6.4.3.2 DS1 Channelization System: An element that channelizes a DS1 signal into 24 DS0s.
- 6.4.3.3 Central Office Channel Interfaces (COCI): Elements that can be activated on a channelization system.
- 6.4.4 DS1 Central Office Channel Interface elements can be activated on a DS3 Channelization System.
- Voice Grade and Digital Data Central Office Channel Interfaces can be activated on a DS1 Channelization System.
- 6.4.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.
- 6.4.7 COCI will be billed on the lower level UNE order that is interfacing with the UC arrangement and will have to be compatible with those UNEs.
- 6.4.8 Channelization may be incorporated within dedicated transport or ordered as a standalone capability, which requires either the high or low speed side to be connected to collocation.
- 6.4.9 Technical Requirements

١

- 6.4.9.1 In order to assure proper operation with BST provided central office multiplexing functionality, the customer's channelization equipment must adhere strictly to form and protocol standards. Separate standards exist for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for subrate digital access.
- 6.4.9.2 DS0 to DS1 Channelization
- 6.4.9.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions. DS0 to DS1 Channelization requirements are essential the same as defined in BellSouth Technical Reference 73525, MegaLink® Service, MegaLink® Channel Service, MegaLink® Plus Service, and MegaLink® Light Service Interface and Performance Specification.
- 6.4.9.3 DS1 to DS3 Channelization
- 6.4.9.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. DS1 to DS3 Channelization requirements are essentially the same as defined in BellSouth Technical Reference 73501,

LightGate® Service Interface and Performance Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.

# 6.4.9.4 DS1 to STS Channelization

6.4.9.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) — Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) — Payload Mappings. DS1 to STS Channelization requirements are essentially the same as defined in BellSouth Technical Reference TR 73501, LightGate® Service Interface and Performance Specifications.

#### 6.5 Dark Fiber

The terms, conditions and rates for Dark Fiber are as set forth in Section 2.7 of this Attachment.

# 6.6 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.9 of this Attachment.

# 7. BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of 8XX Access Ten Digit Screening Services.

- 7.1 BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database
- 7.1.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (herein known as 8XX SCP) is a SCP that contains customer record information and functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (herein know as 8XX TFD), utilizes the 8XX SCP to provide identification and routing of the 8XX calls, based on the ten digits dialed. 8XX TFD is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Covad. BellSouth shall provide 8XX TFD in accordance with the following:

# 7.1.2 <u>Technical Requirements</u>

- 7.1.2.1 BellSouth shall provide Covad with access to the 8XX record information located in the 8XX SCP. The 8XX SCP contains current records as received from the national SMS and will provide for routing 8XX originating calls based on the dialed ten-digit 8XX number.
- 7.1.2.2 The 8XX SCP is designated to receive and respond to queries using the American National Standard Specification of Signaling System Seven (SS7) protocol. The 8XX SCP shall determine the carrier identification based on all ten digits of the dialed number and route calls to the carrier, POTS number, dialing number and/or other optional feature selected by Covad.
- 7.1.2.3 The SCP shall also provide, at Covad's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:
- 7.1.2.3.1 Network Management;
- 7.1.2.3.2 Customer Sample Collection; and
- 7.1.2.3.3 Service Maintenance.
- 7.2 Automatic Location Identification/Data Management System (ALI/DMS)

7.2.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

#### 7.3 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 8 Line Information Database (LIDB)

- 8.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of LIDB.
- 8.2 BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

#### 8.2.1 Definition

8.2.2 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

# 8.2.3 <u>Technical Requirements</u>

- 8.2.4 BellSouth will offer to Covad any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.4.1 BellSouth shall process Covad's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Covad what additional functions (if any) are performed by LIDB in the BellSouth network.
- 8.2.4.2 Within two (2) weeks after a request by Covad, BellSouth shall provide Covad with a list of the customer data items, which Covad would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.4.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

- 8.2.4.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.4.6 All additions, updates and deletions of Covad data to the LIDB shall be solely at the direction of Covad. Such direction from Covad will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.4.7 BellSouth shall provide priority updates to LIDB for Covad data upon Covad's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.4.8 BellSouth shall provide LIDB systems such that no more than 0.01% of Covad customer records will be missing from LIDB, as measured by Covad audits. BellSouth will audit Covad records in LIDB against DBAS to identify record mismatches and provide this data to a designated Covad contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Covad within one business day of audit. Once reconciled records are received back from Covad, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Covad to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.4.9 BellSouth shall perform backup and recovery of all of Covad's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.4.10 BellSouth shall provide Covad with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Covad and BellSouth.
- 8.2.4.11 BellSouth shall prevent any access to or use of Covad data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Covad in writing.
- 8.2.4.12 BellSouth shall provide Covad performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Covad at least at parity with BellSouth Customer Data. BellSouth shall obtain from Covad the screening

information associated with LIDB Data Screening of Covad data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Covad under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.

- 8.2.4.13 BellSouth shall accept queries to LIDB associated with Covad customer records, and shall return responses in accordance with industry standards.
- 8.2.4.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.4.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.2.5 <u>Interface Requirements</u>
- 8.2.6 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.2.6.1 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.2.6.2 The CCS interface to LIDB shall be the standard interface described herein.
- 8.2.6.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 9 Signaling

- 9.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Signaling Transport Services.
- 9.2 BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

### 9.3 Signaling Link Transport

- 9.3.1 Definition Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.
- 9.3.2 <u>Technical Requirements</u>
- 9.3.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.
- 9.3.3 Of the various options available, Signaling Link Transport shall perform in the following two ways:
- 9.3.3.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and
- 9.3.3.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).
- 9.3.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.3.4.1 An A-link layer shall consist of two links.
- 9.3.4.2 A B-link layer shall consist of four links.
- 9.3.5 A signaling link layer shall satisfy a performance objective such that:
- 9.3.5.1 There shall be no more than two minutes down time per year for an A-link layer; and
- 9.3.5.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.

- 9.3.5.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.3.5.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.3.5.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.3.5.4 <u>Interface Requirements</u>
- 9.3.5.4.1 There shall be a DS1 (1.544 Mbps) interface at the Covad designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.4 Signaling Transfer Points (STPs)
- 9.4.1 <u>Definition</u> Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.4.2 Technical Requirements
- 9.4.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
- 9.4.2.1.1 BellSouth Local Switching or Tandem Switching;
- 9.4.2.1.2 BellSouth Service Control Points/DataBases;
- 9.4.2.1.3 Third-party local or tandem switching;
- 9.4.2.1.4 Third-party-provided STPs.
- 9.4.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This explicitly includes the use of the BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transient messages). When the BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.4.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between a Covad local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Covad local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.4.2.4 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a Covad or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Covad database, then Covad agrees to provide BellSouth with the Destination Point Code for the Covad database.
- 9.4.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this Attachment. All OMAP functions will be on a "where available" basis and can include:
- 9.4.2.6.1 MTP Routing Verification Test (MRVT); and
- 9.4.2.6.2 SCCP Routing Verification Test (SRVT).
- 9.4.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Covad or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by Covad and BellSouth.
- 9.4.2.8 STPs shall be on parity with BellSouth.

)

- 9.4.2.9 SS7 Advanced Intelligent Network (AIN) Access
- 9.4.2.9.1 When technically feasible and upon request by Covad, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the Covad SS7 network to exchange TCAP queries and responses with a Covad SCP.
- 9.4.2.9.2 SS7 AIN Access shall provide Covad SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and Covad SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Covad SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.
- 9.4.3 <u>Interface Requirements</u>
- 9.4.3.1 BellSouth shall provide the following STPs options to connect Covad or Covaddesignated local switching systems or STPs to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Covad local switching systems; and,
- 9.4.3.1.2 A B-link interface from Covad local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting Covad local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Covad will work jointly to establish mutually acceptable SPOIs.
- 9.4.3.4 BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Covad will work jointly to establish mutually acceptable SPOIs.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.3.6 Message Screening

- 9.4.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from Covad local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Covad switching system has a legitimate signaling relation.
- 9.4.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from Covad local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Covad switching system has a legitimate signaling relation.
- 9.4.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Covad from any signaling point or network interconnected through BellSouth's SS7 network where the Covad SCP has a legitimate signaling relation.
- 9.4.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the applicable industry standard technical references.

# 9.5 Service Control Points/Databases

#### 9.5.1 Definition

- 9.5.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 <u>Technical Requirements for SCPs/Databases</u>
- 9.5.3.1 Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to Covad in accordance with the following requirements.

- 9.5.3.2 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.3 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.4 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 9.5.4 Database Availability
- 9.5.4.1 Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers, which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.
- 9.5.4.2 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for Covad customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.
- 9.6 Local Number Portability Database
- 9.6.1 Definition
- 9.6.2 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.
- 9.7 SS7 Network Interconnection
- 9.7.1 Definition.
- 9.7.2 SS7 Network Interconnection is the interconnection of Covad local Signaling Transfer Point Switches (STP) and Covad local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), Covad local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.3 <u>Technical Requirements</u>

- 9.7.3.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:
- 9.7.3.1.1 BellSouth local or tandem switching systems;
- 9.7.3.1.2 BellSouth DBs; and
- 9.7.3.1.3 Other third-party local or tandem switching systems.
- 9.7.4 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and Covad or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.5 If traffic is routed based on dialed or translated digits between a Covad local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Covad local STPs and BellSouth or other third-party local switch.
- 9.7.6 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).
- 9.7.7 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:
- 9.7.7.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.7.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.7.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.8 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Covad local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of

- messages to a gateway pair of Covad local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.9 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 9.7.10 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.11 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 9.7.12 SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 9.7.12.1 MTP Performance, as specified in ANSI T1.111.6;
- 9.7.12.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 9.7.12.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 9.7.13 Interface Requirements
- 9.7.13.1 BellSouth shall offer the following SS7 Network Interconnection options to connect Covad or Covad-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
- 9.7.13.1.1 A-link interface from Covad local or tandem switching systems; and
- 9.7.13.1.2 B-link interface from Covad STPs.
- 9.7.13.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting Covad local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Covad will work jointly to establish mutually acceptable SPOI.
- 9.7.13.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the

- failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Covad will work jointly to establish mutually acceptable SPOI.
- 9.7.13.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.13.5 BellSouth shall set message screening parameters to accept messages from Covad local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Covad switching system has a legitimate signaling relation.
- 9.7.13.6 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the applicable industry standard technical references.

#### 9.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

# 10. Operator Call Processing, Inward Operator Services and Directory Assistance Services

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Operator Call Processing, Inward Operator Services and Directory Assistance Services.

# 10.2 Operator Systems

10.2.1 <u>Definition.</u> Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

# 10.3 Operator Service

10.3.1 <u>Definition</u>. Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Ouotes.

#### 10.3.2 Requirements

- 10.3.2.1 When Covad requests BellSouth to provide Operator Services, the following requirements apply:
- 10.3.2.1.1 BellSouth shall complete 0+ and 0- dialed local calls.
- 10.3.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.
- 10.3.2.1.3 BellSouth shall process calls that are billed to Covad end user's calling card that can be validated by BellSouth.
- 10.3.2.1.4 BellSouth shall complete person-to-person calls.
- 10.3.2.1.5 BellSouth shall complete collect calls.
- 10.3.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
- 10.3.2.1.7 BellSouth shall complete station-to-station calls.

Version 1000:3/6/00

- 10.3.2.1.8 BellSouth shall process emergency calls.
- 10.3.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
- 10.3.2.1.10 BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.
- 10.3.2.1.11 BellSouth shall process operator-assisted directory assistance calls.
- 10.3.2.1.12 BellSouth shall adhere to equal access requirements, providing Covad local end users the same IXC access as provided to BellSouth end users.
- 10.3.2.1.13 BellSouth shall exercise at least the same level of fraud control in providing Operator Service to Covad that BellSouth provides for its own operator service.
- 10.3.2.1.14 BellSouth shall perform Billed Number Screening when handling Collect, Personto-Person, and Billed-to-Third-Party calls.
- 10.3.2.1.15 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by Covad.
- 10.3.2.1.16 BellSouth shall provide a feed of customer call records in "EMI" format to Covad in accordance with CLEC ODUF standards specified in Attachment 7.

#### 10.3.3 <u>Interface Requirements</u>

10.3.3.1 With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of Covad, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

# 10.4 Directory Assistance Service

10.4.1 <u>Definition.</u> Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

#### 10.4.2 Requirements

- 10.4.3 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Covad's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, Covad may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.
- 10.4.4 <u>Directory Assistance Service Updates</u>

- 10.4.4.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.4.4.1.1 New end user connections: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users;
- 10.4.4.1.2 End user disconnections: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users; and
- 10.4.4.1.3 End user address changes: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users;
- 10.4.4.1.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 10.4.5 <u>Branding for Operator Call Processing and Directory Assistance</u>
- 10.4.5.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to Covad end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows Covad to have its calls custom branded with Covad's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.
- 10.4.5.2 BellSouth offers four service levels of branding to Covad when ordering Directory Assistance and/or Operator Call Processing.
- 10.4.5.2.1 Service Level 1 BellSouth Branding
- 10.4.5.2.2 Service Level 2 Unbranded
- 10.4.5.2.3 Service Level 3 Custom Branding
- 10.4.5.2.4 Service Level 4 Self Branding (applicable only to Covad for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).
- 10.4.6 For Resellers and Use with an Unbundled Port
- 10.4.6.1 BellSouth Branding is the Default Service Level.
- 10.4.6.2 Unbranding, Custom Branding, and Self Branding require Covad to order selective routing for each originating BellSouth end office identified by Covad. Rates for Selective Routing are set forth in this Attachment.

- 10.4.6.3 Customer Branding and Self Branding require Covad to order dedicated trunking from each BellSouth end office identified by Covad, to either the BellSouth Traffic Operator Position System (TOPS) or Covad Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.6.4 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Covad to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.7 For Facilities Based Carriers
- 10.4.7.1 All Service Levels require Covad to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.7.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which Covad requires service.
- 10.4.8 Directory Assistance customized branding uses:
- 10.4.8.1 the recording of the name;
- 10.4.8.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.9 Operator Call Processing customized branding uses:
- 10.4.9.1 the recording of the name;
- 10.4.9.2 the front-end loading of the DRAM in the TOPS Switch;
- 10.4.9.3 the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);
- 10.4.9.4 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).
- 10.4.9.5 BellSouth will provide to Covad purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. Covad end users may use the same dialing arrangements as BellSouth end users, but obtain a Covad branded service.

# 10.5 Directory Assistance Database Service (DADS)

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to Covad end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). Covad agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, Covad agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, Covad authorizes the inclusion of Covad Directory Assistance listings in the BellSouth Directory Assistance products.
- BellSouth shall provide Covad initially with a base file of subscriber listings which reflect all listing change activity occurring since Covad's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by Covad and BellSouth. Covad agrees to assume the costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to Covad on a Business, Residence, or combined Business and Residence basis. Covad agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after Covad receives the Base File.
- 10.5.4 BellSouth is authorized to include Covad Directory Assistance Listing Information in its Directory Assistance Database Service (DADS). Any other use by BellSouth of Covad Directory Assistance Listing Information is not authorized and with the exception of a request for DADS, BellSouth shall refer any request for such information to Covad.
- 10.5.5 Rates for DADS are as set forth in this Attachment.

## 10.6 Direct Access to Directory Assistance Service

10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Covad's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow Covad to utilize its own switch, operator workstations and optional audio subsystems.

- 10.6.2 BellSouth will provide DADAS from its DA location. Covad will access the DADAS system via a telephone company provided point of availability. Covad has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- 10.6.3 A specified interface to each Covad subsystem will be provided by BellSouth.

  Interconnection between Covad's system and a specified BellSouth location will be pursuant to the use of Covad owned or Covad leased facilities and shall be appropriate sized based upon the volume of queries being generated by Covad.
- 10.6.4 The specifications for the three interfaces necessary for interconnection are available in the following documents:
- 10.6.4.1 DADAS to Subscriber Operator Position System—Northern Telecom Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification;
- 10.6.4.2 DADAS to Subscriber Switch—Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification;
- 10.6.4.3 DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol—Northern Telecom Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification.
- 10.6.5 Rates for DADAS are as set forth in this Attachment.
- 10.7 Automatic Location Identification/Data Management System (ALI/DMS)
- 10.7.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:
- 10.7.2 <u>Technical Requirements</u>
- 10.7.2.1 BellSouth shall offer Covad a data link to the ALI/DMS database or permit Covad to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Covad immediately after Covad inputs information into the ALI/DMS database. Alternately, Covad may utilize BellSouth, to

enter end user information into the data base on a demand basis, and validate end user information on a demand basis.

- 10.7.2.2 The ALI/DMS database shall contain the following end user information:
- 10.7.2.2.1 Name;
- 10.7.2.2.2 Address;
- 10.7.2.2.3 Telephone number; and
- 10.7.2.2.4 Other information as appropriate (e.g., whether a end user is blind or deaf or has another disability).
- 10.7.2.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Covad requests otherwise and shall be updated if Covad requests, provided Covad supplies BellSouth with the updates.
- 10.7.2.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 10.7.2.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 10.7.3 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for Covad end users shall meet industry standards.

10.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

### 11. Calling Name (CNAM) Database Service

- All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of CNAM.
- The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. Covad must provide to its account manager a written request with a requested activation date to activate this service. If Covad is interested in requesting CNAM with volume and term pricing, Covad must contact its account manager to request a separate CNAM volume and term Agreement.
- SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the applicable industry standard technical references.
- 11.4 Service Creation Environment and Service Management System (SCE/SMS)
  Advanced Intelligent Network (AIN) Access
- 11.4.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Covad the capability that will allow Covad and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.
- 11.4.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Covad. Scheduling procedures shall provide Covad equivalent priority to these resources.
- BellSouth SCP shall partition and protect Covad service logic and data from unauthorized access, execution or other types of compromise.
- When Covad selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Covad to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- When Covad selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. Covad access will be provided via remote data connection (e.g., dial-in, ISDN).

11.4.5 When Covad selects SCE/SMS AIN Access, BellSouth shall allow Covad to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (e.g., service customization and end user subscription).

### 11.5 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

### 12. Basic 911 and E911

- All of the negotiated terms and conditions set forth in this Section pertain to the provision of Basic 911 and E911.
- 12.2 If Covad orders network elements and other services, then Covad is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.
- 12.3 Definition
- Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).
- 12.5 Requirements

)

- Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to Covad a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Covad will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Covad will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Covad will be required to discontinue the Basic 911 procedures and begin using E911 procedures.
- 12.5.2 E911 Service Provisioning. For E911 service, Covad will be required to install a minimum of two dedicated trunks originating from the Covad serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Covad will be required to provide BellSouth daily updates to the E911 database. Covad will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Covad will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's

- interoffice network and will not carry the ANI of the calling party. Covad shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 12.5.3 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Covad beyond applicable charges for BellSouth trunking arrangements.
- 12.5.4 Basic 911 and E911 functions provided to Covad shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 12.5.5 Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and Covad to follow in providing 911/E911 services.

### 13. True-Up

This section applies only to other rates that are interim or expressly subject to true-up under this attachment.

- 13.1 The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:
- The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
- The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the

Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

- A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
  - (a) BellSouth and Covad are entitled to be a full Party to the proceeding;
  - (b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,
  - (c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

#### **EXHIBIT A**

## LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

### I. SCOPE

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Covad and pursuant to which BellSouth, its LIDB customers and Covad shall have access to such information. Covad understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Covad, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.
- B. LIDB is accessed for the following purposes:
  - 1. Billed Number Screening
  - 2. Calling Card Validation
  - 3. Fraud Control
- C. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Covad of fraud alerts so that Covad may take action it deems appropriate. Covad understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by Covad pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Covad for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

Covad understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Covad further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from end users. Additionally, Covad understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in the LIDB and such data which it includes in the LIDB on Covad's behalf pursuant to this Agreement. Therefore, until such time as BellSouth can and does implement in its LIDB and its

supporting systems the means to differentiate Covad's data from BellSouth's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

- (a) Covad agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for Covad's end user accounts which are resident in LIDB pursuant to this Agreement. Covad authorizes BellSouth to place such charges on Covad's bill from BellSouth and agrees that it shall pay all such charges. Charges for which Covad hereby takes responsibility include, but are not limited to, collect and third number calls.
- (b) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.
- (c) Covad shall have the responsibility to render a billing statement to its end users for these charges, but Covad's obligation to pay BellSouth for the charges billed shall be independent of whether Covad is able or not to collect from Covad's end users.
- (d) BellSouth shall not become involved in any disputes between Covad and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Covad. It shall be the responsibility of Covad and the other entity to negotiate and arrange for any appropriate adjustments.

### II. TERM

}

This Agreement will be effective as of \_\_\_\_\_\_, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

### III. FEES FOR SERVICE AND TAXES

- A. Covad will not be charged a fee for storage services provided by BellSouth to Covad, as described in Section I of this Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Covad. Covad shall have the right to have BellSouth contest with the imposing jurisdiction, at Covad's expense, any such taxes that Covad deems are improperly levied.

### IV. MISCELLANEOUS

A. This LIDB Storage Agreement shall be subject to the terms and conditions of the Interconnection Agreement between Covad and BellSouth.

# FACILITIES BASED ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

	This is a Facilities Based Addendum to the Line information Data Base Storage
Agreement	dated, between BellSouth unications, Inc. ("BellSouth"), and("Covad"),
1 elecomm	ne day of,
enective ti	ie day 01
I.	GENERAL
	This Addendum sets forth the terms and conditions for Covad's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by Covad, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.
ш.	DEFINITIONS
A.	Billing number - a number that Covad creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
В.	Line number - a ten digit number that identifies a telephone line administered by Covad.
C.	Special billing number - a ten digit number that identifies a billing account established by Covad.
D.	Calling Card number - a billing number plus PIN number.
E.	PIN number - a four digit security code assigned by Covad which is added to a billing number to compose a fourteen digit calling card number.
F.	Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Covad.
G.	Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Covad.

### III. RESPONSIBILITIES OF PARTIES

- A. Covad will provide its billing number information to BellSouth's LIDB each business day by a method that has been mutually agreed upon by both Parties.
- B. BellSouth will store in its LIDB the billing number information provided by Covad. Under normal operating conditions, BellSouth shall include Covad's billing number information in its LIDB no later than two business days following BellSouth's receipt of such billing number information, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of Covad's working telephone numbers.
- C. BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.
- D. BellSouth is authorized to use the billing number information provided by Covad to perform the following functions for authorized users on an on-line basis:
  - 1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by Covad, and where the last four digits (PIN) are a security code assigned by Covad.
  - 2. Determine whether Covad or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.
- E. Covad will provide its own billing number information to BellSouth for storage and to be used for Billed Number Screening and Calling Card Validation. Covad will arrange and pay for transport of updates to BellSouth.

### IV. COMPLIANCE

Unless expressly authorized in writing by Covad, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

### EXHIBIT B

## CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

### 1. Definitions

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Covad the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

**SERVICE CONTROL POINTs (SCPs)** - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

### 2. Attachment

2.1 This Attachment contains the terms and conditions where BellSouth will provide to the Covad access to the BellSouth CNAM SCP for query or record storage purposes.

Covad shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to Covad's access to BellSouth's CNAM Database Services and shall be addressed to Covad's Account Manager.

## 3. Physical Connection and Compensation

- BellSouth's provision of CNAM Database Services to Covad requires interconnection from Covad to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Covad shall provide its own CNAM SSP. Covad's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- If Covad elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Covad desires to query.

### 3.4 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

## 4. CNAM Record Initial Load and Updates

4.1 The mechanism to be used by Covad for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be

provided by Covad in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Covad to provide accurate information to BellSouth on a current basis.

- Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 4.3 Covad CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

8
Ñ
ъ
ន
ř

			-	-			RATES (\$)		-		035 R	OSS RATES (\$)		-	
												] 3	Shormental	Incremental	
CATEGORY	UMBUNDI ЕБ МЕТМОКК ЕLЕМЕНТ	Interests 2	Zone BCS	s nsoc	5 896	None	curting	Nonrecuring C	8 84 84 84 84 84 84 84 84 84 84 84 84 84	Svo Order Svo Order Submitted Submitted Eleo Menuelly per per LSR SOMEC SOMAN	threemental Cherge d Manuel Syr order vs. Electronic-1st SOMAN	Charge Manual Sve Order vs. Electronic Addri	Charge Manual Sve Order ve Chetronic-Disc 1st	Charge Manual Sve Order vs. Electronic-Disc Add 1	
			$\parallel$						+						T
The "Zone" s. http://www.ini	The Zone's brown in the sections for stand-abone toops or toops as part of a combination releas to C http://www.intercompection.belsouch.com/become_a_c/bec/ntm/intercompection.htm	to Geographically Deaveraged UNE Zones	y Deaver	aged UNE		To view Geographically Deaveraged UNE Zone Designations by Cartral Office, rafer to Infernat Website	weraged UNE Zo	ne Designation	s by Central O	fice, refer to Inlerr	et Website				
			H	$\parallel$						-					
UNBUNDLED EXCHANGE ACCESS LOOP	E ACCESS LOOP		+	+					$\dagger$		-				
2-WIRE ANA	2-WIRE ANALOG VOICE GRADE LOOP							1007			1			00 07	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	$\dagger$	7	NI UEA	12 13 19			1065	1 4		8 8	2 2	13.32	13.32	T
	2-Wite Analog Volce Grade Loop - Service Level 1- Zone 3		3 UEA	NL UEA				10 65	141		20 35		13 32	13 32	
	Loop Testing - Basic 1st Half Hour Loop Testling - Basic Addutonal Half Hour	$\parallel$	UEANL	INL URETA	TA	23 33	23 33								
			UEPSR.	SR.			5	4	3		5	13.00	\$	5	
	A THIS AND TOLKS CHAST CHAST CONTINUES TOLK TO THE CONTINUES TOLK TOLK TOLK TOLK TOLK TOLK TOLK TOLK		UEPSR.			, F		÷ ÷	3		20.35		13 32	22 23	
	A Chief Rightly strain in the state of the s							2 9					3		
	Z With Attatog Votce Grade Loop-Service Lever India Spatial Records S Engineering Information Document (E1)		T - T					3			3	Ш	70 0	20.0	
	Manual Order Coordination for UVL-SL1s (per bop)*		GEANL	INI UEAMC	Ş	36 46	36 46								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)*		UEANL		JS.	36 52									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signating		- F	A UEAL2	16.56	75.08	48.20	28 70	17 64		20.35	10 54	13.32	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 2 wLoop or Ground Start Signaling - Zone 2		2 UEA					28 70	17 64		2035	10 54	13.32	13 32	
	2-Wire Analog Volce Grade Loop - Service Level 2 wil.cop or Ground Start Signaling - Zone 3		3 UEA	A UEAL2	28 28	15 06	48.20	28 70	17 64		2035	10 54	13 32	13.32	
	Order Courdingtion for Specified Conversion Time (per LSR)		UEA	A OCOSE	JS.	34.29									
,	2-Wire Anatog Volce Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1 UEA	EA UEAR2	.R2 16 56	90 52 08	48.20	28 70	17 64		20 35	10 54	13 32	13 32	
	2 Wire Analog Voica Grade Loop - Sarvice Lavel 2 w/Reverse Battery Signaling - Zone 2		2 UEA	EA UEAR2	.R2 2163	3 75 06	48.20	28 70	17 64		20.35	10 54	13 32	13 32	
	2-Wire Aralog Voice Grade Loop - Service Level 2 wReverse Ballery Signaling - Zone 3		3 UEA	A UEAR2	28	28 75 08	48.20	28 70	17 64	_	20.35	10 54	13 32	13 32	
A surpe Aut	Order Coordination for Specified Conversion Time (per LSR)		5	UEA OCOSL	18(	34 28				,					
	4-Wire Arabog Voice Grade Loop - Zone 1 4-Wire Arabog Voice Grade Loop - Zone 2		- 2	UEA UEAL4 UEA UEAL4	1.4 24 70 1.4 32 25	0 122.78 5 122.78	85 57 85 57	76.35	39 16		2035	10 S4	13 32	13 32	
	4-Wire Analog Voice Grade Loop - Zone 3		+-	_				76.35	39 16	i	S2 32 33		13.32	13 32	
	Order Coordination (or Specified Conversion Time (per LSR)		5	UEA OCOSI	121	34.29									
2-WIRE ISDA	N DIGITAL GRADE LOOP		10	_			88	76.35	39 18		20.35		13.32	13.32	
	2 Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3		3 C	N U112X	2X 29 02 2X 37 95	142 76 15 142 76	88 88	76.35	39 16 39 16		2035	10 54 10 54	13 32	13 32	
	Order Coordination For Specified Conversion Time (per LSR)		ㅋ	UDN OCOSL	181	34.29									
2-WIRE Univ	erael Digital Channel (UDC) COMPATIBLE LOOP		╫	1					69 10		1 2	$\coprod$	5	100	
	2-Wine Universal Digital Charites (UCC) Companies (UCC) - Zune 1 2-Wine Universal Digital Charite (UCC) Companies (Loop - Zone 2 3-Wine Universal Digital Charite (UCC) Companies (Loop - Zone 3		- 2 6	UDC UDCZX	2X 27 62 27 62 28 12 36 12	142 76	152 42	78.35	2163		2035	2 2 2	1332	1332	
2-WIRE ASY	MAKETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP		Н	1-1								Ц			

erston 3001 10/18/01

шш	
Inbundled Network TENNESSE	

り

Alachment 2
Exhbit C

CATEGORY 2 V																
7 6 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	UNBUNDLED METWORK ELEMENT	draft 2	Zone DC6	70 n		Nonrec	uning			8vc Order Bubmitted Elec per LSR	Sve Order Submitted Manusty per LBR	becomental Charge - Manust Svc Order vs. Electronic 1st	browmental Charge Manual Svo Order vs. Electronic	becremental Charge Manual Svc Order vs Electronic-Disc	hrormental Charge Manual Sve Order va Electronic-Olac	
\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			-		Rec	First	Aden	First County County	Addr	SOMEC	SOMAN	BOMAN	NYMOR	SOMAN	SOMAN	
200	Wire Unbundled ADSL Loop including menual service inquiry & facility reservation - me 1		1 UAL	UALZX	13 82	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32	
V.C.	2 Wire Unbundlad ADSL Loop Including manual service inquity & facility reservation - 20ns 2		2	Ι.	18		234 63		39 14			20 35	10 54	13.32	1332	
7	2 Wire Unburdied ADSL Loop including mental service inquiry & facility reservation - Zore 3			Τ.			234 63	74	39 14			20 35	10 54	13 32	13 32	
	rder Coordination for Specified Corversion Time toer LSR)		Š	TOCOSIT		34.29										
20	2 Wire Unburdled ADSL Loop without manual service Inqury & facility reservation -	-	1 VA	Ι.	13.82		20 02	10 65	141		,	2035	10.54	13.32	13 32	
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2. Wire Unburdled ADSL Loop without manual service inquiry & facility reservation - 2 no 5	-	Z CAL	3	18	33	20 02	2				20 35	10 54	13.32		
2 V	Wire Unburdied ADSL Loop wiltout manual service inquiry & facility reservation - ne 3	-	3 UAI	LUALZW		31	20 02	10.65	141			2035	10 54	13 32	13 32	_
Ö	Order Coordination for Specified Conversion Time (per LSR)		M	10000		34 29										
g Holh adim c	ST PATE DIGITAL SUBSCRIBER LINE (NDSL) COMPATIBLE LOOP	$\dagger$	$\frac{1}{1}$	1												1
2 0	2 Whe Unburdled HDSL Loop including manual service inquiry & facility reservation - Zone 1		=======================================	L UHL2X	10 83	270 01	234 63	74 54	39,14			20 35	10 54	13.32	1332	
2 2	2 Wire Unburdlad HDSL Loop including manual service Inquiry & facility reservation - Zone 2		2 UHL	L UHLZX	14.15	270 01	234 63	74 54	39			2035	10 54	13 32	13 32	
20	Wire Unburdled HDSL Loop including manual service unduty & facility reservation-		3	ר   חארכא		270 01	234 63	74 54	39 14			20 35	10 54	13 32	1332	
ő	rder Coordination for Specified Conversion Time (per LSR)		3										١			
2 0	2 Wire Unburdled HDSL Loop willrout manual service Inqury and facility reservation - Zone 1	_	1 5		10 83	31.99	20 02	10 65	141			20 35	10 54	13 32	13 32	2
2 V	Wire Unburdled HDSL Loop wilbout manual service inqury and facity reservation - me 2	_	2 UM	L UHLZW	14 15	3199	20 02	10 65	141			20 35	10 54	13 32	13 32	
2 V	2 Wire Urburdled HDSL Loop without manuel service inqury and facility reservation - Zore 3	-	3 UHL						141			20 35	10 54	13 32		2
<u></u> 8	Order Coordination for Specified Conversion Time (per LSR)		불	L OCOSL		34 29										
	THE BATE DETAIL CIDECODED ING (UDG) COMPATIBLE LOOP		$\perp$	-												1
4-WIKE FIICH B	4-WINE HIGH BIS TABLE DOST ALL SUBSECTIONS TO THE LINE TO THE LOST AND		=	L UHL4X	13 93	3 279 60	244 22	74 54	39 14	_		20 35	10.54	13.32	13 32	
4-V Z-	Urbundled HDSL Loop Inchaling manual service Inquiry and facility reservelity		2 UHL	L UHL4X	18 20	279 60		74 54	39	14		20 35	10 54	13 32		
4-V - Zi	4.Vire Urburdied HDSL Loop including manual service inqury and facify reservation . Zone 3		3	L UHL4X	23 80	279 60	244 22	74 54	39 14			20 35	10 54	13.32	13.32	_]
P. P.	der Coordination for Specified Corversion Time (per LSR)		됩	L OCOSL		34.29					-					
4.V	4-Wire Unbundled HDSL Loop without manual service inqury and facility reservation - Zone 1	-	1 WIL	L UHLAW	13 93	31 99	20 02	10 65	141	-		20 35	10.54	13 32	13 32	
V-4-V	4-Wire Urbunded HDSL Loop without manual service Inqury and facility reservation - Zone 2	-	2 UHL	L UHLAW	18.20	31 99	20 02	10 65	141			20 35	10 54	13 32	13 32	
102	<ul> <li>Wire Urburdied HDSL Loop without manual service Inquiry and facility reservation -</li> <li>Zone 3</li> </ul>	-	3 UH	L UHLAW	2380	31 99	20 02	10 65	141			20 35	10 54	13 32	13 32	
JO .	Order Coordination for Specified Conversion Time (per LSR)		룡	18000		34.29										
4-WIRE DS1 DK	GITAL LOOP		+	П		Ц			Ш					Ц		
V-A	4-Wire DS1 Digital Loop - Zone 1	$\dagger$	1 USI	T USLXX	75 40	313 08	219 72	88 88	40 45	2 2		18 98	8 43	1 95	1195	10/-
4.	Wire DS1 Digital Loop - Zone 3	$\parallel$	3 US		88					9		18 98				
ŏ	Order Coordination for Specified Corversion Time (per LSR)	1	ISI	L OCOSL		34 59				_						$\perp$
4-WIRE 19.2, 58	4-WIRE 19.2, 56 OR 64 KBPS DIGIT AL GRADE LOOP		=		31							30.35	1	Ц		$\prod$
A 4	Wife Unburgled Digital 19 2 Kbps		2	L UDL19	4061	207 01	14138	90 70				2035	10.54	13 32	13 32	
> 4 > 4	Whe Unbundled Digital 19 2 Kbps Whe Unbundled Digital Loop 56 Kbps - Zone 1		+						44 18	9 6		20.35	2 2			

slon 3001 10/18/01

addition ...

			-	$\vdash$			RATES (\$)					OSS RATES (\$	(TES (\$)			
CATEGORY	ИКВИНОТЕР НЕТИМОК БІЕМЕНТ	reference of the second	Sone Bit		-	N N	Runting	Nonrecurine	Discomec					Incremental Charge Manual Svc Order vs. Electronic-Disc.	thoremental Change Manual Sve Order va Electronic-Diag	7 , 3
	4 Wire Urbundled Digital Loop 56 Kbps - Zone 2 4 Wire Urbundled Digital Loop 56 Kbps - Zone 3		2 6	UDL UDLS6	26 40 61	61 207 01	14138	8	70 44 18	SOMEC	SOUN	<b>SOMAN</b> 20 35	10 54	13 32	13 32	32
	Order Condinstante Specified Consessor Transland Con		+-						44 18			20.35	10 54	13 32	ll	32
	4 Wire Unburdled Digital Lopp 64 Kbps - Zone 1		55						97,77			1				_
	4 Wire Urbundled Digital Loop 64 Kbps - Zone 2		7	DI UDLEA	64 40 61	61 207 01	14138	90 70	44 18			2038	5 5 25	13 32	13.32	2 2
			╁	7					44 18			20.35	10 54	13 32		32
	Order Coordination for Specified Conversion Time (per LSR)		5	UDL, OCOSI	TSI.	34.29										
2-WIRE Un	bundled COPPER LOOP		H													+
	2 Wire Unburdied Copper Loop/Short including manual service inqury & fac reservation - Statewide	-	NC.	CL	PB 12 16	131 99	120.02	10 65	1			200				
	Order Coordination for Unbundled Copper Loops (per loop)		ncr					3				8	\$	13.32	13 32	22
	2-Wire Unburdied Copper Loop/Short without martal svc Inquiry and facility reservation - Statewide	-	sw UCL	or ucupw	PW 12 16	-16	cu cu	40 65	3							ļ
	Order Coordination for Unburided Copper Loops (per boo)		_					3				\$6.35 1	10.54	13 32	13 32	22
_	2-Wire Unbundled Copper Loop/Long - includes manual svc inqury and facility reservation - Statewide	-	sw.		21 12 16			10.65	1			200	1			-
	Order Coordination for Unburdled Copper Loops (per loop)		วีก					3				20.02	800	13 32	13 32	22
	2-Wire Unbundled Copper Loop/Long • without manual svc. inqury and facility reservation • Statewide	-	<u> </u>													+
	Order Coordination for Unburdled Copper Loops (per bop)		3 3 3 3	CL UCLANC	MC 12.16	38 52	36 52	10 65	141			20 35	10 54	13.32	13 32	2
	2-Wire Unburdled Copper Loop - Non-Designed Zone 1	-	+	$\neg$				2000								$\prod$
	2 Wire Unburdled Copper Loop - Non-Designed - Zone 2 2 Wire Unburdled Copper Loop - Non-Designed - Zone 3	-	2 c	O UEO2X	2X 17.23			10 65	141			19 99	19 99	19 99	19 99	9 9
	Order Coordination 2 Wire Unburdled Copper Loop - Non-Designed (per loop)		+-1					10 65	141			19 99	19 99	19 99	19 95	9
	Engineering information Document Loop Testing - Basic 1st Hell Hour	+	OEO CEO		1	28 80	28 80									
	Loop Testing - Basic Additional Half Hour		5	O URETA	TA	23 33										
4-WIRE CO	PPERIOOP		H	$\ \cdot\ $												-
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation -	-	-	$\top$				+								$\prod$
	Order Coordington for Urbundled Copper Loops (per loop)	-	를 Marie	UCL4S	12 16	131 99	120 02	10 65	141			20 35	10 54	13 32	13 32	2
	4-Wire Copper Loop/Short - without marval service inquiry and facility reservation - Statewide	-	<b>├</b> ~	${}^{-}$				+								
	Order Coordination for Unburdled Copper Loops (per bop)			L UCLMC	W 12 16	38.57	2002	10.65	141	1		20 35	10 54	13.32	13 32	7
	4-Wine Unburded Copper Loop/Long - Includes manual svc Inqury and facility reservation - Statewide		Sw.		31 61			2								
	Order Coordination for Unburdled Copper Loops (per bop)		걸	L UCLMC		36 52	39 92	20 80	141		1	2035	52	13.32	13 32	2
	reservation - Statewide	-	sw UCL	L UCL40	12 16	3	20 02	10.65	141		-	1, 50	200	1		<u> </u>
	Urger Coordination for Unburided Copper Loops (per hop)	$\dagger$	3	Т		36.52	38 52					S	Š	13.32	13.32	
			$\!$	$\prod$				-		+		+				
LOOP MODIFICATION			ļ	+												
	Unburdied Loop Modification, Removal of Load Colis • 2 Wire pair less than or equal	<del></del>	뤛록짂쯗													
	ונס ומע וו	+	3 3	S ULM2E		65 40	65.40				1	-				
	Unbundled Loop Modification, Removal of Load Cois - 2 wire greater than 18k ft Unbundled Loop Modification Removal of Load Cois - 4 Wire less than or email to	+	3	ULMZG	9	710 71	23.77									
	18K (1	-	5 3	ULMAI		65 40	65 40									

Version 3001 10/18/01

)	Inbundled Network Element TENNESSEE
	ະ

									-						
CATEGORY	UNBUMDLED HETWOOK ELEMENT	Interim Zo	Zone BCS	20 20 20 20 20 20 20 20 20 20 20 20 20 2		Ronrecaring	4 '	Nonscutting Discomed	· '	Sve Order Sv Butmitted Sv Butmitted Mai	Sve Order Cha Submitted Cha Manually per Ord Manually per Ord	incremental Charge Charge Manual Sve Order ve. Biectronic-jat Add 1		antal hose 3s Cha 18vc Man ve. Order 6cOlac Electro	Incremental Charge Manual Svc Order vs. Electronic-Disc Add1
			Ļ	+		Ĭ.	Ved	Ē	- VOOL	+-	十	BORGAN	SOMAN	+-	SOMAH
	Unburdied Loop Madification Removal of Load Coils - 4 Wire pair greater than 18k ft inburdied Loop Madification Removal of Bridged Tep Removal per urburdied boo	_	URA LOS PROPERTIES	ULMBT		710 71	2377								
9000															$\dagger \dagger$
OP-LOOPS		-	-							+			-	1	t
Sub-Loop Distribution	Natribution Substance Box to praining CLFC Feeder Fersity Set In	-	IFAN	75857		517.25	547 25					Ш		5	5
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEAN	USBSB		42 68	42 68					20.35	10 54	13 32	13 32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	-	UEANL	LUSBSC		313 01	313 01				-	20.35	10 54	13 32	13 32
	Sub-Loop - Per Buiding Equipment Room - Per 25 Pair Panel Set-Up	-	UEANL	LUSBSD		108 06	108 06					20 35	10 54	13 32	13 32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide	is.	sw UEAN	LUSBN	10 02	148 84	112 34	73 14	36 65		+	20.35	10 54	13.32	13 32
	Order Coordination for Unburidled Sub-Loops per sub-loop pair		NEAN	LUSBMC		34 29	34.29								
	Sub-Loop Distribution Per 4-Wire Aralog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Aralon Voice Grade Loop - Zone 2			L USBN4	7 30	147 93	75 11	96 66	88 88		+	2035	10 54	13.32	13 32
	Sub-Loop Distribution Per 4-Wire Aralog Voice Grade Loop - Zone 3		3 UEAN	L USBN		147 93	35		16 98		-			3 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-toop pair			r usbw		34 29	34 29					Ц	Ц		
	Sub-Loop 2-Wire Intrabulding Network Cable (INC) Order Coordination for Light added Sub-Loops and air Light population poly	+	UEAN	USBR	135	98 56	2935	94 41	13 09		1	20.35	20 52	13 32	13 32
	Sub-Loop 4-Wire Intrabulding Network Cable (INC)	-	UEANL	L USBR4	226	116 14	37 10	96 68	16 98		1	20.35	10 54	13.32	13.32
	Order Coordination for Unburdled Sub-Loops, per sub-loop pair		UEAN	LUSBMC		34.29	34.29					Ц	Ц		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			CSS		11071	37 89		1309	+				3 32	13 32
	2 Wire Coper Unburged Sub-Loop Distribution - Zone 3	-	3 CEF	UCS2	881	11071	37 89	94 41	13.09	+		20.35	20.00	13 32	13 32
	Order Coordination for Unburdled Sub-Loops, per sub-loop pair		1 1	USBMC		34.29	34 29					Ш			
	4 Wire Copper Urbundled Sub-Loop Distribution - Zone 1 A Wire Conner Lighted Sub-Loop Distribution - Zone 2	-		UCS4X	6 52	117 12	8 2	96 66	16 98			20 35	10.54	13 32	13 32
	4 Wire Capper Unburdled Sub-Loop Distribution - Zone 3	-	3 05	UCS4X		117 12	44 30		16 98	-		L		332	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			USBMC		34 29	34.29					Ш			
Sub-Loop Feeder	eeder	-							T		-				
	USI -Feader DS0 Sel-up per Gross Box location - CLEC Distribution Facility sel-up		UEA UDN (	USBFW		517.25									
	IISI Faadar , NSO Salum ner Crnce Rox breathon , ner 25 neur salum		CLUDL CLUDL	I ISBEX		89 68	8967								-
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		<u> </u>			53104	1134								
	Unburdled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide	SW			12 05	122 24	85 05	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination for Specified Conversion Time, per LSR		+			34 29	90 00	00	9			Ц	Ц		
	Unburgled Sub-Loop reeder Loop, 2 Wire Loop-Start, Voice Grade - Statemoe Order Coordination for Specified Time Conversion, per LSR	MS	S E	OCOSE	12.05	34.29	85 05	7635	39 46			2035	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery. Voice Grade Loop - Statewide	AS .			12 05	122.24	85 05	76 35	39 16			20.35	10 54	13 32	13 32
	Order Coordination For Specified Conversion Time, per LSR		UEA			34 29	•								
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Volce Grade - Zone 1		Н			137.31	6193	118 04	30 13					3 32	13 32
	Unburbled Sub-Loop Feeder Loop, 4 Wire Ground-Slart, Voice Grade - Zone 2 Unburbled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	3 6	E GE	USBFD	36 76	137 31	61 93	118 04	30 t3			2035	26.52	13 32	13 32
-	Order Coordination For Specified Conversion Time, Per LSR		UEA			34.29					 				
	Unburdled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Volce Grade - Zone 1		NEA E	USBFE	21 52	137 31	6193	11804	30 13			20 35 1	10.54	13 32	13 32
	I Inthe worlded Such I non Feeder Loop 4 Wire Loop-Start. Voice Grade - Zone 3	-	+			12, 21	20 20	١	2			_			32

A Elements	135
Unbundle	Ą

9

$\prod$		П						T	$\prod$		Ţ			T				T			T					T							T		T	П	Τ					T	
	Incremental Charge Manual Svo Order va. Electronic-Disc	SOMAN	66 69	19 99		19 99	19 99	19 99	19 99		19 99	19 99		19 99	19 99		19 89	19 99	19 99	19 89	19 89	9	19 99	19 89								1					+	13 32	13 32	13 32			13 32
		SOMAN	19 99	19 99		19 89	19 99	19 99	19 99		19 89	19 99		19 99	19 99		19 99	298	19 99	19 99	19 99	8	19 99	19 99		+	13 32	211	7	13 33	2	5			13.32		+	13.32	13 32	13 32		+	13 32
ES (\$)	<b>3</b> 0 1	SOMAN	19 99	19 99		19 99	19 88	19 99	19 98		19 99	19 99		19 99	19 99		19 99	19 99	19 99	19 99	19 88	00 0	19 89	19 89			10 54	2	5	10 54	5	73 04	5		10.54		+	10.54	10 54	10 54		1	10 54
OSS RATES (\$)	7 2 5	SOLLAN	26 65 00 00	19 89		19 99	19 89	19 99	19 89		19 39	19 99		19 99	19 89		19 99	19 39	19 39	19 99	18 88	10.00	19 99	19 89			20 35	20.35	3	20.35		30 00	3		20.35	$\parallel$		2034	20 35	20 35		1	20 35
		BOKAN				T		$\dagger$			1								<del> </del>		-							1					t									$\dagger$	
	, ,	SOMEC											-				Ħ	1												1							1						
	Discornact	I PPY	18 53	18 53		18 53	18 53	18 91	1891		18 53	18 53		22 53	22 53		18 91	18 9	18 91	1891	16.81	1801	1881	1891			50131	50131		50131		504.24	2		20.5							1	
	Monnecumby (	E P	104 67	100		104 67	104 64	108 82	106 82		2 2 2	2 2		11044	1104		106 82	108 82	106 82	106 62	28	408 82	106 82	106 82			165 17	165 17		165 17		185 17	20		165 17								
RATES (\$)	B	- Vad-1	67 45	67 45		67 45	67 45	40 62	40 62		888	38 89		48 03	48 03		40 62	40 62	40 62	40 62	40 62	40.62	40 62	40 62			407 68	407 68		407 68		407 GB			407 68			7 82	7.82	974			2 48
RAT	Nonvecities	First	34 29 142 83	142 83	34 29	142 83	142 83	116 00	116 00	34 29	114.27	114 27	34 29	12341	123 41	24.70	116 00	116 00	116 00	116 00	00 911	34 29	116 00	116 00	34 29		3,390 00	3.390.00		3 390 00		3 300 00	20000		3,576 00			335 35	335 36	528 48			2 48
		Rec	16 11	27 51		21 04	27.51	39 74	67 86	-	9 52	16.28		14 37	24.53		26 06	34 03	26.06	34 03	44 50	28.08	3403	44 50		14 11	333 26	359 02	1071	548 31	13 18	1 697 00	43.22	320 36	36144								0 45
	naoc		OCOSL	USBFF	OCOST	USBFS	USBFS	USBFG	USBFG	OCOSL	USBEH	USBEH	OCOSL	USBEJ	USBFJ	ISOCI	USBFN	USBEN	USBFO	USBFO	OSBLO	OCOSIL	USBFP	USBFP	OCOSL	1L5SL	USBF1	1ESI USBF7	1.531	USBF2	11.551.	USBF6	11.551	USBF9	USBFB		+	ULM2X	ULM4X	ULM4T			UENPP
	8538		COR	7		99	$\mathbf{I}$	$\neg$			Т	33		3	П		3		П	П		99	17		Ē	UE3	CEO	XX XX	UDLO3	UD 03	UDL12	12 12	UDI 48	UDI 48	UD 48			当	UEF	Ë			UENTW
	M	Ţ	-	3		- 7	6	- ^	6			3		- ,	3		-	2 6	, -	2	7	-	2	9		-	П	1		1		ļ	F		T		Ŧ	_				1	$\Box$
						1		1										_			1	1				L	Ц	1				1						1					
	инеинов ер метмояк елемент		Order Coordination For Specified Conversion Time, Per LSR Unburdied Sub-Loop Feder Loop, 2 Wins ISDN BRI - Zone 1 Inburdied St. Nation Esselet Loop, 2 Wins ISDN BRI - Zone 1	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	Order Coordination For Specified Conversion Time, Per LSR	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	Unburdled Sub-Loop Feeder, 2 Wine UDC (IDSI, compatible)	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	Unburdled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	Order Coordination For Specified Cornersion Time, Per LSR	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	Unburdled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3	Order Coordination For Specified Conversion Time, per LSR	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	Order Poundington For Specified Consertion Time not 1SB	Sub-Loop Feeder - Per 4 Wire 192 Kbps Digital Grade Loop	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	Sub-Loop Feeder - Per 4-Wire 58 Kbps Digital Grade Loop - Zone 2	Sub-Loop Feeder - Per 4-Wire 58 Kbps Lightal Grade Loop - Zone 3	Order Coordination For Specified Time Conversion, per LSR S. A. J. on Essader - Der 4-Wire & Khne Dicited Grade I onn - Zone 1	Sub-Loop Feeder - Per 4-Wire 84 Kbps Digital Grade Loop - Zone 2	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	Order Coordination For Specified Conversion Time, per LSR	Sub Loop Feeder - DS3 - Per Mile Per Month	Sub Loop Feeder - DS3 - Facility Termination Per Month	Sub Loop Feeder - STS-1 - Per Mile Per Month Sub Loop Feeder - STS-1 - Feelin Termination Per Month	Sub Loop Feeder - OC-3 - Per Mile Per Morth	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month Sub Loop Feeder - OC-3 - Facility Termination Per Month	Sub Loop Feeder - OC-12 - Per Mile Per Month	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month Sub Loop Feeder - OC-12 - Fertility Termination Per Month	Sub Loop Feder - OC-48 - Per Mile Per Month	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month	Sub Loop Feeder - UC-48 - Facility Temination Fer Mortin Sub Loop Feeder - OC-12 Interface On OC-48	т,	ᇄᅳ	W PR Introduct School Modification 4 W Conner Diet I and Califfaum Benneral next	Undantaea Suchage modulication - 4-17 Copper List Load Collectup Aemoyal per 4-	Unbundled Sub-bop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR untoaded	MINISTER AND	Unbundled Network I emminating Wite (UN I W)	Unbundled Network Terminating Wire (UNTW) per Pair
	CATEGORY																					-															Unbundled				1	Unbundled	

Ŋ

This control of the				_			R	RATES (\$)					OSS RATES (\$	ES (\$)			
CHANNEL   CHAN	CATEGORY	UNBUNDLED HETWORK ELEMENT			2082	<u> </u>	Nonracui	griff.							Charge Manual Sva Order va ectronic-Diac	heremental Charge Manual Bvo Order vs Electronic-Olsic	
Netton   March   Mar				_		Rec	E	Addi	Nonsecuring Disc		++	77	11	╫	SOMAN	SOUAN	
WENTIN HORDER   128-66   94-58   19-24   19-		A THE STATE OF THE		+					-	+							
CHENTIM MADE   17.00   1.00	Networkin	Notice Device (NID) - 1-2 fires		LENT			89 68	54 56		·			20 35	10 54	13.32	13 32	
VERTINUMENCE		Network Interface Device (NID) - 1-8 lines		UENT			129 65	94 51		1	1		20 35	10 54	1332	13 32	
U.C. UCCO		Natwork Interface Device Cross Cornect - 2 W		CENT	/ UNDC2		0.74	0.74		+		+	20 35	10 54	13 32	13 32	
U.C. UCCS    SW   W   W   W   W   W   W   W   W		Network Interface Device Cross Comed - 4W		UENT	V UNDC4		0.74	0.74		+			20 35	20.52	13 32	13 32	
U.C.   U.C.C   U.C.C   W.	O accident	MCENTBATION	1	+	$\overline{}$					$\parallel$							
U.C.   U.C.C.   U.C	מאפתאחרבת רספו כי	Loop Chamelization System		OID.	$\Box$	307 07	307 34	74 37	4 18				20 35	10.54	13 32	13 32	
U.C. (UCT)		CO Charrel Interface - 2-Wire Voice Grade		의	_	120	9 57	9 52	9 9 9 9	99	1		2035	10.54	1332	1332	
U.C.   UCTOS  S29   S59   S55   S51   S5		Unbundled Loop Concentration - System A (TR008)	1			54 82	255 67	255 67				1	20 35	10 54	13 32	13 32	
U.C. U.C.C.   U.C.C		Unbundled Loop Concentration - System & LEAGUS		) I		539 00	613 60	613 60					20.35	10 54	13 32	1332	
100   100		Unburdled Loop Concentration - System B (TR303)		S T	$\overline{}$	92 37	255 67	255 67		+	$\dagger$		20 32	10 54	13 32	13 32	
UNC   ULCCA   8 66   8 65   8 71   9 65   20 3   10 54   13 22		me Caraban and 1991 militarian Caraban Control		OTO			74 39	53 07	30 23	8 46			20 35	10 54	13 32	13 32	
OP         UICL ULCCO         2.22         6.66         9.71         9.65         2.03         10.84         13.22           UICL ULCCO         11.02         9.67         9.65         9.71         9.65         20.33         10.84         13.22           UICL ULCCO         11.03         8.69         8.71         9.65         20.35         10.84         13.22           UICL ULCCO         11.03         8.69         8.71         9.65         20.35         10.84         13.22           UICL ULCCO         11.03         8.69         8.71         9.65         20.35         10.84         13.22           UICL ULCCO         11.03         8.69         8.71         9.65         20.35         10.84         13.22           UICL ULCCO         11.03         8.69         8.65         9.71         9.65         20.35         10.84         13.22           UICL ULCCO         11.03         8.69         8.65         9.71         9.65         20.35         10.94         13.22           UICL ULCCO         11.00         11.00         11.00         11.00         11.00         11.00         11.00         11.00         11.00         11.00         11.00         11.00		Unburdled Loop Concentration - ISDN Loop Interface (Britis Card)		NG.	T		8 69	865	971	965	1		20 35	10 54	13 32	13 32	
UNIT		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		ODC			B 69	CO R	C A	C C	†	$\dagger$	CC 02	80	20 25	13 32	
U.E.A. ULCCA  1.00		Unbundied Loop Concertration 2 wile verce-Loop start of Groun Start Start Inferface (POTS Card)		UEA	ULCC2	2 32	8 69	9 85	971	9 65			20 35	5 52	13.32	13 32	
U.C.   U.C.   173   E19   E15   E1		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface		- 12		12.45	9 6	8.85	971	9 63			20 35	52	13 32	13 32	
ULC   UCTC   1537   865   971   965   2035   1054   1322		(SPOTS Card)  1.tchindled Loon Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	1-1		8 69	8 65	971	9 65			20 35	10 54	13 32	13 332	
UDIL   ULCG7   1103   8 059   8 65   971   9 65   72.35   10.54   13.25   13.25   10.54   13.25   13		Unbundled Loop Concentration - TEST CIRCUIT Card		J J	-		69 8	8 65	971	9 65			20 35	10.54	13 32	13 32	
UDIA (UCC)         1103         659         671         963         1044         1054		Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		9			8 069	8 65	971	965	$\dagger$	1	20.35	10.00	332	13.32	
UENTW         UNDEX         1           UENTW         UNDEX         1           UENTW         UNDEX         1           UNLUC         0.00         0.00           0.00         0.00         0.00     <		Unbundled Loop Concentration - Digital 58 Kbps Data Loop Interface	+	33			8 69	865	971	9 65			20.35	10.54	13 32	13 32	
UENTW   UNDEX   UNDE		Diput mon conditions and a second conditions and a second conditions and a second conditions are secon									+	$\dagger$	1	1	ĺ		
UENTW   UNDBX   UND BX   UND		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		$\downarrow$	$\int$								+				
UENTW UNDEX		Unburbled Loop Concentration - Loop interface for Contract of Angle Contract		$\ $													
UENTW         UNDBX         Control         Co				+						+	1						1
UEANTW UENCE         UEANTW UENCE           UEANTW UENCE         0 COENTY           UEANTW UENCE         0 COENTY           UEALUC         0 COENTY           UNITLUC         0 COENTY </td <td>UNE OTHER, PROVISK</td> <td>DINIG ONLY - NO RATE</td> <td></td>	UNE OTHER, PROVISK	DINIG ONLY - NO RATE															
UENTW LENCE   UENTW LENCE   UENTW LENCE   UENTW LENCE   UENTW LENCE   UNICH   UNICH				E	7000												
UENTW UENCE   UENTW UENCE   UENTW UENCH   UENTW UENCH   UENTW UENCH   UNICA   UNICA		NID - Dispatch and Service Order for NID installation		200	V CINDO					$\dagger$							
UNION   UNIO		UNTW Circuit id Establishment, Provisioning Only - No Rate		UENT	V UENCE					+							
Out of the control				CEFU	T III												
UALUC   UALUC   UNICAL   UNI				o Per			-										
LLUDC, NULLAL   NUL		Unbundled Contract Name, Provisioning Unity - No Kate		NAL.						-							
UNICAL DE   UNIC				ŭ,					_								
UNIT OF THE CANADA   100   1				N.UE.	3 2										•		
UEALD NJCL LUCLUS         USBFQ LUCLUS         0 00         0 00         0 00           USL USL USL USL USL USL USL USL USL USL		ater co John Companies Description Only . John States	_	<u> </u>		0	000						_				
UNEALID   UNEALID   UNEALID   UNEALID   USE		Unbundled Contact Name, Provisioning Only - In late															
USC   USBFQ   0 00   0 0   0   0 0   0 0   0				UEA.L													
USI CCOSF 0 00 0 00 00 00 00 00 00 00 00 00 00 0		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		9		0	000			+			+	1			$\downarrow$
DL. USBFR         0 00         0 00         0 00           USL. CCOSF         0 00         0 00         0 00           USL. USB USB ND         9 10         0 00         0 00           USL. USB USB ND         9 10         0 00         0 00				LUEAL	<u>v ⊃</u>	•					-						_
USL         CCOSF         0 00         0 00           USL         CCOEF         0 00         0 00           USL         CCOEF         0 00         0 00		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		ᆸ			0 00			$\dagger$			$\dagger$	1			1
USL         CCOEF         0.00         0.00           US         LCOEF         0.00         0.00		Unbundled DS1 Loop - Superframe Format Option - no rate		USI	CCOSF		000			+							
UE3         1LSND         9 19         234 83         170 16         38 84         36 84         19 01		also on a control of the second Superior South of the second of the second seco		- NSI	CCOEF	000	90	_									
UE3         1LSND         9 19         234 83         170 16         38 84         36 84         19 01																	
UE3         1L5ND         9 19         304 50         224 83         170 16         36 84         36 84         19 01	HIGH CAPACITY UNBL	INDIED LOCAL LOOP		+	1				+	$\dagger$		$\dagger$	$\dagger$				
UE3 UE3PX 374 24 595 67 304 50 234 83 170 16   36 84 36 84 19 01	NO IN A	High Capacity Unbundied Local Loop - DS3 - Per Mile per month		UE3					Ш								
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		ii ii			595 67 1	304 50		170 16		1	36 84	36 84	1901	19 01	

k Elements	138E
Jubundi	~

																	_																			
	Incremental Charge Manual Sve Order va Electronic-Diac Add1	BOMAN		1901								13.33	300					1305	2		10 54		99 8		10 54		10 54		10 54			0.60		19 01		13 32
		SOMAH		1901	T							13 33	2					0	3		980		9 66		9 80		980		9 80		1	500		19 01		13 32
rES (\$)	W . S . A	SOMAN		36 84								5	202		$\dagger$			8 7			21 09		15 08		21 09	1	21 09		2109	1	1	8 00		36 84		10 54
OSS RATES (\$)	# 5 E	SOMAN		36 84								8 9	19.99					20.00			20.35		15 08		20 35		20 35		20 35		100	5		38		2035
		BOWAN									880	0000									1									Ì						
		BOWEC											1	Ì																						
Ì	Schmed	- PPV		151 15							900	000					_	3.54			351		13 07		351		351		14 99		100	8		105 91		8
	Non-scumba	First Add7		215 82		+					150 00	150 00				†		27.08			27 98		30 78		27 96		27 96		19 55	$\dagger$	5 95			109 04		20 20
RATES (\$)	P C	Add		304 50			74 48	77 18			000	000	15 00					25.25			17.37		28 02		17.37		17.37		78 27	1	479 56	3		176 56		24 16
\$	Ronecur	Fire		595 37			74 48	77 18			150 00	150 00	3000					26.30			25 39		37.87		55 39		55 39		112 40		305.30			395 29		199 33
		Rec	2	389 35							100 00	833		-	suffic		0 0174	4. a.	1500	200	18 58	0 0054	24 09	0.0174	17 98	0 0 174	17.98		0.3525		234		234	849 30		19 43
	90	- CP(2)	LOND	UDLS1		1	UMKLW	UMKIP	PSUMK		ULSDA	ULSD8	ULSOS	-	bove four me		1L5XX	27117	3	YYCT	USTRZ	1L5XX	U1TV4	11.5XX	U1TDS	1 2XX	U1TDB		1L5XX U1TF1		1L5XX		1LSXX	U1TFS		ULDV2
	808	20 101		VDLSX			UMK	T N		7	S S				DS3 and a		VI XVI			_	XX	UITVX	YX X	UITDX	VITDX		UITDX		<u> </u>		U11D3		UITSI	UITSI		3 and above=four months ULDVX ULDV2
	internim Zone					+	_							1	s one month, OS3 and above four months							1					+			$\frac{1}{1}$					$\frac{1}{1}$	month, DS3 and
	UNBUNDLED NETWORK ELEMENT	II - Carrier Hall and Land Carrier Off C Booking sourcedt	High Capacity Unburioled Local Loop - St. S-1 - Fer Mile per Itali III	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	Τ		Loop Makeup - Preordening Wilhold Reservation, per working or spare lactify queried (Manuel)	Seameter With Reservation per again queried (Marual)	Loop Makeup-With or Wilbauk Reservation, per working or spare facility queried		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Soliter, per System 24 Line Capacity	Une Sharing Splitter, Per System, 8 Line Cepacity	Line Sharing - per Subsequent Activity per Line Rearrangement	TRANSPORT	NOTE, INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum biling period below DS3	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE	Interoffice Channel - Dedicated Transport - 2-Wire Volce Grade - Per Mile per month	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination	Internifice Charnel - Dedicated Transpor I- 2-Wire Voice Grade Rev Bat Per Mile	per moral interprities Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination	permorth	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	Interchings Cramer - Dedicated Transport - 4- Wird Volce Grade - Facaty Temphallon per month	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	Interolfice Charvel - Dedicated Transport - 56 kbps - Facilty Termination per month	Interoffice Channel - Dedicated Transport - 64 logs - per mile per month	Interoffice Charvel - Dedicated Transport - 84 kbps - Facility Termination per month	TEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1	Interoffice Charvel - Dedicated Charvel - DS1 - Per Mile per month Interoffice Charvel - Dedicated Transort - DS1 - Facility Termination per month	NTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS3	Interoffice Chernel - Dedicated Tansport - DS3 - Per Mile per month	Intitional circums of the property of the prop	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - ST8-1 Interoffice Charrel - Dedicated Transport - STS-1 - Per Mile per month	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month	OCAL CHANNEL - DEDICATED TRANSPORT	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one ms   Local Channel - Dedicated - 2 Viving Volce Grade Per Month   Local Channel - Dedicated - 2 Viving Volce Grade Rev Rei rer month   Local Channel - Dedicated - 2 Viving Volce Grade Rev Rei rer month
	CATEGORY					LOOP MAKE-UP				LINE SHARING			A STATE	UNBUNDLED TRANSPORT	Θ.	TM		-										INTE		TA L			T.		100	O

Version 3001 10/18/

Amendment	Eff. 8129 lo3	Page 1 of 1
/ Jos7	u	ICCCS Amendment 3 of 31

MINI INITI	MOUNT ON METWOOK ELEMENTS Transcess												Attachment 2		Exhibit: B		L
CATEGORY	RATE ELEMENTS	1	nterim Zone	28	nsoc			RATES (5)			Svc Order Submitted Elec per LBR	Svc Order Submitted Namually per LSR	heramantul Charge - Menual Svc Order va. Electronio-	hcremental Charge - Manuel Svo Order va. Electronio- Add'I	hcramental Charge - Manual Svo Order va. Electronic- Diso 1st	Incremental Charge - Manual Svc Order vs Electronic- Diso Add'I	
		-	I				Nonrecurring		Nonrecurring Disconnect	Disconnect			880	OSS Rates(\$)			
		-	F			2	FF	Add'I	First	Addil	SOMEC	SOMEC SOMAN	SOMAN	SOMAN	NAMOS	SOMAN	
		ŀ	E														
2	The "Zone" shown in the sections for stand-slone loops or loops as part of a combination or	part of a	combinet	ton refers to Geogra	uphtically Dea	siera to Geographically Desveraged UNE Zones - To view Geographically Desveraged UNE Zone Designations by Central Office, rafer to Internet Websitte:	nee To view G.	eographically L	Ververaged UN	VE Zone Deetgru	ations by Ca	entral Office,	refer to intern	set Websita:			
1	http://www.interconnection.betsouth.com/become_a_clec/html/friterconnection.htm	Tonnect	Ph h														
HIGH FRED	HIGH FREQUENCY SPECTRUM																
Z	LINE SHARING																
ds	SPLITTERS-CENTRAL OFFICE BASED																1
_	Line Sharing-DLEC Owned Spitter in CO-CFA ectivator-	_						8	Š	5			30.00	1	40.93	42.93	

5

						RA	RATES (\$)				088	OSS RATES (\$)			
CATEGORY	UNBUYDLED HETWORK ELEKENT	martin Zone	# O	0080		Negrecum	тия				Svo Order Charge Submitted Manual by Manually per Order vs. 1,5R Electronic for	bresmental Charge Manual Svo Order vt. Electronic- nt. Adel			
	Local Charnel - Dedicated - 4-Wire Volce Grade per month Local Charnel - Dedicated - DS1 per month		UNDVX	ULDV4 ULDF1	20 56 40 99	201 53 277 35	24 83 233 26		551 2230	SOMEC SC	3047A 3047AN 20 35 45 68	304AN 5 20.35 9 1.76	13.32 21.75	13.32 1.76	
	Local Channel - Dedicated - DS3 - Per Mile per month	-	ULDD3	1L5NC	7 15			+							
	Local Charmel - Dedicated - DS3 - Facility Termination per month		ULDS1	ULDF3	61130	595 37	304 50	215 82	151 15		36 84			19 01	
	Local Charnel - Dedicated - STS-1 - Facility Termination per month		UDS1	ULDFS	599 59	588 07	297.20	215 82	151 15		20 35	2109	9 80	10 54	
MULTIPLEXERS									59 67		30 00		9	9,0	
	Charnelization - DS1 to DS0 Charnel System OCULDP COCI (data) - DS1 to DS0 Charnel System - per morth (2 4-64kbs)		UDI	10100	182	6 07	4 66	44	70 76		507	Ц		9	
	2-wre ISDN COCI (BRITE) - DS1 to DS0 Charmel System - per month		NOS	UC1CA	3 10	607	4 66	+	1	-		-			I
	Voice Grade COCI - US I to USO Chair at System - per moral DS3 to DS1 Charnel System per morth		UXTD3	ξ Q	222 98	308 03	108 47	634	4 23		2035	980	1149	1 18	
	STS1 to DS1 Charnal System per morth DS3 interface Unit (DS1 COCI) used with Loop per month		USI	UC1D1	17.58	308 03	4 66	\$	4,23	-	203	Ш	Ш	086	
DARK FIBER															
	Dark Fiber, Four Fiber Strands Per Route Mile or Fraction Thereof per month - Local		JON	1L5DC	53.23	-									
	NRC Dark Fiber - Local Chamel		JON	UDFC4		1,219.22	169 75	453 22	339 34		20 35	5 2109	8 80	10.54	
	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month- Intercifice Channel		ğ	1LSDF	53.23										
	NRC Dark Fiber - Interoffice Charmel Dark Fiber Four Fiber Strands Per Route Mile or Fraction Theraof per month - Local			UDF14		1,219,22	169 75	453 22	339 34	-	20 35	21 09	8	10 %	
	Long to 1 Feb.			11.50t	53.23	1 219 22	160 75	453.22	976 DEE		20.00	21.09	og o	10.54	
TRANSPORT OTHER	NRC Dark Fiber - Local Loop		5	2		75.00		22.5	5			Ц			
			-							1	-				
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel Clear Channel Channe		UNC1X	CCOEF		185 16	23 85	2 03	0 79		2035	5 2109	980	10 54	
8XX ACCESS TEN DIGIT			Š		0.0005400							Ш			
	HXX Access 1en Ligit octeening, Fer Call		3		700000										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		용	N8R1X		521	0 78			-	2032	2035	13.28	13.28	
	BXX Access Ten Digit Screening, Per 8XX No. Estabished W/O POTS Translations		용			1147	146	7.	0 7602	+	203	35 20 35	13 28	13 28	
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		몽	NBFTX		11 47	146	7.34	0 7602	-	2035	2035	13 28	13 28	
	8XX Access 1 on Digit Screening, Disjointeed Area of Service Fer 6XX (Wildligh Bar CXR) 8XX Access 7 on Digit Screening, Multiple InterLATA CXR Routing Per CXR		5 6				90.						L	200	
	Requested Per BXX No BXX Access Ten Digit Screening, Change Charge Per Request		8	NBFAX		597	0.76				2035	2035	13 28	13 28	
	8XX Access Ten Digil Screening, Call Handing and Destination Features	+	용	NBFDX		447					203			13 28	
LINE INFORMATION DAT	TA BASE ACCESS (LDB)		5		0.0000354										
	LIDB Usinghor Per Query		g		0 0117403										
	Impent of Change		88	NRPBX		49 03					20.35	5 2035	13.28	13 28	
SIGNALING (CCS7)		$\parallel$		) or sec	1387					+		Ш	$\coprod$	43.22	$\prod$
•	CCS7 Signaling Temimeton, Per STP Port CCS7 Signaling Usaga, Per TCAP Message		89	۲ ا ا	0 0000916					$\frac{1}{1}$	8	Ш		15.32	
	CCS7 Signaling Connection, Per link (A link)		BON	TPP++	17 84	130 84	130 84			+	20 35	5 2035	Ц	13 32	
	CCS7 Signating Cornection, Per link (B fink) (also known as D fink)		99	‡ dd L	17 84	130 84	130 84	+			203		13 32	13 32	
	CCS7 Signaling Usage Surrogate, per link per LATA		800	STUSE	352 30						20 35	5 2035	13 32	13 32	
	CCS7 Signaling Point Code, per Onginaling Point Code Estabishment of Change per STP gifected		BON	CCAPO		40 00	40 00				2035	5 20 35	13 32	13 32	
	CCS7 Signating Point Code per Destination Point Code Establishment or Change. Per Sto Affected		BON	CCAPD		8 00	8 00				20 35	5 20 35	13 32	13 32	
			$\frac{1}{2}$			1		1							

A Elements	- SSEE
Unbundl	4

þ

							œ	RATES (\$)				OSS RATES (\$)	TES (\$)			
Comparing the black Live   Comparing   C	CAR	COORY	UNBUHDLED НЕТМОВК ЕLEMENT	 	esoc	Ren	Monas	unting Addi	Monweuming Disconnect	Submitted Else per LSR SOMEC	Bvc Order Bubrnithed Manually per LSR EQMAN	Incremental Chargo · Manual Sve Order va. Electronic 1st	/-· ·-	beramental Charge Manual Sve Order ve Electronic-Diso 1st	Incremental Charge Mamul Svc Order va. Electronic-Olac Add?	
CODE	E911 SERV	3		+					+							
Variety Based User   Cock CSDCH   Cock CSD	CALLING N	NME (CNAM)	SERVICE			0.00										
Value         Process         1700			CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query	38		001										$\prod$
CLOSE   CANADO   CANOCA   CA																
V			CNAM (Non-Dalabs Owner), NRC, applies when using the Character Based User Interface (CHUI)	Š	СБВСН		595 00	595 00				20 35	2035	13 28	13.28	
1.00   1.00	LNP QUER	SERVICE														
1.00				$\prod$												
## CENTED 0.229  ***CHILDS***  ***CHILDS**  ***CHILDS***  ***CHILDS**  ***	OPERATOR	CALL PRO	CESSING Oper Call Processing - Oper Provided, Per Min - Using BST LIDB Oper Call Processing - Oper Provided, Per Min - Using Forsign LIDB			120										$\parallel \parallel$
V CEALCRICATE TO			Oper Call Processing - Fully Automated, per Cal. Using BST LIDB Oper Call Processing - Fully Automated, per Cal. Using Foreign LIDB	$\parallel$		020										
V CEACS 7,000 00 1,20	INWARD OF	ERATOR S	ERVICES Imward Openior Services - Verification, Per Cat Imward Openior Services - Verification and Ferces			1 95										
V         CEACL         7,000 to 1,200 to 1			Iliwalu Oparaku Ostvicza - vanikaliwi ard "majyardy ikumby - 1 or Ost													
DAGE   1200 00 1200	BRANDING	OPERATO	R CALL PROCESSING Recording of Custom Branded OA Arrouncement Loading of Custom Branded OA Arrouncement per shalfNAV		CBAOS		7,000 00					19 99	19 99	19 99	19 99	
DADCC)         0.25           Condition         0.0003           Service Call invited Call Mile         0.00004           Service Call service Call invited Call Mile         0.00004           Service Call Mile		Unbranding	via OLNS for UNEP CLEC Loading of OA per OCN (Regional)				1,200 00									
DACC)         DACC)           D. Per Call Alternot         0 10           envice Call         0 0003           Service Call         0 00036           Service Call         0 00016           Service Call         1,170 00           Service Call<	DIRECTORY	ASSISTAN	CE SERVICES	$\prod$												
DACC)  DACC)  DACC)  Li Per Call Alternot  DESCR  D		DIRECTOR	Y ASSISTANCE ACCESS SERVICE  Directory Assistance Access Service Cals, Charge Per Cal	+		0.25										$\frac{1}{1}$
Service Call DBSGF 150 00 Service Call DBSGF 150 00 Service Call Service Call Service Call DBSGF 150 00 Service Call Service Call Service Call DBSGF 150 00 Service Call Servi		DRECTOR	Y ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) Directory Assistance Call Completion Access Service (DACC). Per Cell Attempt			010										
Service Call   0 00003   1		DIRECTOR	YTRANSPORT	$\prod$												
Service Call         0 000018           Service Call         0 000           Service Call         0 000           Service Call         0 004           Samich         AMT CBADA         6,000 00           Samich         AMT CBADA         1,170 00           Samich         1,170 00         1,170 00           Samich         1,170 00         1,170 00           Add         4,20 00         1,170 00           Add         4,20 00         1,170 00           Add         4,20 00         1,170 00           Add         1,170 00         1,170 00			SWA Common transport per Directory Assistance Access Service Call. SWA Common Transport per Directory Assistance Access Service Call Mile.	$\parallel$		0 00004										
DBSOF   150 00   1770 00			Access Tandem Switching per Directory Assistance Access Service Call DS3 to DS1 Multiplexer per DA Access Service Call	$\prod$		0 00055										
DBSOF   150 00   170 00   1,170		DIRECTOR	Y ASSISTANCE DATA BASE SERVICE (DADS)	$\prod$		200										
Switch   AMT CBADA   6,000 00   6,000 00   1,170 00	SMONYOR	PIBECTOR	Unectory Assistance Data Base Service, per morth Directory Assistance Data Base Service, per morth Y Assist ANCE		DBSOF	150 00										$\prod$
Switch   AMT CEADC   1,170 00	ONGLAN	Faculty Base	I Backlin and Privileinan of DA Custom Brantled Aurouncement	AMT	T		8 000 00									$\coprod$
Recording of DA Custom Branded Amouncement   3,000 00   3,000 00   3,000 00			Loading of Custom Branded Arrouncement per DRAM Card/Switch	AMT	$\mathbf{r}$		1,170 00									
Loading of DA Custom Branded Amouncement per DRAM Card/Switch per OCN         1,170 00         1,170 00         1,170 00           a QUNS for UNEP CLEC         420 00         420 00         16 00         16 00         16 00           Loading of DA per Switch per OCN         16 00         16 00         16 00         16 00         30 89           Sabedine Rouling Per Unque Line Class Code Per Request Per Switch         USRCR         179 60         179 60         30 89           Virtuel Cohecation Andreation Cost         CLO EAF         2 848 30         2 848 30         2 848 30		UNEP CLEC	Recording of DA Custom Branded Announcement				3,000 00	3,000 00								
a BOUNS for WINDE CLEC. Loading of DA per Order)  Loading of DA per Switch per Order)  Loading of DA per Switch per Order)  Sabedine Rouling Per Unique Line Class Code Per Request Per Switch  Loading Order Rouling Per Unique Line Class Code Per Request Per Switch  CLO EAF  2.848.30 2.848.30			Loading of DA Custom Branded Amouncement per DRAM Card/Switch per OCN	-			1,170 00	1,170 00								
Loading of DA per Switch per CCN         16 00         16 00           Saledine Rouling Per Unique Line Class Code Per Request Per Switch         USRCR         179 60         179 60           Virtual Cohestion Andreation Cost         CLO EAF         2.848 30         2.848 30		Unbranding	via OLNS for UNEP CLEC Loading of DA per OCN (1 OCN per Order)	$\prod$			420 00	420 00								$\perp$
Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Switch  Selective Routing Per Unique Line Class Code Per Request Per Per Switch  Selective Routing Per			Loading of DA per Switch per OCN				16 00	16.00								
Selective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Switch  Solective Routing Per Unque Line Class Code Per Request Per Switch  Solective Routing Per Switch	SELECTIVE	ROUTING		$\downarrow \downarrow$												
Virtual Collection Antication Cost			Selective Routing Per Unque Line Class Code Per Request Per Switch		USRCR		179 60	179 60				30 89	7 03			
07007	VIRTUAL CO	LLOCATION	N Note that the second of the	2	EVE		00 070 0	Н								

Version 3001 10/18/01

nbundled Network Elements	TENNESSEE
ğ	

Marie Colore   Colore															-
Part			 			ž	(E)		1		ő	SS RATES (5)			4
Continue C			 		•									Incremental	
Comparison Continues and Continues and Comparison Continues and Continues	CATEGORY	UNBUNDLED NETWORK & LEMENT	 	90	•	;	·							Charge Manual Svc Order vs Electronic-Disc	<u>_</u>
Comparison   Com					2	Fort	Addi	ŧ	-				$\neg \neg$	Addi	$\parallel$
Principle and Early		Virtual Colocation - Cable Installation Cost, per cable	O C	ESPCX		2,750 00	2,750 00	П	H	Н	Ħ	Н			Ц
Colored Control Control Colored Colo		Virtual Collocation - Floor Space per sq ft	9	ESPVX	3.20										Ц
State Control Contro		Virtual Colocation - Power, per breaker amp	3 2	ESPAX	348						-				+
Activity Control Con		Virtual Coloration - Caba Support Sucurue, per engelice cabe	3 2	Y JONE	15.64	41 58	20.82	+		1	1		-		1
Colorest Correction   Colorest		Virtual Colocation - 4-Fiber Cross Corrects	9	NO.	28 11	50 53	38 78								-
Colored Content   Content Content   Colored Content		With al Calarain - DS1 Cries Coments	USL O	CNC1X	1319	20.00	17.78	10.48	8.75						-
Description Control   Description   Descri		Villed Colleges Colleges	USLU	2 .	-			2				-	_		$\perp$
C. Control Consoling Land Control Copperiod Class Separation Antifes Periods 9 (2002)  C. Control Control Control Copperiod Class Separation Antifes Periods 9 (2002)  C. Control Cont	-	Vintal Colocalin - DS3 Cross Corrects Vintal Colocalion - Co-Carrier Cross Corrects - Fiber Cable Support Structure, per	2		38.23	Di lei	2					-	-		-
Contract Coast Corrects   Figure Case Septon Student part   AMTTS   Per 105   GOOD		Inser foot Virtual Colocation - Co-Carrier Cross Connects - Copper/Coax Cable Support	AMIF	PETES	0 0031				+		+		1		-
Controller   Control   C		Structure, per finear (t	AMTE	PE1DS	0 0045				-	-	-				-
Column Case Case Case Expendicate Class Space   Column Case Class Sp		Virtual Colocation • Co-Carrier Cross Corrects • Fiber Cable Support Structure per (cable	AMTE			555 03									
Secure Electric - Brain Francis   CLO   SPTINA		Virtual Colocation - Co-Carrier Cross Corrects - Copper/Coax Cable Support	ANATES			200						_	_		$\vdash$
Standy Execute Control of Standy         Standy <th< td=""><td>+</td><td>Mirral Calorato - Security Escort - Basic, per half hour</td><td>CLO</td><td>SPTBX</td><td></td><td>41 00</td><td>25.00</td><td></td><td></td><td></td><td></td><td>+</td><td>-</td><td>1</td><td>+</td></th<>	+	Mirral Calorato - Security Escort - Basic, per half hour	CLO	SPTBX		41 00	25.00					+	-	1	+
Standb Electro Temporary   CLO CIPTN   SS 00		Virtual Colocalin - Security Escort - Overtime per half hour	CLO	SPTOX		48 00	30 00								$\downarrow$
National Color C		Virtual Colocatin - Security Escort - Premium, per helf hour	CLO	SPTPX		55 00	35 00		$\mid$						
Name   Control	-	Virtual Colocatin - Maintenance in CO - Basic, per half hour	000	CTRLX	T	30 64	38 88			-	1	1	-		-
Wind Coas Cornect, Eucharge Port Zwin Voice Grafe Rea         LEPRAX PE INC         0.00         19.20		Virtual Colocatin - Maintenance In CO - Premium per half hour	000	SPTPM		40 90	40 90		+			+			1
2 Min Coole Cornect Ectamore Part Africe Coole Cornect Ectamore Part Africa Coole Cornect Part Africa Coole Part Africa Coole Coole Coole Coole Coole Coole Coole Coole	NAL COLLOCA	TON													$\coprod$
2-Wine Cross Correct, Endings Port 2-Wine Liber Side PBX         URPSE (VERT         0.30         19.20		Virtual Colocation 2-Wire Cross Connect, Exchange Port 2-Wire Volce Grade Res	UEPR		030	19 20	19 20			_	-				-6
2-Wine Cross Corned, Endrage Port 2-Wine Voice Grade PBX         UEPSE VERIZE         0.30         19.20		Virtual Colocation 2-Wire Cross Correct, Exchange Port 2-Wire Line Side PBX	SEPSE		98	19 20	19.20				_				
2WM chars Carred, Eachtage Port 2 Win Andoo Bisa         UP-PSE WINTSZ         0.30         19.70         19.20         19.90		Virtual Colocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX						-	-						-
Quite Cross Cornect Exchange Ford Z-Wine SDN         LIEFSIX (FIRZ         0.00         19.20         19.20         19.50 <th< td=""><td></td><td>Trunk - Res Virtual Collection 2: Wire Cross Correct Embarca Port 2: Wire Analoo Bus</td><td>UEPS</td><td>VE1R2</td><td>030</td><td>19.20</td><td>19 20</td><td>+</td><td>+</td><td></td><td></td><td></td><td></td><td></td><td>g 0</td></th<>		Trunk - Res Virtual Collection 2: Wire Cross Correct Embarca Port 2: Wire Analoo Bus	UEPS	VE1R2	030	19.20	19 20	+	+						g 0
2-Wind Cross Cornect Exchange Port Z-Wine ISON         UEPTX VERINA         0.50         19.20 <t< td=""><td></td><td>Virtual Colocation 2-Wire Cross Cornect, Exchrage Port 2-Wire ISDN</td><td>UEPS</td><td>VE1R2</td><td>0 30</td><td>19 20</td><td>19.20</td><td></td><td></td><td></td><td>-</td><td></td><td></td><td></td><td>0 6</td></t<>		Virtual Colocation 2-Wire Cross Cornect, Exchrage Port 2-Wire ISDN	UEPS	VE1R2	0 30	19 20	19.20				-				0 6
4.Wine Cross Correct, Exchange Port DDITS 4.Wine DSS1         LEPEDD VE RR         6 50         19 20		Virtual Colocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	UEPT	VE1R2	030	19 20	19.20	+				Ц			٥
4-Wine Cross Corned, Exclarge Port 4-Wire ISDN DS1         UPEPEX VETRAL         0.50         19.20         19.20         19.99		Virtual Colocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1	UEPDI	VE1R4	020	19 20	19 20				_				
Stabilishment         SRC SRCE         SRCE SRCE         320 53         320 53         320 53         320 53         320 53         320 53         320 53         19 99			UEPE	VE1R4	050	19 20	19.20				=	Ц	Ц	Ц	6
stabilshmert         SEC         SEC         391,789 00         19 99	JAL CULLUCA														$\perp$
Interest         SEC SRCE         391,789 or 320 s3         320 s3         19 99         19			+	+							+				$\parallel$
SEC SECE         STC SECE         391/88 00         19 99	ELECTIVE CAR	RERROUTING		Т		-	T				-				1
Harmen         SRC         SRCLE         SRCLE </td <td></td> <td>Regional Service Establishment</td> <td>SRC</td> <td></td> <td></td> <td>391,788 00</td> <td>6000</td> <td></td> <td></td> <td></td> <td></td> <td>Ц</td> <td></td> <td></td> <td></td>		Regional Service Establishment	SRC			391,788 00	6000					Ц			
MICE         CAMSE         0 00048         135 56         135 56         135 56         135 56         137 59 <td>+</td> <td>Line/Port NRC per end user</td> <td>SRC</td> <td>3</td> <td></td> <td>208</td> <td>200 2</td> <td>-</td> <td>+</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6</td>	+	Line/Port NRC per end user	SRC	3		208	200 2	-	+						6
Interest of Earlies France - Service Establishment, Per State, Intellal Setup         CAMSE         135.56         135.56         135.56         135.69         20.35         20.35         13.28           Service - Port Correction - Dial/Shared Access         CAMIP         41.75         41.75         41.75         20.35         20.35         13.28           Service - Port Correction - Dial/Shared Access         CAMIP         41.75         41.75         20.35         13.28           Service - Port Correction - Dial/Shared Access         CAMIP         41.75         41.75         20.35         20.35         13.28           Service - Servicy Card, Per User ID Code         CAMRO         86.63         86.63         86.63         20.35         13.28           Service - Servicy Card, Per Unit (100 Klichotes)         CAMRO         0.0024         113.67         113.67         20.35         13.28           Service - Company Performed Session, Per Minute         0.0024         22.7         20.35         13.28		Quary NRC, per quary	SRC	$\overline{}$	0 000448									Ц	$\parallel$
Service - Service Establishment, Per Sitate, Initial Selup         CAMISE         135 56         135 56         135 56         135 56         13 56         13 56         13 56         13 28	BELLSOUTH A	IN SMS ACCESS SERVICE											1		1
Service - Port Correction - Dial/Shared Access         CAMAP         41 75         41 75         41 75         20 35         20 35         13 28           Service - Port Correction - Signate Access         CAMAP         41 75         41 75         20 35         20 35         13 28           Service - Sociation - Signate Access         Der Liber ID Code         CAMAP         86 63         96 63         20 35         13 28           Service - Sociation - Sociation Access         Der Liber ID Code, Intel or Replacement         CAMRC         0 0024         113 67         113 67         13 36         13 28           Service - Sersion Per Minute         0 0024         0 0020123         0 0020123         20 35         13 28           Service - Company Performed Session, Per Minute         2 27         2 27         2 27		AIN SMS Access Service - Service Establishment Per State, Initial Setup	 	CAMSE		135.56	135 58								Ļ
Service - Port Connection - ISDN Access - Per User ID Code         CAMAD         96 63         96 63         96 63         20 35         13 28           Service - Security Cerd, Per User ID Code         CAMRC         0 0024         113 67         113 67         113 67         20 35         20 35         13 28           Service - Security Cerd, Per User ID Code, Inhal or Replacement         CAMRC         0 0024         113 67         113 67         113 67         13 28           Service - Security Cerd, Per User ID Code, Inhal or Replacement         CAMRC         0 0024         12 67         13 28         20 35         13 28           Service - Security Cerd, Per User ID Code, Inhal or Replacement         CAMRC         0 0024         13 67         13 67         13 28	_	AIN SMS Arrese Service - Port Correction - Dial/Stanet Access		CAMDP		41.75	41.75							_	_
Service - Viser Identification Codes - Per User ID Code         CAMAL         96 63         96 63         96 63         96 63         96 63         97 52         13 28           Service - Security Cerd, Per User ID Code         CAMRC         0 0024         113 67         113 67         113 67         20 35         20 35         13 28           Service - Security Cerd, Per User ID Code, Inhal or Replacement         CAMRC         0 0024         113 67         113 67         20 35         20 35         13 28           Service - Security Cerd, Per User ID Code, Inhal or Replacement         CAMRC         0 0024         113 67         113 67         113 67         13 28           Service - Security Cerd, Per User ID Code, Inhal or Replacement         CAMRC         0 0024         12 67         12 78         13 28           Service - Company Performed Session, Per Minute         2 27         2 27         2 27         2 27         2 27		A MAGILLA COMPANY AND COMPANY		9											
Service - User Identification Codes - Per User ID Code         CAMAU         96 63         96 63         96 63         20 35         20 35         13 28           Service - Security Cerd, Per User ID Code, Intell or Replacement         CAMRC         0 0024         113 67         113 67         113 67         20 35         20 35         13 28           Service - Sitoring - Per Unit (100 Kitobries)         Per Unit (100 Kitobries)         0 0820123         20 35         13 28           Service - Company Performed Session, Per Minute         2 27         2 27         2 27         2 27		AIN OMO ACCESS DEIVICE - FOIL COTRECTOR - IDON ACCESS	-	L CAM		6) 14	6/14		+	+	N	1			
Service - Security Card, Per User ID Code, Initial or Replacement         CAMRC         113 67         113 67         113 67         20 35         20 35         13 28           Service - Storage Per Unit (100 Klibb/les)         For Minute         0 0820123         12 27         13 28         13 28         13 28         13 28         13 28         13 28         14 28 <td></td> <td>AIN SMS Access Service - User Identification Codes - Per User ID Code</td> <td>-</td> <td>CAMAU</td> <td></td> <td>88 63</td> <td>98 63</td> <td></td> <td>+</td> <td></td> <td>20</td> <td>_</td> <td></td> <td></td> <td></td>		AIN SMS Access Service - User Identification Codes - Per User ID Code	-	CAMAU		88 63	98 63		+		20	_			
Benkles - Storage, Per Unit (100 Kibbries)         0 0024           Service - Session, Per Minute         0 0820123           Service - Company, Performed Session, Per Minute         2 27		AIN SMS Acress Service - Security Card, Per User ID Code, Initial or Replacement		CAMRC		113 67	11367	_			72	35			
Service - Company Performed Session, Per Mindle		ANN SMS Access Service - Storage, Per Unit (100 Kibbytes)	1		0 0024					+		H		Ц	$\coprod$
		AIN SMS Access Service - Company Performed Session, Per Minute		1	2 27				$\mid$	-	-				1
								_	-						1

A Elements	L J.SEE
bunde	-

					(e) (c) (e)		-			-		
UNDUNDLED NETWORK ILEMENT	hterin Zone B	BCS USOC		Nonrec	uring	Honsecuring Disconsect First Addi		She Order She Order Submitted Submitted Bee Manually per LSR LSR SOMEC SOME	hremantal far Charps - fad Menual Swe y per Order vs  R Electronic-fat N BOMAN	heramental Charge Manual Sva Order va. Electronic- Add I	Charge Manual Sve Order va Electronic-Dlac 1st	Charge - Charge - Manual Sve Order vs Electronic-Disa
State Initial Setun		BAP	<u>.</u>	132 04	132 04				2035			
Ain Toolki Service - Service Establishing & Clearing Francisco.  Ain Toolki Service - Training Session, Per Customer		BAPVX	×	7,915 00	7,915.00				20 35	5 2035	13 28	13 28
AIN Toolkil Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt		BAPTT	<b>P</b>	3121	3121			_	2035	5 2035	13 28	13.28
er DN, Off-Hook Delay		BAPTD	Q	31.21	31.21			-	20.35	5 20 35	13 28	13 28
AIN Tocikit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook		ВАРТМ	2	31.21	31 21			$\dashv$	20 35	2035	13 28	13.28
AIN Toolat Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP		BAPTO	0	85.24	85 24			+	20.35	2035	13 28	13 28
ON, COP	+	BAP	0	65 24	83.24		-	+	20 %			
AIN Toolki Service - Trigger Access Charge, Per Trigger, Per DN, Festure Code	+	BAPTE	0.0211882	85.24	85 24		+		20.35	5 20.35	13 28	13.28
Alin Toolkit Service - Lucif Creage, Per Cuery Transfer Toolkit Service - Type 1 Node Charge, Per Alin Toolkit Subscription, Per Node,		-	0 0054774									
AIN Total Service - SCP Storage Charge, Per SMS Access Account, Per 100 Klobytes			1 50	0								
AIN Toolki Service - Monthy report - Per AIN Tooks Service Subscription		BAPMS	17 43	33 52	33 52			-	2035	2035	13.28	13.28
AIN TOURISBURGE Special Study - Far Air Touris Construction in Trailing Sandes Subscittion		BAPDS			33.52				20.35			
ervice Subscription		BAPES	900		36 23				2035	5 20 35	13 28	13.28
80		H								Ш		Ш
	+	+					+	+	+	1	1	
			000									
			0 000	4								
		$\ $										
ODUF Recording, per message	+	+	0 0000044	8				-				
			52.7	2								
		$\frac{ \cdot }{ \cdot }$	0 00000	n								
	+	-						+				
NOTE New EELs available in State of Georgia, density zone 1 of following SMAs. Orlando, FL, Ma	mi Ft, Ft Lau	Jerdale, FL	FL, Mami, FL, Ft Lauderdale, FLI; Nashvile, TN, New Orleans, LA	ew Orleans, LA,								
NOTE Charlotte-Gastonia-Rockhill, NG, Greensboro-Winston Salem-High Point, NC Use all rates	Prates below except Switch As Is Charge	witch As Is	Charge.					$\frac{1}{1}$				
NOTE in all states, EEL network elements shown below also upply to currently combined facilities which are converted to UNE raise. A Switch As is Charge applies to currently combined facilities converted to UNEs. (Non-reuming raises do not apply	which are con	verted to U	NE rates, A SWRC	th As is Charge ap	ples to current	ly combined fac	lities converte	d to UNEs.(N	on-recurring rate	es do not app	(A)	
NOTE IN GA. TN, KY, & LA, the EEL network elements apply to ordinarly combined network elements (No Switch As is Charge)	ents (No Switt	h As is Ch	(Jac)				+	1	-			
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)	EF											
First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	5	UNCVX UEAL2	16 56	6 108 76	35 47	72.94	10.86		20 35	5 2109	096	10 54
orl Combination -	2	UNCVX UEAL2	2163	3 108 76	35 47	72.94	10 86		20.35	2109	9 80	10 54
First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	e e	CVX				72.94	10.86		20 35	5 2109	086	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	5	UNC1X 1L5XX	(X 0 3525									
interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	5	UNC1X UITE1		171 24	113 12	70 07	30 80	-	20 35	2109	08 6	10.54
OS1 Charnelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month	55	CVX 1D	/G 091				20 20		3			
srottice transport			_	_			_			_	_	

Unbundled Network Ele TENNESSEE	Hent	
		ш
	atwo	DU LL
Unbund		
ž	bundt	
	ō	

Attachment 2
Exhibit C

					RAT	RATES (\$)				ő	OSS RATES (\$)			
CATEGORY	пнаимоцер нетмоях ецемент	biterin Zone BCB	6300	-	Nonveuring	g			Svc Order 8 Submitted 8 Elec Ma	Bve Order Charge Administ Sve Menual Sve Menual Sve List Electronic Jat	hramental charge.  Charge.  Manual Svc Svc Order vs Fectuals.	Charge Charge Manual Svc Order ve Sectonic-Disc	hcremental Charge - Manust Bvc Order vs c Electronic-Disc Add 1	<u> </u>
				8	First	Add	Nonneumng Disconne First Add	Addi	Ш		ł	Ш	Ш	
	Each Additoral 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport (Combination - Zone 2	2 UNCVX	X UEAL2	21 63	109 78	35 47	72 94	10 88		20	35 21	08 6	10 54	
	Each Addutoral 2-Wire VG Loop(SL2) in the same DS1 interoffice Transport Combination - Zone 3	3 UNCV		28 28	108 78	35 47	72 94	10.88		~			2	
	Voice Grade COCI - DS1 to DS0 Chernel System combination - per month	UNCVX	X 1D1VG	091	5.70	4 42								
	Norrecuring Curently Combined Network Elements Switch -As-Is Charge	UNC1X	X UNCCC		52 73	24 62	9 12	9 12		2	20 35 21 0	09 6	1054	4
4-WIRE VO	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)	T (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 interoffice Transport Combination - Zone 1	1 UNCOX	X UEAL4	24 70	108 76	35 47	72 94	10 86			20 35 21 09	09 6	10 54	4
	First 4-Wire Analog Voice Grade Loop in e DS1 Interoffice Transport Combination - Zone 2	2 UNCVX	'X UEAL4	32 25	108 76	35 47	72 94	10 88		2	20 35 21 09			
	First 4-Wire Arabog Voice Grade Loop in a DS1 Interofite Transport Combination -	3	X UEAL4	42 17	108 76	35.47	72.94	10 86		2	<u></u>			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	П	X 1L5XX	0 3525							Ц		Ц	
	Interoffice Transport - Dedicated - DS1 - Facily Termination Per Month	CNC1X	X V	77 86	17124	113 12	70 07	30 80		2	20 35 21 09	08 6 60	10.54	4
	Voice Grade COCI - DS1 to DS0 Charmel System combination - per month	ONC	X 1D1VG	0.91	570	4 42	3							
	Additional 4-Wire Arabig Voice Grade Loop in same DS1 Interoifice Transport Combination - Zone 1	1 UNCVX	X UEAL4	24 70	108 76	35 47	72 94	10.86		2	20 35 21 09	60	10 54	
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Internifice Transport Combination - Zone 2	2 UNCVX	'X UEAL4	32 25	108 75	35 47	72.94	10 88		2	2035 2109			- 4
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport			1	25		70 52						L	<u> </u>
	Volce Grade COCI - DS 1 to DS0 Charnel System combination - per month	UNCVX	X 1D1VG	0.91	5 70	4 42	14.34	0001			20 35 21 08	2 2 2	20.3	4
	Norweymon Currenty Combined Network Flements Switch -As-Is Charne	UNCIX	NOCC		52 73	24 62	9 12	9 12		~	20.35 21.09	08 6	10.54	
		П										Ц		
4-WIRE 56	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL	ORT (EEL)				1		1				+		
	First 4-Wire Stakeps Digital Grade Loop in 8 DS 1 tradition transport Commission- Zone 1	1 UNCDX	ox upls6	31 10	108 76	35.47	72.94	10 86		2	20.35 21.09	09 6 0	10 54	4
	First 4-wre 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2 UNCDX	es norse	40 61	108 76	35 47	72.94	10 86		7	20 35 21 09	09 6 0	10 54	4
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3 UNCDX	ox udls6	53 11	108 76	35 47	72 94	10 86		2	20 35 21 09			4
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	CNO		0 3525				1						
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month	UNC1X	X UITE	77 86	171.24	113 12	70 07	30 90	1	7	20 35 21 09	09 6 60	10 54	4
	Charmelization - Charmel System UST to USO compression Per Moren OCU-DP COCI (data) - DS1 to DS0 Charmel System - per month (2 4-64kbs)	UNCE	X 10100	182	5 70	49 95	9	13 60			-			1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1 UNCDX	9STON XC	31 10	108 78	35.47	72.94	10.88		2	20.35 21.09	08 6	1054	
	Additional 4-Wins 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2 UNCDX	X UDLS6	4061	108 76	35 47	72.94	10 86		2	20.35 21.0	08 6 60		-
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 interoffice Transport Combination - Zone 3	3 UNCDX	N UDLS6	53 11	108 76	35.47	72 94	10.86		7	20.35 21.09	08 6		
	OCU-DP COC! (data) - DS1 to DS0 Charrel System - combination per morth (2.4-64tos)	UNCDX		1 82	5 70	4 42								
	Nomecanng Currently Combined Network Elements Switch -As-is Charge	UNCIX	X UNCCC		52 73	24 62	9 12	9 12		2	20 35 21 09	086 60	10 54	
4-WIRE 64	WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL	ORT (EEL)							+					
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 interoffice Transport Combination - Zone 1	1 UNCDX	X UDL64	31 10	108 76	35.47	72 94	10.88		2	20 35 21 0	08 6 60	10 54	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zona 2	2 UNCDX		40 61	108 76	35.47	72 94	10.86		7	2	61		
	First 4-Wire 64Kbps Digulal Grade Loop in a DS1 Interoffice Transport Combination	E E		53.11	108.78	35.47	72 64	10.86		-	-	°	_	_
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	UNC1X	X 1L5XX	0 3525	2			3			Ш		8	
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month	UNC1X	X UITEI	77 88	171 24	113 12	70 07	30 80		7	20 35 21 0	09 6 60	10 54	
	Charmelization - Charmel System US1 to USU compression Per Month OCU-DP COCI (data) - DS1 to DS0 Charmel System combration - per month (2.4-	ONC	5 ×	2 2	214 52	48.85	85 C)	13 60		7	35			
	(Hybs)	IUNCE	UNCDX 1D1DD	182	5 70	4 42	1	1	-	$\frac{1}{1}$				

沙

			_			RAI	RATES (\$)				088	OSS RATES (\$)			
CATEGORY	<b>UNBUNDLED NETWORK ELEMENT</b>		Zone BCS	30 m		Nonecum	50			Svc Order Svc Submitted Sub Elec Meru per LSR 1	Svc Order Charge Subhithed Minusi Svc Manually per Order vs. 138 Electronic 1st	Incremental Charge Manual 8vo Order va. Electronic- Add*1	Incremental Charge Menual Sve Order vs Electronic-Disc	incremental Charge - Mamut Sve Order ve. Electronic Disc Add7	
			_	4	Rec	F.	NAGT.	First	Addi	SOMEC SO	SOMAN SOMAN	SOMAN	SOMAN	SCHAN	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interofilice Transport Combination - Zone 1		UNCDX	DX UDL64	31 10	108 76	35 47	72.94	10 86		20 35	21 09	980	10 54	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport		TINCDX	_		108 78		22	10.86		20.35	7	8	\$0.54	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport				8	9 9			2 3		8	1 3		5 5	
	Combination - Jone 3 OCU-DP COCI (data) - DS1 to DS0 Charnel System combination - per month (2 4-		S UNCOV		2	9/ 901	3	8	800	-	SE ON	200	3	8	
	64kbs)	$\dagger$	CNCDX	10100 20100	182	5 70	4 42		1	1					
	Nomecaning Curently Combined Network Elements Switch -As-is Charge	+	UNC1X	1X UNCCC		52 73	24 62	9 12	9 12		20.35	21 09	9 80	10 54	
4-WIRE DS1	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	(EEL)	$\parallel$												
			7	XX INSTXX			161 74	79 67	24 88		2035	7		10.54	
	4-Wire DS1 Digital, Loop in Combination with DS1 Institution in significant 4-Wire DS1 Digital, Loop in Combination with DS1 Intendifice Transport - Zone 3 Institution to Deficited - DS1 combination with DS2 Intendifice Transport - Zone 3		3 CNC1X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	98 59	228 40	161 74	79.87	24 88		203	Ш	88	200	
	Intermitina Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	1X UITE		171.24	113 12	70 07	30 90		20.35	5 2109	08.6	10 54	
	Nonscurito Curenty Combined Network Elements Switch -As-Is Charge		UNC1X			52.73	24 62	9 12	9 12		20 35	21	08 6	10.54	
Julie F	AND THE STREET OF WITH DEPICATED 081 BITEBORECE TRANSPORT	(66)	1	1											
4-WINE US	First DS (Loop in DS3 Interoffice Transport Combration - Zone 1	-	1 UNC	XX USLXX		228 40	161 74	79 87	24 88		203				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		П	XX USLXX	75.40	228 40	161 74	79 87	24 88		20 35	5 2109	98	55	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		X X X X X X X X X X X X X X X X X X X	3X 1L5XX			161 74	79.87	24 88		20.3	1			
	Interoffice Transport - Dedicated - DS3 - Facility Termination per morth		CINC	3X U1TF3		428 10	153.81	64 43	35 43		20 35	5 2109	886	10 54	
	DS3 to DS1 Channel System combination per month		CINCIX	3X MQ3			128 63	45 53	17 05						
	Additional DS (Loop in DS3 Interoffice Transport Combination - Zone 1		П	XX USL XX			161 74	79 87	24 88		20 35	Ц	Ц	10 54	
	Additional DS 1 Loop in DS3 interoffice Transport Combination - Zone 2	1	2 UNC1X	XX OSLXX	75 40		161 74	79 87	24 88		2035	2109	86	10 54	
	Additional DS Loop in DS I mercines i talispoin committee DS Interface Unit (DS1 COCI) combinedion per month	++	TT	1X CC1D1			2.58		3					5	
	Norrecurring Currently Combined Network Elements Switch -As- is Charge		UNC3X	3X UNCCC		52 73	24 62	9 12	9 12		2035	5 2109	9 80	10 54	
2-WIRE VO	WINE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GRADE INTEROFFICE TRANSPORT	T (EEL)	$\parallel$							+					
	2-WinVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1 UNCVX	VX UEAL2	16 58	108 76	35 47	72 94	10 86	-	20.35	2109	086	10.54	
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2 UNCVX			108 76	35 47	72.94	10 86		20 35			10.54	
	2-WireVG Loop used with 2-wire VG Interpfiles Transport Combination - Zone 3		3 UNCVX	VX UEAL2	28 28	108 76	35 47	72 94	10.88		20.3	35 21 09		10 54	
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility	$\dagger$	<u>S</u>				+	+	+	-	-				
	Termination per morth	$\dagger$	UNCVX	VX U1T/Z	18 58	79.86	44 06	69 32	3100	-	2033	5 2109	9.80	10 54	
	Nonrecuring Curently Combined Network Elements Switch -As-is Charge	$\top$	UNCVX	VX UNCCC		52 73	24 62	9 12	9 12		20 35	5 2109	980	10 54	
4-WIRE VO	ICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT	T (EEL)				$\  \ $						Ш			
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		┰	XX UEAL4		108 /5	3 S	22.22	10 83	-	20.35	5 2109	8 8	10 54	
	4-WiraVG Loop used with 4-wira VG Interoffice Transport Combination - Zone 3		Z/ONC/X	VX UEAL4	42.17		35.47	72 94	10 85		203	Ц	9 80	5	
	Interoffice Transport - Dedicated - 4-wire Vis combination - Per Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility		3	YY ILSXX							<u> </u>				
	Termination per month		NOCAX	VX U17V4	24 09	79 83	44 08	69 32	3100		2032	21 09	9 80	10 54	
	Norrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	VX UNCCC		52 73	24 62	9 12	9 12		2035	5 2109	9 80	10 54	
DS3 DIGITA	AL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)		$\parallel$												
	High Capacity Unburdled Local Loop - DS3 combination - Per Mile per morth	+	CNC3X	3X 1F2ND	9 19		1	+	+	-					
	High Capacity Unburdled Local Loop - US3 combination - racially 1 emuration per month	+	UNC3X	3X UE3PX	374 24	240 23	180 87	106 78	45 24		-				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	-	ICAC	3X 1 1 5XX				-	1	-	-				

Elemen	u
Unbundled Network	TENNESSE

	9		3	28	I			+	Z.	3		3 3	¥	I	25		.7	2		¥		72.		Z	Z Z		3	7	7 .		Z		7.7	72		4	×	3	3 3
	hcremental Change Manuel Sve Order vs Electronic-Disc	SOUNH	9	2					55	2		20 5	∐.		10		10 54		2	10 54		1054			1054		Ц	Ţ	10.54	Ш	10 54		20 52 22 22 22 22 22 22 22 22 22 22 22 22	Ш		20	10 54		1054
	fincremental Charge Manual Sva Order vs Electronic-Disc	SOMAN	9 80	9 80				ŀ	9 80	9 80		980	9 80		9 80		980	08.0		9 80		980		9 80	980	Ca C	8	9 60	88	8	980		08 6	88		200	9 80	9 80	9 80
res (\$)	bcramental Charge Manual Bvc Order ve. Electronic-	SOMAN	21 09	21 09					21 09	21 09		21 03	21 09		2109		2109	21.00	5	21 09		21 09		2109	21 09	24.00	4103	21 09	2109	Z 102	21 09		21 09	2109	1 8	Z1 09	21 09	2109	2109
OSS RATES (\$)	hcremental Charge - Mamusl Bve Order ve	SOMAN	20 35	2035					20 35	2035		2035	2035		20 35		20 35	20.35	3	2035		20 35		20 35	20.35	30.00	200	20.35	323	88	20.35		20 35	20.35	8	8	20.35	20 35	20.35
	Svc Order Submitted Menusity per LSR	BOWAN			T			T	1																														
	Bve Order Submitted Elec per LSR	SOMEC			1																																		
		Add	35 43	9 12			45.24		35 43	9 12		10 86	10 86		30 80		10.88	40.08	200	10 86		9 12		24 88	24 88	25.43	25 43	24 88	24 88	74 00	9 12		10 86 10 86	10 86	000	8 28	9 12	10.86	10 86
		First	64 43	9 12			108 78	1	64 43	9 12		72.94	72.94	T	13.60		72.94	2	S.	72.94		9 12		79 87	79 87	6, 10	8 8 5 5	79 87	79 87	) OR	9 12		22.8	72.94	3	8	9 12	72.94	72.94
S (\$)		Ada	153 81	24 62			180 87		153 81	24 62		35 47	35 47		113 12 75 98	090	35.47	2,4	Ř	35 47	090	24 62		161 74	161 74	1000	153 81	161 74	161 74	4 42	24 62		35 47	35.47		38 32	24 62	35.47	35.47
RATES (\$)	Nonrecuring	Ē	428 01	62 73			240 23		428 01	52 73		108 78	108 76	-	49 95	6 16	108 76	a7 a04	90	108 76	6 16	52 73		228 40	228 40	90.00	428 01	5 70	228 40	5 70	52 73	+	108 76	108 76		28.54	52 73	108 76	108 76
		-	648 99			9 19	389 35	2 34	849 30			22 00	37.95	0.3525	77 86	3 10	22 00	2 2	70.07	37.95	3 10	1		57.73	75 40 98 59	234	222 98	17 58	75 40	17 58			31 10	5311	7	22.10		31 10	53 11
		Red		Ü	-					Q					= -	4	×	,	<	×	4	9									Я	-	8 9	383	<	20	8	3	3 3
	080		3X UITE3	SEX UNCCC	-	UNCSX 11,5ND	SX UDLS1		UNCSX UITES	UNCSX UNCCC	-	ZIX OILZ	UNCNX U1L2X	X	UNC1X UITE1		INCNX 1111 2X		UNCNY UTEX	UNCNX U1L2X	UNCNX UC1CA	UNC1X UNCCC	+	C1X USLXX	C1X USU	SX 11.5X	UNCSX OT F3	C1X UC1C	Ctx USD	CIX USD	UNCSX UNCCC	1	OX CO	UNCDX UDL58	<b>Y</b>	UNCDX U1TDS	UNCDX UNCCC	DX CD	UNCDX UDL64
			UNC3X	UNC3X	+	S	UNCSX	2	Š	3	+		- E	5	33	JAN 1	-	- ,	7	3 CINC	Š	Š	+	- CN	3 5 7 °	Š	55	3 Z	2	1 1	Š	+	- c	1 1	5	<u>Š</u>	Š		3 2
	1																						SPORT (EEL)									EEL						(EEL)	
	UNBUNDLED METWORK GLEMENT		Interoffice Transport - Dedicated - DS3 combination - Facity Termination per per month	Novrecuring Currently Combined Network Elements Switch -As-is Charge	—•	High Cepacity Unburdled Local Loop - STS1 combination - Per Mile per month	High Capacity Unburded Local Loop - STS1 combination - Facility Termination per month	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month	Interoffice Transport - Dedicated - STS1 combination - Facility Terrutration per month	Novecuring Currently Combined Network Elements Switch -As-Is Charge	AWIDE ISON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	First 2-Wire ISDN Loop in a US1 Interoffice Combination Transport - Zone 3 First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	Interoffice Transport - Dedicated - DS1 combination - Per Mile	interoffice Transport - Dedicated - DS1 combinion - Facility Termination per morth	2-win ISDN COC (BRITE) - DS1 to DS0 Charmel System combination - per month	Poncy combined to a second settlement of the second se		Additional 2-wire IDSN Loop in same DS finiteroffice Transport Combination - Zone Z	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	2-wire ISDN COCI (BRITE) - DS1 to DS0 Changel System combination- per month	Nonrecuring Currently Combined Network Elements Switch -As-is Charge	ANTENNES LOOP WITH DEDICATED STS-1 INTERDEFICE TRANS	First OS1 Loop in STS1 Interoffice Transport Combination - Zone 1	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	Interville Transport - Dedicated - STS1 combination - Per Mile Per Month	Interoffice Transport - Dedicated - STS1 combination - Facility Termination STS1 to DS1 Channel System continetion per month	DS3 Interface Unit (DS1 COCi) combination per month	Additional DS1Loop in STS1 Intercritica Transport Combination - Zone 2	Additional DS1Loop In STS1 Interoffice Transport Combination - Zone 3 DS3 Interface Unit (DS1 COCI) combination per month	Norrecarring Curently Combined Network Elements Switch - As-Is Charge			4-wire 56 kbps Loop4-wire 56 kbps Interoffice I transport Combination - Zone 3 4-wire 56 kbps Loop4-wire 56 kbps Interoffice Transport Combination - Zone 3	Interoffice Transport - Dedicated - 4-wire 56 Kbps contanguon - Per Mile	Interoffice Transport - Dedicated - 4-wre 56 kbps combination - Facility Termination		ÆΙ	4-wind 64 ktpps_Loopt4-wind 64 ktpps_interpring_n_naspen_configuration_con_ 4-wind 64 ktpps_Loopt4-wind 64 ktpps Interoflice_Transport_Combination_Lone_2 4-wine_64 ktps_normal_wine_64 ktps_interoflice_Transport_Combination_Lone_3
	CATEGORY				100	SIST					PI BOW C	A TANIAR TO												4-WIRE DS								3 30000	- ANIME					4-WIRE 6	

Ŋ

Unbundle ,rk Elements	Th. ( SEE	
ō		

			_			~	RATES (\$)					OSS RATES (\$)	(\$)		
CATEODRY	UNBUNDLED METWOOK EL GARENT	Interchin 2	Zone BCS		R Rec	Name	uning Add1	Nonecuring Decomed	Discomect Addi	Svc Order Submittael Elec Per LSR BOMEC	Bve Order Ch Submitted Man Mennally per On LBR Elect	hornental Chi Charge Manu Order va Elec Electronicate A 8 6 MAN SQ	brownestal inc Charga C Manual Svo Ma Order vs. Chectorials Add'1 Elect	Incremental hice Charge Ch Manual Svo Men Order o Ove Electronic-Disc Electronic- 1st A	theremental Charge Order vs Order vs Metronic-Disc Add 1
	Interoffice Transport - Dedicated - 4-wre 64 kbps combination - Per Mile		UNCDX	X 1L5XX	0 174								+		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	х Оттре	22 10	58 54	38 32	13.98	8 59			20.35	21 09	9 80	10 54
	Norrecuring Currently Combined Network Elements Switch -As-is Charge		ONCDX	X		52 73	24 62	9 12	9 12	+		20 35	2109	9 80	25.
ADDITIONAL NETWORK ELEMENTS	K ELEMENTS		$\frac{1}{1}$												
	it.	18	As h sha	- and and						1	-	+	$\frac{1}{1}$	+	
When used	When used as a part of a currently combined racinly, we recharted this companies to not appro. When used as ordinarity combined network alements in Georgia, the non-recurring charges a	y and	Switch As	the Switch As is Charge does not	y not.										
			+							1		+	+	+	
Node (SynchroNet)	chroNet)		H												H
	Node per month		ONCDX	NONT	17 11						+	-	+		1
													<u> </u>		
Nonnecurth	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to e 224-Wire VG Instruction Charnel used in a COMBINATION - "Switch As Is"	each combination)	Bon)	JUNIU X		20.73	24.62	0.13	9.12			20.75	21.00	8	2
	S6/84 kbps Interoffice Charnel used in a COMBINATION - "Switch As Is" Conversion												3 8	3 8	
	Charge DS1 Interpflice Charmel used in a COMBINATION - "Switch As Is" Conversion		חוווייי	י מערכר		22 73	24 02	71 6	9 9	-		200	5 5	00 5	8
	Charge DS3 Interpffice Charnet used in a COMBINATION - Switch As Is* Conversion		מאַר בּי			27.73	79 97	71 6	2			8 8	8017	8	8000
	Charge STS1 interoffice or Local Loop used in a COMBINATION - "Switch As is" Conversion		NC3X			52 73	24 62	9 12	9 12		-	20.35	21 09	88	10.54
	Charge		ONCSX	X UNCCC		52 73	24 62	9 12	9 12			20.35	21 09	980	52
NOTE Local	tel Channel - Dedicated Transport - minimum billing period - Below DS3=one month.	DS3 an	NOV B=TOUR	months	10 43								$\parallel$		$\parallel$
	Local Channel - Dedicated - F-1718 - Street Grade per month		OND.	UNCXV ULDV4	20.28								$\left  \cdot \right $	+	
	Local Charnel - Dedicated - DS1 Per Morth		ב מאר	V OLUFI	90.00										
OPERATIONAL SUPPORT SYSTEMS	RT SYSTEMS  Floring Sender Of FC-1 struct contact its contact recollator if it profers the	state specific	electronic	service orden	no charoes as or	dered by the Sta	te Commissions					+			
NOTE (1)	Continued The electronic service ordering charge currently contained in this rate exhibit	s the BellSo	th regional	electronic se	vice ordering ch	arge									
NOTE (1) (	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges or CLEC-1 may elect the regional electronic service ordering charge. NOTE (2) Manual Service Order charge discorred, in the state of Forda, to be billed on a per LSR basis	SR basis	ervice orde	ung charges	or CLEC-1 may	elect the regiona	electronic serv	ce ordering cr	arge						
			$\frac{1}{1}$									<u> </u>	1	+	1
	Electroric OSS Charga, per LSR, submitted via BST's OSS Interactive interfaces (Regional)			SOMEC		3 50									
The Zone Into/www.in	The "Zone" shown in the sections for stand-elone bops or bops as part of a combination refers to rtip.//www.interconnection.betsouth.com/become_a_cechtrifinterconnection.btm	Seographical	у Овачега	Geographically Deaveraged UNE Zones		To view Geographically Desveraged UNE Zone Designations by Certral Office, refer	eraged UNE Zo	one Designatio	rs by Central	Office, refer	to Internet Website	sle			
UNBUNDLED LOCAL E	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)												H		
G exception	apro		$\downarrow$	<b>T</b>					1	T		+	-	+	1
NOTE Ath	NOTE Athough the Port Rate includes all available features in GA, KY, LA & TN, the desired	eatures will	ed to be	ordered usi	d features will need to be ordered using retail USOCs										
2-WIRE VO	2-WIRE VOICE GRADE LINE PORT RATES (RES)		$\coprod$												
	Exchange Ports - 2-Wire Analog Line Port-Res		UEPSR	R UEPRL	189	983	9 19	366	2 8 2			20 35	10 54	13 32	140
	Exchange Ports - 2-Wire Arabo Line Port with Cater ID - Res		UEPSR	R UEPRC	189	9 93	9 19	366	282			20 35	10 54	13.32	140
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	R UEPRO	189	8 93	919	366	282		_	20 35	10 54	13 32	140
	Exchange Ponts - 2-Wire VG unbundled TN extended local dialing panty Port with Caller ID - Res		UEPSR	R UEPAO	189	9 93	9 19	3.66	2 9 2			20 35	10 54	13.32	4
	Exchange Ports - 2-Wire VG unburdled Termossee Area Plus with Caller ID - Res (AC2)		UEPS	UEPSR UEPAH	1 89	9 93	9 19	366	2.92	-		20.35	10.54	13 32	140

<i>1</i> )	nbundled Network Elements	
	5	

رز

						RA	RATES (\$)				\$00	OSS RATES (\$)			
САТЕООНУ	UMBUNDLED NETWORK ELEWENT	Interfin Zone	528	n8oc		Nensecuring	g			Svc Order Sv Gubratted Sv Elec Man	Bvc Order Civerge Submitted Manual Svc Manual Svc Order va LBR Electronic-1st	horemental Cherge Manuel Sve Order vs. Electronic-	Incremental Charge Manual Sve Order vs Electronic-Disc	theramental Charge Manual Sve Order va Electronic-Olso	
	•		_		Rec	First	Add	Peri	Disconnect	SOMEC	SOMAN SCHAN	11	BOWAN	SOMAIN	
	Exchange Ports • 2-Wire VG unbundled Tennessee Area Calling port with Caller ID • Res (F2R)		UEPSR	UEPAK	1 89	9.83	8 19	368	2 92	j	20	35 10.54	13.32	1 40	
	Exchange Ports - 2-Wire VG unbundled Termassee Area Calling port with Cater ID -		HEPSE		1.89	68.0		3.68	2 82		2	55			_
	has I Mount. Exchange Posts - 2-Wire VG unburdled Terressee Area Caling port with Caller ID -		FPSR		1 89	69.0	9 19	3.66	262		20	35 10			_
	Exchange Ports • 2-Wire VG unbundled Tennessee Area Caling port with Caler ID •					8					8		5		
	Res (1MF2X) Exchange Ports - 2-Wire VG unbundled Termessee Area Calling port with Caller ID -	-	אם אם	_	200	CR R	<u>n</u>	8	76.7	-	3	2	_		_
	Res (2MR)	$\dagger$	UEPSR	UEPAO	1 89	8 83	9 19	366	292	-	2038	35 10 54	13.32	5	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)	-	UEPSR		189	8 83	9 19	366	2 92		20.35	35 10 54	13 32	140	
	_		UEPSR	USASC	000	000	000								_
FEATURES	All Available Vertical Features		UEPSR	UEPVE	000	800	000				20	35 10 54	13.32	140	
	The second secon			1		+		†	1		-	+			-
2-WIRE VO	2-WIRE VOICE GRADE LINE PORT KALES (BUS)  Exchange Ports - 2-Wire Arabog Une Port without Celler ID - Bus		UEPSB	3 UEPBL	1 89	9 93	9 19	3 66	2 92		2035	35 10 54	13 32	140	
	Exchange Ports - 2 Wire VG urbundisd Lins Port with urbundled port with Caller+E484 ID - Bus		UEPSB	VEPBC	1 89	9 93	9 19	368	2 8 2		20 35	35 10 54	13 32	140	
	Exchange Ports - 2-Wire Araba Une Port outgoing only - Bus		UEPSB	) UEPBO	1 89	9 93	9 19	366	2 82		20	2035 1054	13 32	1 40	
	Exchange Ports - 2-Wire VG urburdled TN extended local dialing penity Port with finalism D. Birs.		UEPSE	UEPAV	189	993	9 19	3 66	2 9 2		20	9			
	Extrange Ports - 2-Wire VG unbundled incoming only port with Catter ID - Bus		UEPSB	UEPB1	1 89	8 93	9 19	366	2 9 2	H	20	20 35 10 54	4 13.32	140	
	Exchange Ponts - 2-Wire VG unbundled TN Bus 2-Way Area Caling Port Economy Conton - Bus (TACC1)		UEPSB	UEPAC	1 89	9 83	9 19	3.66	2 8 2		20 35	35 10 54	13.32	1 40	
	Exchange Ports - 2-Wire VG urbundled TN Bus 2-Way Area Caling Port Standard Option - Bus (TACC2)		UEPSB	UEPAD	1 89	9 93	9 19	368	2 92		20 35	35 10 54	13 32	140	
<u> </u>	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collienville & Memphs Local Calling Port - Bus (82F)		UEPSB	UEPAE	189	8 83	9 19	366	2 9 2		20 35	35 10 54	13 32	140	_
			UEPSB	USASC	000	0 00	80					<del> </del>			1
FEATURES	All Available Vertical Features		UEPSB	3 UEPVF	000	80	000				20	20 35 10 54	13 32	140	1_
EXCHANGE	EXCHANGE PORT RATES (DID & PBX)		) (EDEX		108	47.75	47.04	0.01	8.47			٤			
	EMARIGATIONS - 2-1110 UIO FUIT			, dogsi	25.72	75 03	38 45	4.6	2		2 0	8 8		ľ	
	Extransia Data - 2 Wire ISTN Dat (See Nales below)		UEPTX	CUIPMA	18.28	30.23	29 49	01.4	0.7		4143	_		L	_
NOTE Tran	wiched usage will also apply	circuit switch	d voice Bn	d/or circuit	to encut switched voice and/or circuit switched data transmission by B-Charnels	smission by B-Ch	mels associa	associated with 2-wire ISDN ports	a ISDN ports						
NOTE ACC	Access to B Channel or D Channel Pecket capabilities will be available only through BFR/N	New Business Request Process	quest Pro		Rates for the packet ca	capabilities will be d	etermined via	the Bona Fide	determined via the Bona Fide Request/New Business Request Process	Business Req	uest Process				
	Exchange Ports - 2-Wire ISDN Port - Charmel Profiles		UEPIX	CUTUMA	000	000	0 0							_	
	Exchange Ports - 4-Wire ISON DS1 Port			UEPEX		148 66	147 18	38 46	36 98	1	4	40 69 42 17	7 907	25	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	+	UEPSE	UEPRO	179	8.83	9 19	366	2 92		20 35	35 10 54	13 32	140	
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	179	9 93	9 19	366	2 92		20 35	35 10 54	13 32	140	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSF	UEPPO	179	8 83	9 19	366	2 9 2		20	유			_
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Arekon I om Distance Terminal PBX Trunk - Bus		UEPS	UEPLD		9 93	9 19	368	2 92		202	2 2			
	2 Wite Aralog TN 2-Way Calling Plan PBX Trurk - Bus 2-Wite TN Ouward Calling Plan PBX Trurk - Bus		UEPSP	UEPT2	179	993	9 19	366	292		20	2035 10 54 2035 10 54	13 32	140	
	2 Mira Vaire Hehradlad PRX I D Terminal Ports		UFPSF	UEPI D		6 63	9 19	3.66	2 92		20				Ĺ.,
	2-Wire Volce Unburdled 2-Way PBX Tennessee Calling Port		UEPSP	UEPT2	179	9 93	9 19	366	2 92	+	2035	35 10 54	13 32	140	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Temessee Caing Port 2 Wire Vice Unbundled 2-Way PBX Usage Port		CEPS	UEPXA		8 83	9 19	388	292		202	Ш			
1817	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPS	VEPXB		9 93	9 19	366	2 9 2		20				

k Elements	3EE
Unbundler	)) ⊭

り

hermen	
ш	ш
letwork	H S S H N
÷	ž
흄	۰
ğ	
š	

*}* 

	antal 19 19 19 19 19 19	3														T									1			T							$\frac{1}{1}$							$\prod$
L	Prominital Charge Manual Sve Order vs. is: Electronic-Dise	BOMAN		_	<u> </u>			_	1	_		-		1		$\downarrow$			_						1		$\prod$	1		1					-	_	_		+	$\parallel$		ļ
	hcremental Charge Kanual Bve Order vs Electronic-Disc	BORAN																																L								
LES (\$)	Charge Charge Menust Svc Order vs. Electronic- Add'i		7 03	,	7 03	7 03	7 03	:	7 03	7 03	7 03	703		7 03				7 03	7.03	3		7 03									7 03	703	7 03		7 03	3 5	3	8	7 03			
OSS RATES (\$)	Incremental Charge Manual Sve Order va.		30 89	8	88 88	30 83	30 89	3	30 89	30.89	30 89	30 89		30 89				30 89	30.00	2 6 2		30 83			Ì						30 89	30 89	30 89		8 8	3 8	8	30.69	30 83	H	Ì	
-	Svc Order In Butterithed Butterithy per LSR Ell				1				$\dagger$	1				1		-		$\dagger$							+	+	H															-
	Sve Order Statements Staements Statements Statements Statements Statements Statements St	1			+				+	1				+		+		+							-	-	$\parallel$			+				-			-		+	H	1	+
+		41	3 9 1	3	391	391	391		391	391	391	391		+				+					+		+	-	H	+		+	381	391	391		391		5 3	50	391	H	+	$\frac{1}{1}$
		Nonrecuring Disconnect First Add1	8 45	-	45.55	8 45	8 45		8 45	8 45	8 45	45		-		$\frac{1}{1}$		$\downarrow$		-		+	+		+		$\prod$	+	H	-	8 45	8 45	8 45		8 45		2	8 40	8 45	$\frac{ \cdot }{ \cdot }$	-	+
		Nonre												2		-		6.				8	1					+		L	Ц			_				1		$\prod_{i=1}^{n}$	1	-
(a)	gq.	Add	15 25	,	152	15 25	15 25	3	15.25	15 25	15 25	15.2		000				0.29	0.00			0 0									15.25	15.25	15.25		15.25	2 2		0.50	15.25			
\$	Nonrecurting	First	2	3	22.74	22 14	22	3	22 14	22 14	22 14	22 14		000				1 03	1 03	0.78		000	Ì								22 14	22 14	22	1	2 2 2 2 2 2	3		\$1.77	22.14			Ī
			1 70		2 2	1 70	1 70		170	170	1 70	1 70		000		0.35		+		├		000	$\frac{1}{1}$		14 18	18 01		12 48	1631	4 1 06	1 70	170	170		2 2	7	2 1	2	1 70		0.35	ł
		Rec																																								
	909n		X UEPRO		X UEPAO	X UEPAK	X UEPAL		X UEPAM	X UEPAN	x UEPAO	X UEPAP		X UEPVF		K		X USAC2	N N N			X USAS2						X UEPLX	X UEPLX	5	X UEPBL	X UEPBC	x UEPBO		X UEPAV	Y		V OEFAU	X UEPAE		X LNPCX	-
	<u> </u>	_	UEPRX	-	JEPR	UEPRX	UEPRX	1	UEPRX	UEPRX	UEPRX	UEPR	ļ.	UEPRX		UEPRX		UEPRX	YEDBX			UEPRX	_		_			- 1	UEPBX		UEPBX	UEPBX	UEPBX	-	CEPBX	Your		OCPBA	UEPBX		UEPBX	-
		$\dashv$			+	H			+	-		+	H	+	H	$\dotplus$	H	+	_	-	H	+	+	H	-	2 6	1	-	7	: 1					+	-	-	+	+	H	+	$\downarrow$
	The state of the s			L	$\downarrow$			_						1		-		_					$\downarrow$	Ц			Ш								1	L	<u> </u>	_	1	Ц		ļ
	UMBUNDLED NETWORK ELEMENT		2-Wire voice unbundled bort outgoing onty - res	2-Wire voice Grade unbundled Terressee extended local dieling parity port with Caller	(D) res	2-Wire voice unbundled Termessee Area Califo port with Caler ID - res (F2R)	2-Wire voice unburdled Temessee Area Celfro port with Caller ID - res (TACER)		2-Wire voice unbundled Termessee Area Colling port with Cater ID - res (TACSR)	2-Wire voice unbundled Ternessee Area Caling port with Cater ID - res (1MF2X)	2-Wire voice unbundled Terressee Area Cating port with Cater ID - res (2MR)	2-Wire voice unbundles res, low usage line port with Cafer ID (LUM)		All Features Offered		LOCAL NUMBER PORTABILITY  Local Number Portability (1 per cont)		NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-es-is	2 Wire Male Grade Lond Line Bud Combination - Consersion, Switch with channel	A Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Dambase Linding	Database Openin	ADDITIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity.	AWIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	2 Wite VG LoopPort Combo - Zone 2	Evilla V Caudal on contra	Rates   2.Wire Voice Grade   pop (St 1) - Zone 1	2-Wire Voice Grade Loop (SL1) - Zone 2	Coving Voice Grade Loop (Seri) - Zone S	2-Wire vaice unbundled port without Caller ID - bus	2-Wire voice unbundled port with Caller + E484 ID - bus	2-Wire valce unbundled cont outgoing only - bus	2-Wire voice Grade unbundled Terrressee extended local dualing parity port with Caler	D - bus 2.Wire write unburdled incoming only bort with Caller ID - Bus	2-Wire volce unburdled Terressee Bus 2-Way Area Caling Port Economy Option	2-Wire volce unburdled Terressee Bus 2-Way Area Caling Port Standard Option	2-Wire voice unburdled Temessee Bus 2-Way Collervile and Memphis Local Caling	Port (B2F)	LOCAL NUMBER PORTABILITY	Local Number Portability (1 per port)	0
	CATEGORY		_											FEATURES		LOCAL NI		NONREC				ADDITION	2.WIRE VC		UNE Part			UNE Loop Rates		2-Wire Vol			<u></u>							LOCAL NI		0.50

り

The control of contr					_		2	RATES (\$)				0	OSS RATES (\$)			
Comparison: Communication Co		WORK EL EMENT			<del></del>		Nonrec		Honacuring D	<u> </u>			, ,,		horemental Charge Manuel Sve Order vs or Electronic-OH	
Controller Controller Statement Animals   Controller Stateme	NONSECTION CHARGES (NDC.) - CINDENTI V	Galerano		H	$\prod$					Ħ	╁┼	╂╂	H	H	SOMAN	
Committee Statement Active Committee Statement	2-Wire Volce Grade Loop / Line Port Combi	ination - Conversion - Switch as-is		当		CZ	103	0.29				_		03		
Continue   Continue	2-Wire Volge Grade Loop / Line Port Combi	Ination - Conversion - Switch with change		Ė	BX USA	8	103	0.29								
Combinion - Subsecrification -	Z-vire voice Graue Loop / Line Pon Como	irenon - Corversion - Sucsequer		+	-		0 76						7.67			
1   1   1   1   1   1   1   1   1   1	ADDITIONAL NRCs  Z-Wire Volce Grade Loop/Line Port Combin	ation - Subsequent Activity				823							Ш			
1   1   1   1   1   1   1   1   1   1	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE POR	RT (RES - PBX)		$\parallel$									Ш	3		
1   1   1   1   1   1   1   1   1   1	COLUMN DESCRIPTION OF THE PROPERTY OF THE PROP			H	H									-		-
1   1   1   1   1   1   1   1   1   1	UNE PONLOS Combation Kates 2-Wire VG LoopPort Combo - Zone 1			+	+	14 18			+							
The Part Lease of the Part L	2-Wire VG LoopPort Combo - Zone 2 2-Wire VG LoopPort Combo - Zone 3			3	$\parallel$	18 01						$\frac{ }{ }$				$\coprod$
				H												
	2-Wire Volce Grade Loop (SL 1) - Zone 1		†	$\neg$				1		+						
West Part Feat Feat   Wester   Wester	2-Wire Voice Grade Loop (SL 1) - Zorie Z			$\overline{}$	2 2					$\dagger$		+		1		_
View PBX Trank Port - Rege   View Pick   View Pick   View Pick - Rege   View Pick - View Pick - Rege   View Pick - View Pick - Rege   View Pick - V	2-Wire Voice Grade Line Port Rates (RES - PBX)			П												1
Combination   Part   Community   Communi	2-Wire VG Unburdled Combination 2-Way P	-BX Trunk Port - Res		JE N	RG UEP		22 14	15 25	8 45	391		· e		03		_
	LOCAL NUMBER PORTABILITY		1	+	+				$\dagger$			+				
Tity Congisted         Combination (PSN). Convention: SwitchActs         UEPRG UEPVE         0.00	Local Number Portability (1 per port)			별								-	-	-		_
UEPRG   UEPR	FEATURES		+	+	+											
Combination (PEX) - Conversion: Switch Asia         UEPRG USACZ         103         0.29         7 03         7 03           Combination (PEX) - Conversion: Switch Asia         UEPRG USACZ         1 03         0.29         7 03         7 03           Combination (PEX) - Conversion: Switch Asia         UEPRG USACZ         0 00         0 00         0 00         7 03         7 03           Combination (PEX) - Subsequent Advisiv         UEPRG USACZ         0 00         0 00         0 00         7 03         7 03           1         UEPRG USACZ         0 00         0 00         0 00         7 04         7 03         1 08         7 03           2         1 0 00         0 00				l di			6	6	$\mid$			'	_			-
Combination (PBX) - Committon - Switch-As-is         UEPRG USAC2         103         0.29         30.69         703           Combination (PBX) - Committon - Switch with Switch with (PBX) - Committed on (PBX)	C INTEGRAL TOTAL STREET	Commerce		$\parallel$			2	3						S		1
Combination (PBM) - Corresion - Switch Asia         UEPRG USACZ         103         0.29         7.03         7.03           Combination (PBM) - Corresion - Switch with Correstion - Switch with Corresti	NONKENDRING COMMES (NKC) - CONKENT L	Compined	$\dagger$	+	$\perp$					+		+				
Combination - Conversion - Subsequent         UEPRG USASZ         0 00         0 0	2-Wire Voice Grade Loop/ Line Port Combi 2-Wire Voice Grade Loop/ Line Port Combi	Ination (PBX) - Conversion - Switch-As-Is Ination (PBX) - Conversion - Switch with		빍	RGUSA	ឡ	8	0.29				ē		63		_
Combination (PBX) - Subsequent Activity         UEPRG USAS2         0.00         0	Change 2-Wire Voice Grade Loop / Line Port Combir	Ination - Conversion - Subsequent	-	삨	RG USA	33	103	0.29	+		+	ē		63		_
Combination (PBX) - Subsequent Actumity         UEPRG USAS2         0 c00	Database Update				+		0.76			-		1	7.87			1
Combine Ilon (PAX) - Subsequent Advivity         UEPRG USAS2         0 00	AUDII KONAL NRCS		$\dagger$	+	+											
1	2-Wire Voice Grade Loop/ Line Port Combil PBX Subsequent Activity - Change/Rearrang	nation (PBX) - Subsequent Activity to Multime Hunt Group		UEP			14 64	14 64			, ,	<u></u>				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE POR	IT (BUS - PBX)		igert									Ш	Ш	Ш	
1	UNE Port/Loop Combination Rates			<del>                                     </del>										-		
3 23.02   2	2-Wire VG LoopProf. Combo - Zone 1 2-Wire VG LoopProf. Combo - Zone 2			12	$\parallel$	18 01			+	+						
mail         1         UEPPX UEPX UEPX         12.46         6.31         6.32         6.31         6.32         6.31         6.32         6.33         6.32         6.33	2-Wire VG Loop/Port Combo - Zone 3		1		-	23 02										
ne.2         1 UEPPX UEPLX         13.48         1 UEPX UEPLX         13.48         1 UEPX UEPLX         16.31         1 UEPX UEPLX         16.31         2 UEPX UEPLX         16.31         2 UEPX UEPLX         2 UEPX UEPLX         2 UEPX UEPX UEPLX         1 70         2 2.14         15.25         8 45         3.91         3.0 69           MAN PORT Bus         UEPPX UEPLY         1 70         2 2.14         15.25         8 45         3.91         3.0 69           AniMal Ports         UEPPX UEPLY         1 70         2 2.14         15.25         8 45         3.91         3.0 69			11	$\overline{}$								+				
reg 3         3         UEPPX   UEPLX         21.32         15.25         8.45         3.91         30.69           Vay PBX Trutk Port - Bus         UEPPX   UEPPX   UEPP         1.70         22.14         15.25         8.45         3.91         30.69           multiple ords         UEPPX   UEPPX   UEPP         1.70         22.14         15.25         8.45         3.91         30.69           mintal Ports         UEPPX   UEPLD         1.70         22.14         15.25         8.45         3.91         30.69	2-Wire Volce Grade Loop (SL 1) - Zone 2				X UEP			$\dagger$	+							
Vay PBX Trutk Port - Bus         UEPPX UEPP         170         22 14         15 25         8 45         39 1         30 69           unk Port - Bus         UEPPX UEPPY         170         22 14         15 25         8 45         39 1         30 69           nival Port - Bus         UEPPX UEPPY         170         22 14         15 25         8 45         39 1         30 69           nival Ports         UEPPX UEPPU         170         22 14         15 25         8 45         39 1         30 69	2-Wire Voice Grade Loop (SL 1) - Zone 3				X UEP				$\parallel$	$\prod$	+	$\frac{1}{1}$				
Port - Bas         UEPPX UEPPY         170         22 14         15 25         8 45         391         30 89           UEPPX UEPPY         170         22 14         15 25         8 45         3 91         30 89           UEPPX UEPPY UEPP         170         22 14         15 25         8 45         3 91         30 89           UEPPX UEPPY UEPP         170         22 14         15 25         8 45         3 91         30 89	2-Wire Voice Grade Line Port Rates (BUS - PBX)		$\parallel$	H	$\coprod$				$\frac{1}{ \cdot }$	$\frac{1}{1}$		$\parallel$				
UEPPX UEPPO         170         22 14         15 25         8 45         3 91         3 0 89           UEPPX UEPPX UEPPO         170         22 14         15 25         8 45         3 91         3 0 89           UEPPX UEPPX UEPP         170         22 14         15 25         6 45         3 91         3 0 89	Une Side Urburded Combination 2-Way PB	IX Trunk Port - Bus	1	UEP	X UEP		22 14	15 25	8 45	391		30		13	-	
UEPPX UEPLD 170 22.14 15.25 845 3.91 3.089 3.09	Une Side Unburded Outward PBX Trunk Por	rt - Bus		UEP	X UEPF		22 14	15.25	8 45	391		8		13		
20.00	2-Wire Voice Unburded PBX LD Terminal Po	orls	H		巡哨		22 14	15.25	8 45 8 45	391	+	7		60		

Page 238 of 248

Version 3001 10/18/01

bundled Network Elements	TENNESSEE
를	

CATEGORY (A. C.) (2. C		_				5	(4)		1	ľ	f	033 rAI E3 (8)	(4)		
<u> </u>	UMBLINDLED METWORK ELEMENT	Interfen Zone	52	os n	<b>_</b>	Monreuning	Pu	•		Svc Order Submitted Elec per LSR	Svc Order Submitted Memulity per	incrumental Charge Manual Svo Order va.	Freemental Charge Manual Sve Order va. Electronic.	Incremental Charge Menual Svc Order va Electronic-Diac E	theremental Charge Manual Svc Order ve Electronic-Disc
<u> </u>					Red	First	Aden		Η,	SOMEC	SOMAN	1 1	++	SOUNN	SOMAN
444 4 444	2-Wire Voice Unburdled 2-Way Combination PBX Termessee Caung Pon		Y AGO	UEP 12	120	22.4	15.25	0 40	100				3 5		
40 0 000	WING VOICE UNDUNCED 1-VVBV OUDDING TON THE BOSHE CENTURY TO I		LEDO.	2 4	170	2 2 2	25.25		200	T			7 03		
य यायाय	Wire Volce Unbunding PBX Toll Terminal Hotel Ports	-	UEPP	UEPXB	170	22.14	15.25		391				28		
यं यंत्रल			į	-			;								
444	2-Wire Voice Unbundled PBX LD DDD Temunals Port	+	UEPPX	UEPXC	1/0	22.14	15.25	3.45	3.81		İ	99 99	202		
14.2	Wire Volce Unburgled PBX LD Terminal Switchboard Port		UEPP	UEPXD	1 70	22	15.25	8 45	391			30 89	7 03		
ė,	2-Wire Volce Unburded PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	1.70	22 14	15.25	8 45	391			30.89	7 03		
-	-Wire Volce Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling	_										_			
	hor	+	NEPPX	LEPXL	1.0	22 14	15.25	8 45	391		l	30 83	7 03		
	Water Maint Introduct of Wase DBY Hotel@feering Encount Boom Callin Bott		LIFPDX	LIFDXM	1 70	22 14	15.25	8 45	3.91			30.89	7 03		
2 6	2-Wire Volce Unit orded 1W Out PBX Hote/Hosoital Economy Administrative Caling	l													
<u>-</u>	on TN Calina Por		UEPPX	UEPXN	170	22 14	15.25	8 45	391			30 89	7 03		
2	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling		L												
<u> </u>	Port		UEPP	UEPXO	1 70	22 14	15 25	8 45				30 89	7 03		
2	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	170	22 14	15 25	8 45	391			30 89	7 03		
2	Wire Volce Unbundled PBX Collervite and Memphis Calling Port		EB	EPX S	170	22 42	15.25	8 45	391			30 89	7 03		
2.	Wire Voice Unburdled 2-Way PBX Ternessee RegionSary Calling Port		GB	UEPX	170	22 14	15 25	8.45	391			30 89	703		
		†											Ī		
LOCAL NUMB	LOCAL NUMBER PORTABILITY	+	11000	000	2.45				İ		1				
7	Local Number Portability (1 per port)				9				-	I	l			T	
FEATIBES		-	_												
<del></del>	All Features Offered		UEPPX	UEPVF	000	000	000					30 89	7 03		
			1						1		1	1			
NONRECURR	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		$\downarrow$						1		1			T	
	The Address of Cooperation of the Cooperation of th		) 0 0 1 1	110.403		- 6	ç			-		00 00	1		
1	2-Wite Voice Grade Look Line Port Combination (PBX) - Conversion - Switch with	1				3	870					3			
ŭ	Change		UEPPX	USACC		183	0.29					30 89	7 03		
5	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent														
	stabase Update		1			0						/R /			
ADDITIONAL NO.	NDC.	$\mid$	-												
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	00 0	000	000					30 89	7 03		
١	PBX Subsequent Activity - Change/Rearrange Mutilline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99
			_						1						
UNE Port/Loo	UNE Port/Loop Combination Rates	+			4,1,1	T							1		
2			-		14 16				1			1			
2 5	2-Wire VG Coin Port/Loop Combo - Zone Z	+			1960				1		Ť		1		
Z-W	re VG Com Port Londo - Zore 3	$\frac{1}{1}$	1		70 07				ľ	Ī			$\dagger$		
UNE LUCK NA	800	-	000	2	9,5										
2	Z-Wire Volce Grade Loop (St. 1) - Lore 1	$\dagger$	2	2	04.71							-			
2	2-Wire Voice Grade Loop (SL1) - Zone 2	+	UEPCO	MEPIX	16 31		i				1				
2	2-Wire Volce Grade Loop (SL1) - Zone 3		UEPCO	기를	2132										
2-Wine Voice G	Brade Line Ports (COIN)											-			
,	2-Wire Coin 2-Way without Operator Screening and Without Blocking (TN)		7000	-	ş	1	1	1	į			-			
	COUNTY CANDON TO SELECTION OF THE COUNTY OF		3	מני	2	61 77	27.61	C P	E C			30 83	200	Ì	
ri ŝ	2-Wire Coin 2-Way with Operator Screening and Biocong UTT, 900/876, 140000		COGE	LIFPRP	1 70	22 14	15.25	8.45	391	•		30.89	7.03		
1	Wine Cain 2-Way with Operator Screening and 011 Blocking (TN)	$\mid$									Ī		;		
			UEPCO	UEPTA	1 70	22 14	15.25	8.45	391			30 89	7 03		-
ć	2-Wire Coin 2-Way with Operator Screening 900 Biocking 900/976, 1+DDD, 011+,				,	-			-						
8	nd Local (NC, TN)		2	5	1/0	22.14	15.25	645	381		Ì	30 88	7 03		
<u></u>	-Wire Coin Ouward with Operator Screening and UTT Brocking (TN)		UEPCO	UEPTC	1 70	22 24	15.25	8 45	381			30.89	7 03		
Š	2-Wins Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+,	1													
183	and Local (TN)		UEPCO	UEPOT	1 70	22 14	15.25	845	3.91			30 88	703		
~	2-Wire 2-Way Smartline with 900/976 (all states except LA)		2	700	9				_			6	1		
	2 Wire Colo Orbinary Smartine with 900/978 (all states excent 1.8.)	ļ	2	1	8					Ī		20.03	3		
		-	UEPC	UEPCO UEPCR	1 88							30 89	7 03		

Version 3Q01 10/18/01

5 ork Elements	Te.w.cSSEE
Jubund	-

)

					2	RATES (\$)			_		USS KALES (3)	(e) c:		
THB:JHDIED WETWORK ELEMENT	ar ar ar ar ar ar ar ar ar ar ar ar ar a	Zone	989 81		Mangen	iring			Svc Order Submitted Eve Per LSR	Byc Order C Bubruithed Ma Manually per O	Incremental C Charge - Ma Manual Sve Odder vs. Els	incremental in Charge Charge Mc Manual five Coder vs C Electronic Electronic Addit	Incremental Charge Manual Svc Order va Electronic-Disc Ele	Incremental Charge Menual Sve Order ve Electronic-Disc
		+	+	88 8	¥.	Mad	First	Add	SOMEC	SOMAN		₩-		SOUTH
		-											<u> </u>	   
UNE Coin Por/Loop Combo Usage (Flat Rate)		9				000					-	+	1	
Local Number Portability (1 per port)		ÿ			9					$\dashv$		-		
		1	+								<u> </u> .			
		$\ $	H											
ort Combination - Conversion - Switch-es-is		UEF		7,7	1 03	0.29					30 89	7 03		
ort Combination - Conversion - Switch with change		<u>ij</u>		Ŋ	103	0.29					30 89	7 03		
		ÿ		25	000	000					30 89	7 03		
		+	+									-		
		-	H	18.38										
		3 2	-	198	1									
			PX UEC											
		1	DEC UEC		6									
- (SLZ) - UNE ZORB 3		T	ž ž E		8 45 44	29.94	8 45	391			30.39	7 03	1	
COMBINED DID Trurk Port Combination - Switch-as-is		Ē		31	8 76	5 75					30 89	7 03		
e DID Trurk Port Conversion with BetSouth		픠		ũ	8 78	575					30.89	7 03		
		-	-							<del> </del>				
ic Charges (ort)		19	ND Xdc			000					19 99	19 99		
			Z X			800					19 99	-		
			ON Xd			000				+	19 99	19 89		
		H	$\parallel$								-			
Local Number Portability (1 per port)		jäj	Xdc		2					$\parallel$				
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT		H	$\parallel$								<del> - </del>			
		+	+											
ISDN Digital Line Side Port - UNE Zone 1		밀	9 g K	32.27	7									
ISDN Digital Line Side Port - UNE Zone 2		2 E	PPB AP	34.78	80						- :			
2W ISDN Digital Grade Loop/ZW ISDN Digital Line Side Port - UNE Zone 3		3 9	PPB	44 32	2									
UNE Zone 1		99	PPB PPR USL		6									
UNE Zona 2		2 UEF	PPB PPR USL:		-					-				
2-Wire ISDN Digital Grade Loop - UNE Zone 3		3 CE	PPB YPR USL		3									
Side Port		99	PR UEP		7 141 75	118 37	49 20	43 26			19 99	19 99	19 99	19 99
COMBINED 72-Wire ISDN Line Side Port Combination -		i n				147.93					8	9	8	9
		5				67/1					26	RS R	66.61	58.51
		-	-										1	7
		Per Figi Rate)  on Combination - Conversion - Switch easts  on Combination - Conversion - Switch with charge  on Combination - Conversion - Switch with charge  of Combination - Subsequent Activity  WITH 2-WIRE DID TRUNK PORT  Port Combo - UNE Zone 2 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 3 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 3 Pent Combo - UNE Zone 3 Pent Combo - UNE Zone 1 Pent Combo - UNE Zone 1 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 1 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 1 Pent Combo - UNE Zone 1 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 1 Pent Combo - UNE Zone 2 Pent Combo - UNE Zone 3 Pent Combo - UNE Zon	version - Switch-ea-is version - Switch with clearge squent Activity  INK PORT  INF 2  2  2  2  2  2  2  2  2  2  2  2  2	UEPCO   UEPC	UEPCO URECU   UEPCO URECU   UEPCO UNECU   UEPCO USACZ   UEPCO URECU 345   Pres   Pres	New York   New York	UEPCO   UECO   New Control	National Control of	### Part Combines or 1   1   100   1	Control   Cont	Vieto   Viet			

_ / :	Unbunding Network Elemen
-------	--------------------------

り

				L			100 100					OGG BATES (6)			$\mid$
							(6)		+		_	100000	-	-	+
CATEGORY	UNBUNDLED NETWORK ELENEAT	1	Zone	90 sn		Nonree	unting	Nonrecump Di	Disconnect	3 P ~		E. 3.	5 3 8	~ - 5	antal f Bvc vs kc-Obc
	3.Wim ISDN   con / 2.Wim ISDN Port Combination - Sub Activ - Non Feature/Add	1	9	80	R C	F	PPP		Addit	SOMEC	SOMAN SOMAN	BOMAN	SOMA	5	3
	Trunk		UEPPR	PR USASB	œ.	212 88				+	1	19 99	19 99	19 99	19 99
LOCAL NU	LOCAL NUMBER PORTABILITY		H	-											-
	I orel Number Portability (1 per port)		UEPPB	PB LNPCX	0 35	000	000								
	Lucial Mainten F to Book 1 The Port		1												
B-CHANNI	B-CHANNEL USER PROFILE ACCESS		1	e d				+		+		-	+	+	-
	CVS/CSD (DMS/5ESS)		빌	PR UIUCA	O 00	80	000							-	+
	Cvs (Ewsp)		발발	PB PR U1UCB	000	000	000					-	-		-
	OSO		UEPPB	PB PR U1UCC	000	000	000					-	_	+	$\dashv$
			+	-					+				-	-	-
B-CHANN!	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL, KY, LA, MS SC, MS, & TN)			5	-				$\dagger$	+			+	-	1
_	CVS/CSD (DMS/SESS)		발	PR U1UCD	000 0:	000	000				-		-	-	-
	CVS (FWSD)		UEPPB	PB V1UCE	80	80	80								_
			UEPPB	PB									<u>.</u>		
	CSD					8							-		-
USER TER	USER TERMINAL PROFILE														
	User Terminal Profile (EWSD only)		UEPPR	PR U10MA	000	000	000		1				+		$\frac{1}{1}$
VERTICAL	VERTICAL FEATURES		+										$\left  \cdot \right $		
	All Vertical Features - One per Channel B User Profile		UEPPR	PB UEPVE	/F 000	000	000								
										+			1		
	Interoffice Charriet miteage each, including first mile and facilities termination		UEPPR	PR M1GNC	17 91	53 99	17.37					19 99 18	19 99	19 69	19 99
	Interoffice Channel mileage each, additional mile		별	PR M1GNM	4M 0 173	0 00	000				000		1		_
4-WIRE DS	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT		+	+				1	+			+	+	+	+
UNE Porti	Loop Combination Rates		П												H
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2 UEPPP	 1 & 2	132.58								+		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3			ā	1734				1				+	+	1
	4-Wire DS1 Digital Loop - UNE Zone 1		1 UEPPP	PP USL4P	P 57.73										H
	4-Wire OS1 Digital Loop - UNE Zone 2		3 6	PP USL					T				-	+	+
	Exchange Ports - 4-Wire ISDN DS1 Port		1 1	E GE		415 53	366 90	89 28	77.43			19 99 19	19 99	19 89	19 99
NONRECL	NONRECURRING CHARGES - CURRENTLY COMBINED  [ 4-Wine DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination -		+	+	-								+		+
	Conversion Switches-is		UEPPP	PP USACP	O 0 0	328 53	328 53				-	19 99 19	19 99	19 99	19 99
ADDITION	AL NRCs		H	H						$\prod$			H	$\left  \cdot \right $	H
	4-Wire DS 1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- Inward/two way tel nos iwitin Strt Allowance		UEPPP	PP PR7TF	μ.	0 94						19 99 19	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trusk Port - Outward Tel Numbers (All Chains agree) NC)		dedeli		Ģ	22.36	22.38								19.99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos														
	Above Sid Allowance		UEPPP	PP PR7ZT	<u></u>	44 71	44 70			+		19 99	19 99	19 39	19 99
			H	$\prod$										$\left  \cdot \right $	
LOCAL NI	LOCAL NUMBER PORTABILITY I ocal Number Portability (1 per cod.)		UEPPP	PP LNPCN	175							-	+	+	+
			H							H					
INTERFAC	INTERFACE (Provsioning Only)		UEPPP	PP PR71V	000	000	000		1				+	+	
-	וגחורמרכמה														

Version 3001 10/18/01

OFK Elements	Carrie SSEE
	f

*)* 

Version 3001 10/18/01

. <sup>j</sup> )	Inbundled Network Element TENNESSEE
	를

)

						RA.	RATES (S)				OSS RATES (\$)	res (\$)			7
CATEGORY	UNBUNDLED NETWORK ELEMDAT	Interfer Zone	808	30 8n		Nonecuring		Home curring Discomed	Svc Order Submitted Elec per LSR	Svc Order Bubmitted Manuelly per 158	heramantal Charge Menual Svo Order vs. Electronia 1st Scottal	Decemental Charge Manual Svc Order vs Electronic Add S	heramental Charge Manual Sve Order vs. Electronic-Disc E	hreamantal Charge Manuri Sve Order vit. Electronic Olac Add?	
			LIFPOC	MCOSF		80	00 0		-			_			
	Am Substitution		J. O. D. D.	Odour		5	9		-						
	AMI - Extended Superframe Format														
					-										
Telepho	Telephone Numberif runk Group Establiament Cnarges Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0000						19 99	19 89			
	Telentone Number for 1-Way Outward Trunk Group		UEPDC	uprgy	000						19 99	19 99			
	Teachone Number for 1-Way (hward Trunk Group Willhout DID		UEPDC	UDTGZ	000				_		19 99	19 89			
	DID Numbers for each Group of 20 DID Numbers		UEPDC	Š	000						19 99	19 99			$\prod$
	DID Numbers. Non-consecutive DID Numbers, Per Number		UEPDC	SOS	000						19 99	19 99			
	Raserve Non-Consective DID Nos		UEPDC	9DN	000	000	000								
	Reserve DID Numbers		UEPDC	λQN	0 0	000	80		1						T
Dedicate	Dedicated DS1 (Interoffice Channel Wisege) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	DOTTS Trunk	Jo.												
	Interoffice Chamel Mileage - Fixed rate O-8 miles (Facilities Termination)		UEPDC	1LNO1	75 83	145 98	109 85	19 66 14 99	66						
	Intermitine Channet Milesce - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0 3525	000	000								
	Interoffice Charmel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LN02	000	000	0 0								_
	interoffice Channel Mileage - Addutonal rate per mile - 9-25 miles		UEPDC	1LNOB	0 3525	0 00	000		_						_
	Interoffice Channel Muleage - Fixed rate 25+ miles (Facilities Termination)		UEPDC	1LN03	0 0	0 00	00 0	00 0	-						_
	Presentine Channet Mileade - Additional rate per mile - 25+ miles		UEPDC	1LNOC	0 3525	0000	000	-							
	Local Number Portability, per DS0 Activated		UEPDC	UEPDC LNPCP	3 15	0000	000	000	+			1			
	Central Office Terminhaling Point		UEPDC	CTG	000										
4-WIRE	4-WIRE DS1 LOOP WITH CHANNEL IZATION WITH PORT		-												
Each Sy	System is 1 US1 Loop, 1 Us Cristings Barry, and by U.S. Transcriptor and number of ports used Each System can have up to 24 combinations of rates depending on type and number of ports used	pasn 8													
		1	1							-					
UNE DS1 Loop	1 Loop 4 Min DS 1 con - LINE Zons 1	Ī	UEPMG	UEPMG USLDC	57 73	000	80								
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	UEPMG USLDC	75.40	000	000								
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	UEPMG USLDC	98 59	000	000		-						_
	Tanger and the Charles of the Charles		-						<u> </u>						
ONE	UNE DSU Channel Capacities (04 chaining parts of 124 DSU Channel Capacity - 1 per DS1		UEPMG	UEPMG VUM24	131.87	000	80				19 99	19 99			
	48 DSO Channel Capacity - 1 per 2 DS1s		UEPMG	UEPMG VUM48	263 74	000	000				19 99	19 99			
	98 DSO Channel Capacity - 1per 4 DS1s		UEPMG	UEPMG VUM96	527 48	000	000		+		19 98	19 99			
	144 DS0 Charmel Capacity - 1 per 6 DS1s		UEPMG	UEPMG VUM14	791 42	000	000	-	-		96 0	19 99			
	192 DS0 Charmel Capacity - 1 par 8 US1s	-	UEPMG	UEPMG VUM20	1,318 70	8 8	8 8	<u> </u>			19 99	19 89			
	288 DS0 Charnel Capacity - 1 per 12 DS1s		UEPMG	UEPMG VUM28	1,582 44	000	000				19 99	19 99			
	384 DS0 Charnel Capacity - 1 per 16 DS1s		UEPMG	UEPMG VUM38	2,109 92	000	000				19 99	19 89			

}

- SEE	
·='	

		•							+					
CATEGORY	UNBUNDLED KETWORK ELEMENT	Interfer	Zome BCS	9085 	ž	Netrocuring	Ade	Homecuring Diacomact	- '	Svc Order Bvc Orde Submitted Submitte Evc Manuchy Per LSR SOMEC SCHAM	Bucher Charge Submitted Manuel Such Submitted Manuel Submitted Order vs. Coder vs. Rectantic 18 Electronic 18 SUBMA ROBAN	hcramental Charge Manual Bro Order va. Electronic- Add?	Sherpa - Ranga - Ranga - Ranga Svc Order ve Electronic Disa	Incremental Charge Manual Svc Order va. Electronic-Disc Add7
-	480 DS0 Channel Capacity - 1 per 20 DS1s		9	UEPMG VUM40	2,637 40	000	80		+	$\vdash$	╁	<u> </u>		
ľ	578 DS0 Charmel Capacity -1 per 24 DS1s		UEPI	UEPMG VUM57		80	000				19 99			
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEP	UEPMG VUMB?	7 3,692.38	000	000				19 99			
			4	-					+	1				
on-Recurrin	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelation with Port. Conversion Charge Based on a System	Conversio	Charge	Based on	a System				+			1		
Minimum S utiples of th	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up 1 o 24 DSO Ports with Feature Activetors Nathbies of this configuration functioning as one are considered Add1 after the minimum system configuration is counted	Ports with	oature d	ctivations										
i Additi	NRC - Conversion (Curently Combined) with or without Belisouth Albayed Changes Swater Additions of End Heart Incolons Where A.Wire DS1 ( pop with Channel Entiting With Day)	Out Combination Currently Exists and	בי ביים	UEPMG USACA	000	303 61	1574	+	+	+	198	19 99		
aw (Not Cur	System Additions at Emu user Locations where 4 years and Local with Constitutions with Trop New (Not Currently Combined) in Georgia & Tennessee Only	Company		J. C. C. C.									,	
	1 DS1/D4 Charmel Bank - Add NRC for each Port and Assoc Fee Adivelson - New													
Ĭ	GA, LA, KY &TN Only			UEPMG VUMDA	000	704 68	441 48	138 38	16 41	+	19 89	68		
polar 8 Zar	Bipolar & Zaro Substitution		+	+				-		$\frac{1}{1}$				
J	Clear Chamel Capabilly Format, superframe - Subsequent Activity Only		UEPMG	1G CCOSE	P 000	000	290 00							
	Characterian Compility Formst - Extended Superframs - Subsequent Activity Only		UFP MG	4GCCOEF	200	000	290 00							
ternate Man	Alternate Mark Inversion (AMI)													
, ,	Superframe Format		UEPMG	4G MCOSF		000	000							
	Extended Superframe Format		UEPMG	AG MCOPO	000 0	000	00 0							
		1	$\perp$	4							H			
change Po.	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port	1	+	$\downarrow$			1	1	+	1	$\frac{1}{1}$			
Exchange Ports	₽	$\dagger$	$\downarrow$	$\downarrow$			1			1	 			
	Line Side Combination Chameized PBX Trunk Port - Business		UEPPX	X UEPCX	179	000	000	000	000		30 89	39 7 03		İ
ب	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	X UEPOX	179	000	00 0	000	000		30.89	39 7 03		
<u> </u>	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	X UEP1X	179	000	000	8	000	:	30.89	20 7 03		
		-	L		L				-					
ature Activa	2-Wine Trurk Side Unburdled Chernelized DID Trurk Port Feature Activations - Unbundled Loop Concentration		UEPPX	X UEPDM	W 897	000	000	000	000		30 89	7 03		
ш	Feature (Service) Adjustion for each Line Side Port Terminated in D4 Bank		Xdddii	WWORL X	99 O	23 64	12 64	3.83	280		0000	*		
								-		,		L		
1 1	Feature (Service) Advation for each fluris Side Port 1 eminated in L4 Bank	1	XI.	T T T T T T T T T T T T T T T T T T T	990	73.67	17.37	88	10 57		30 89	7 03		Ī
	DID Trank Termination (1 per Port)		YOUN	FON	6									
	DID Numbers - amoust of 20 - Valid all States		UEPPX	Z X	80	8	000			-				
-	Non-Consecutive DID Numbers - per number		UEPPX		000	000	000							
-	Reserve Non-Consecutive DID Numbers		UEPPX	ND8	000	000	000			_				
<u>"</u>	Reserve DID Numbers		UEPPX	VQN X	00 0	000	000				_			
cal Number	Local Number Portability													
1	Local Number Portability - 1 per port		UEPPX	X LNPCP	3 15	000	000							
ATURES.	FEATURES · Vertical and Optional	1	$\dashv$	_										
cal Switchi	Local Switching Festures Offered with Line Side Ports Only	1	4					1						
₹	All Features Available	1	UEPPX	X UEPVF	0000	000	000							
+		1	+	4					+	+	_			
100	THE PART I CON CAMPINATION MADVET DATES	1	_	+				+		-				
	COMBINATIONS - MAKKET KALEY	-	_	_	_	-		_	-	_	_	_		

Version 3001 10/18/01

=	
8	
Ē	
ē	
ѿ	***
_	111
φ	77
9	īή
Σ	ш
•	Z
z	Z
₽	ш
	-
₹	
≘	
₹	
뇓	
-5	
_	

							RATE	RATES (\$)				OSS RATES (\$)	TES (\$)			
Part   Part						-		-								
The content of the	,													facremental	Incremental	
Electric control port part Co. and in State Control March Control (State Commission for a manufactor)   1	CATEOORY	цивино е в мет <del>моск</del> е <u>селе</u> нт			naoc	<u> </u>		•		Bvc Order Submitted Elec				Charge Manual Sve Order vs	Kenusi Svc Ordervs. Electronic-Olice	
The interference control of the co					<u> </u>	8		PAG	Nonnecuring Disconnect First Add1	Per LSR SOMEC	-	$\rightarrow$		SORAW	ROMAN	
Unique presentation and an above consideration that in the Cornel Composition of the control Composi	Markel Rai	tes shall apply where BeilSouth is not required to provide unbundled local switching or swi	th ports par FC	C and/or S	late Commission	rules										
Unique disclose consistence attail and Common E and a facility of common E and a facility between the common of the common Com	These scer	narios include				_										
The Designation are considered to the control of the Control of	1 Unburd	led port/toop combinations that are Not Currently Combined in all of the BelSouth states	xcept as noted	for Georgi	a, Kertucky, Louis	lans and Ten	nessee									
The Date of Marchine of Marc	2 Unburd	led portitoop combinations that are Currently Combined or Not Currently Combined in Zo	e tofthe Top	8 MSAS in	BellSouth's region	for end user	5 with 4 or more	DS0 equivaler	ines.							
Excisoration broads by the depth of the control o	The Top 8	MSAs in BellSouths region are FL (Orlando, Ft. Laudendale, Miamil), GA (Alfanta), LA (A	w Orleans), N	(Greensb	roro-Winston Saler	m-Highpoint/C	harfolte-Gaston	ia-Rock Hill), T	'N (Nashvile)							
The state of the control of con	BelSouth	arrently is developing the billing capability to mechanically bill the recurring and non-recur	ng Market Rak	s in this se.	cton. In the interir	m, BellSouth	shall bill the rates	In the Cost-Ba	sed section preceding	ln feu of the	Markel Rates	and reserves	the right to tru	ae-up the billin	•	
Column and its assessment and common transport began the first section of the control for th	difference	Date for when what and a first when all and the features in all states														
For the Control Cont		I Nate IVI GENERAL POLIS ILLANDES ET GTGIGLOG TOGRACO IT GT BELLOG				-										_
1 LEPRY UEPLY 1246  1 JUEPRY UEPLY 1232  1 JUEPRY UEPLY 1232  1 JUEPRY UEPLY 1232  1 JUEPRY UEPLY 1240  1 JUEPRY U	End Office For Not Cu NRCs may	and Terdem Switching Usego and Common Transport Usego rates in the Port section or ramitly Comflored scorations when Maries Rates apply the Norvecuring charges are tist annels also and are deleganced accordingly	Uns rate extrib d in the First er	t shall appl d Addition	y to all combinational NRC columns for	rs of bop/po rr each Port L	d network eleme ISOC For Cum	inta except for antly Combined	UNE Coin Port/Loop 1 scenarios, the None	Combinations curring charge	which have a s are listed in	flat rate usage the NRC - Cu	charge (US( mently Combi	OC URECU)	Additional	
1 J. J. J. J. J. J. J. J. J. J. J. J. J.																
1   1   1   1   1   1   1   1   1   1	2-WIRE VI	DICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	-					$\dagger$		1						1
1   20   20   41   20   41   20   41   20   41   20   41   20   41   20   41   20   41   20   41   20   41   20   41   20   20   20   20   20   20   20   2	UNE Port	Loop Combination Rates														
1   UEPRX UEPK   12-46		2-Wire VG Loop/Port Combo - Zone 1	Ī			26 48										
1   UEPRX UEPX   13.46		2-Wire VG Loop/Port Combo - Zone 2	2 2			3031	+			_						1
1 UEPRX UEPRX UEPRX   13.14   1.4	UNE LOOD	Rates														
1   1   1   1   1   1   1   1   1   1		2-Wire Volce Grade Loop (SL1) - Zone 1		UEPRX	UEPLX	12 48	1	+		$\frac{1}{1}$						
Tree (FAR)         UEPRX UEPRX UEPRX         14 00         90 00         90 00         30 69           Tree (FAR)         UEPRX UEPRX UEPRX         14 00         90 00         90 00         30 69           Tree (FAR)         UEPRX UEPRX         14 00         90 00         90 00         30 69           Tree (FAR)         UEPRX UEPRX         14 00         90 00         90 00         30 69           Tree (FAR)         UEPRX UEPRX         14 00         90 00         90 00         30 69           Tree (FAR)         UEPRX UEPRX         14 00         90 00         90 00         30 69           Tree (TACSR)         UEPRX UEPRX         14 00         90 00         90 00         30 69           Tree (TACSR)         UEPRX UEPRX         14 00         90 00         90 00         30 60           Tree (TACSR)         UEPRX UEPRX         14 00         90 00         90 00         30 69           Tree (TACSR)         UEPRX UEPRX         14 00         90 00         90 00         90 00         30 69           Tree (TACSR)         UEPRX UEPRX         14 00         90 00         90 00         90 00         90 00           Tree (TACSR)         UEPRX UEPRX         14 00         90 00         90		2-Wire Voice Grade Loop (SL1) - Zone 3	1 6	UEPRX	UEPLX	2132										
Treat (Fact)         UEPRX UEPRX         14 00         90 00 <td>2-Wire Vol</td> <td>Ce Grade Line Port (Res)</td> <td>}</td> <td>XHEDEX</td> <td></td> <td>00 74</td> <td>8</td> <td>8</td> <td></td> <td></td> <td></td> <td>20 89</td> <td>7 03</td> <td></td> <td></td> <td>1</td>	2-Wire Vol	Ce Grade Line Port (Res)	}	XHEDEX		00 74	8	8				20 89	7 03			1
thy port with Caller         UEPRX UEPRX UEPRX         14 00         90 00         90 00         90 00         30 69           res (FZR)         UEPRX UEPRX UEPRX         14 00         90 00         90 00         90 00         30 89           res (FZR)         UEPRX UEPRX UEPAX         14 00         90 00         90 00         30 89           res (FACSR)         UEPRX UEPAX         14 00         90 00         90 00         30 89           res (FACSR)         UEPRX UEPAX         14 00         90 00         90 00         30 89           res (FACSR)         UEPRX UEPAX         14 00         90 00         90 00         30 89           res (FACSR)         UEPRX UEPAX         14 00         90 00         90 00         30 89           res (AMR)         UEPRX UEPAX         0 00         41 50         90 00         90 00         30 89           ret         UEPRX UEPX         0 00         0 00         0 00         0 00         0 00           ret         UEPRX UEPX         0 00         0 00         0 00         0 00         0 00           ret         UEPRX UEPX         1 1 4 10         1 1 1 4 10         1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		ליאנום אחום חומת לחום לחום ופסיתם והם		1			-	3					3			ļ_
The port with Calier   Lie Per No.   Lie P		2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14 00	90 00	8		1		30 89	7 03			
The port with Caler   UEPRX   UEPXX		2-Wire voice unburdled port oudgoing only - res	<del> </del>	UEPRX		14 00	00 06	90 06				30 89	7 03			
Test (FZR)   UEPRX   UEPXX	~	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller [ID - res		UEPRX	UEPAG	14 00	90 00	00 06				30 89	7 03			
THE STATEST THE PART   14 00   90 00		2-Wire voice unbundled Terresses Area Calling port with Callar ID - res (F2R)		UEPRX	UEPAK	14 00	90 00	00 06				68 OE	7.03			
THE STATE OF THE PART OF THE P		2-Wire voice unbunded Temessee Area Caling port with Caller ID - res (TACER)		UEPRX	UEPAL	14 00	00 06	00 06				30 89	7 03			
THE CALLED TO THE PERFORM THE TO THE TOP TO THE TOP TO THE TOP TO THE TOP TO THE TOP TO THE TOP TO THE TOP TO THE TOP TO THE TOP TO THE TOP TO THE TOP TO THE TOP THE		2-Wire voice unbundled Termassee Area Caling port with Caller ID - res (TACSR)		UEPRX	UEPAM	14 00	90 00	00 00				30 89	7 03			
New York   Care   Car		2-Wire voice unbundled Terrassee Area Celling port with Caler ID - res (1MF2X)		UEPRX	UEPAN	14 00	00 06	90 00		-		30 89	7 03			
UEPRX URFX   1400 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 00 80 8				UEPRX	UEPAO	14 00	00 06	00 06				30 89	7 03			
UEPRX   UNPCX   0.35   0.00	SV INCOM	2-Wire valce unburdles res, low usage the port with Cater ID (LUM)		Z CEPRX	UEPAP	3	00 00	8				30 83	EB.			
UEPRX USAC2		Local Number Portability (1 per port)		UEPRX	LNPCX	0 35										
NEPRX USAC2   4150   4150   3069	FEATURE			UEPRX	UEPVF	000	000	000								1
UEPRX USASZ		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2		41.50	41 50				30 89	7 03			
UEPRX USAS2		2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX		-	41 50	41 50								
1 2 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ADDITION	AL NRCs NRC - 2-Wine Voice Grade Loop/Line Port Combination - Subsequent		UEPRX			00 0	000				30 89	7 03			
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2-WIRE V	OCE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
1 UEPBX UEPLX 1 UEPBX UEPLX 3 UEPBX UEPLX 3	ONE YOU	Loop Commission Kates 2 Wire VG Loop/Port Combo - Zone 1	-			26 48										1
te Voice Grade Loop (SL.1) - Zone 1 1 UEPBX UEPLX TO Voice Grade Loop (SL.1) - Zone 2 2 UEPBX UEPLX TO Voice Grade Loop (SL.1) - Zone 3 3 UEPBX UEPLX TO Voice Grade Loop (SL.1) - Zone 3 3 UEPBX UEPLX		2-Wire VG Loop/Port Combo - Zone 2	3			30.31										
1 UEPBX UEPLX	UNE Loop	Rates														
3 UEPBX UEPLX		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	7	NEPBX NEPBX	X X X	12 48		-	-							_
		2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	2132		H								

Version 3Q01 10/18/01

ì

CIEMBINES C	
	MAESSEE
TOUNDY	3

Ŋ

						2	RATES (\$)				OSS RATES (\$)		
CATEGORY	имвихот ер метичски едемент	rie de la company de la compan	Zone BCS	- ROC	Aggrega	Nonecu	Бир		Svc Order Submitted Elec per LSR	Sve Order Cha Submitted Manually per Electric	Incomental Charge Charge Manual Sve Manual Sve Order va. Order va. Electronic-1st Add1	Frommental Charge Sve Manual Sve se. Orderve.	Incremental Cherge Marual Sve Order va c Electronic-Disc
			+	4	Rec	First	Addi	First Add1	SOMEC		SOHAN SOHAN		SOMAN
2-Wire Voice	Grade Line Port (Bus) 2-Wire voice urbundled port without Cater ID - bus		UEPBX	3X UEPBL	14 00	00 06	00 06				30 89	7 03	
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	3X VEPBC	14 00	90 00	90 00				30.89	7 03	
	2.Wire voles urbundled oort outgoing only - bus		UEPBX	3X UEPBO	14 00	00 06	00 06				30 89	7 03	
	2.Wire voice Grade urbunded Terressee extended local diafing parity port with Caber ID - bus		UEPBX	3X UEPAV		00 08	00 06					7 03	
	2-Wire voice unburdled Termessee Bus 2-Way Area Caling Port Economy Option (TACC1)		UEPBX	3X UEPAC								7 03	
	2.Wire voice unburdled Termessee Bus 2-Way Area Calling Port Standard Option (TAC2)		UEPBX	3X UEPAD		00 06	00 06				_	7 03	
	2.Wire volce unburdled Termessee Bus 2.Way Collerville and Memphis Local Calling Port (82F)		UEPBX								30 89	7 03	
LOCAL NUM	LOCAL NUMBER PORTABILITY '		XBQSI										
FEATURES													
NONRECUR	NONRECURRING CHARGES - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Switch-es-ls		UEPBX	3X USAC2		41 50	41 50				30 89	7 03	
.,	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPBX	3X USACC		41.50	41 50	_					
ADDITIONAL	. NRCs NRC - 2-Wire Volce Grade LocorLine Port Combination - Subsequent	ľ	UEPBX	ax USAS2		000	000				30 89	7 03	
2-WIRE VOIC	E GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)												
UNE Port/Lo	op Combration Rates 2-Wire VG Loop/Port Combo - Zone 1		-	-	26 48								
	2-Wire VG Loop/Port Combo - Zone 2		2 .		30 31								
LINE Loop Rates	LANE LOOP Rates		-		70 CC					-			-
	2-Wins Volce Grade Loop (SL1) - Zone 1		1 UEPRG										
	2-Wire Voice Grade Loop (SL1) - Zone Z		NE L	2	16.91					-		+	
2-Wire Voice	2-Wire Volce Grade Loop (SL 1) - Zone 3 2-Wire Volce Grade Line Port Rates (RES - PBX)		3 UEPRG	3G UEPLX	21 32								
LOCAL NUM	2-Wire VG Unburdled Combination 2-Way PBX Trunk Port - Res LOCAL NUMBER PORTABILITY		UEPRG	G UEPRD	14 00	00 08	00 06				30 69	7 03	
	Local Number Portability (1 per port)		UEPRG	SG LNPCP	3 15								
FEATURES	FEATURES NONRECURRING CHARGES - CURRENTLY COMBINED		$\perp$										
	2.Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPRG	3G USAC2		41 50	4150				30 89	7 03	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPRG	3G USACC		4150	41 50						
ADDITIONAL NRC	- NRCs 2 Wire Loopf. Ins Side Port Combination - Non feature - Subsequent Activity-	1	+	1				+				-	
	Nonrecuring		-	-		88	000				8		300
2-WIRE VOIC	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		$\mathbb{H}$	$\parallel$		5	8				Ш	88.81	
UNE Portitor	op Combration Rates		-	$\downarrow$	26.48						1		
	2-Wire VG Loop/Port Combo - Zone 2		2		30 31								
2-W	2-Wire VG Loop/Port Combo - Zone 3		e .	1	35 32						+		
7	2-Wire Voice Grade Loop (SL1) - Zone 1			X UEPL									
.40	2-Wire Voice Grade Loop (SL1) - Zone 2		2 UEPPX	X UEPLX	1631		-				$\frac{1}{1}$	-	
2-Wire Voice	2-Wire Voice Grade Line Port Rates (BUS - PBX)												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	X UEPPC	14 00	00 06	00 06				30 89	7 03	
	Una Side Unburdied Outward PBX Trunk Port - Bus		ġ.	UEPPX UEPPO	14 00	00 06	00 06				30 69	7 03	
1	THE SIDE UNDITIONED BY THE TOTAL THE STORE OF THE STORE O		2	Y VET		NA NA	AN OF					7.03	

9

The control of the							(a) ==								
March   Marc	CATEGORY	UNBUNDLED NETWONE BLENGHT			ns oc		Nonrecu	1 .	Nonecump Blacomed	Svc Order Submitted Elec Per LRR		!!		umental in ungo ina Sve M der via onto-Diac Ele	Charge anual Sve Drder vs tronic-Olse Add 1
		2.Wire Volce Unburdled PRX I D Terminal Ports	-	UEPPX	UEPLD	14 00	18	10	100 V	╁	+		7 03	+	SUMMA
Color   Colo		2-Wire Volce Unburdled 2-Way Combination PBX Terrressee Caling Port		UEPPX	UEPT2	14 00						1	7 03		
Comparing the comparing the		2-Wire Volce Unburdled 1-Way Outgoing PBX Temessee Calling Port		A LE	UEPTO	14 00	2	00.00					7 03	+	
UEPPX   UEPPX   1400   90.00	-	2-Wire Volce Unburdled 2-Way Combination PBX Usage Part 2-Wire Volce Unburdled PBX Toll Terminal Hotel Ports	T	CEPPX	LEPXB UEPXB	8 4	88	8 8					783		
Color   Colo	-									_		ı			
High Man Called         Light Man Called         9000         9000         9000         9000         700 <th< td=""><td></td><td>2-Wire Voice Unburdled PBX LD DDD Terminals Port</td><td></td><td>UEPPX</td><td>UEPXC</td><td>14 00</td><td>00 06</td><td>00 06</td><td></td><td></td><td>1</td><td>30 89</td><td>7 03</td><td>1</td><td></td></th<>		2-Wire Voice Unburdled PBX LD DDD Terminals Port		UEPPX	UEPXC	14 00	00 06	00 06			1	30 89	7 03	1	
No.   Color	And Amendation Contract of Contract of the Con		Yddai	CXOSI	14.00	9	00.00		_		30.89	7 03			
Part   Part	-	2.Wire Volce Unburded PBX ID Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14 00	90 06	00 06				30 89	7 03		
No.   Color	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling														
Markey Cutton   Utepox (Lepx)   Utepox (Lepx		Port	Ì	NEPPX		14 00	00 06	00 06		1		28 OS	3	+	
Marchelle		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Caling Port		UEPPX	UEPXM	14 00	90 00	00 06				30 69	7 03		
Controlled   Con		2-Wire Voice Unburdled 1-W Out PBX Hotel/Hospital Economy Administrative Celling					;								
Market   M		Port TN		UEPPX		14 00	00 06	00 06			-	30.89	/ 03	1	
UEPNY UEPN		2-Wire Voice Unburdied 1-Way Curpoing FBA Hotel/Hospital Discount Room Caung		CEPPX	UEPXO	14 00	00 06	00 06				30 69	7 03		
VIENDA USENZI   VIENDA   VIE		2-Wire Volce Unburdled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14 00	00 06	00 06		1		30.89	7 03		
Vierna Vierna		2-Wire Volce Unbundled PBX Collierville and Memphis Calling Port		UEPPX	UEPXU	14 00	00 06	90 00			)	30 69	7.03		
UEPPX UARCE		2-Wire Voice Unbundled 2-Way PBX Termessee RegionSery Calling Port	1	UEPPX	UEPXV	14 00	80 00	00 06			+	30 89	7 03	$\dagger$	
UEPPX USACC   4150	LOCALN	UMBER PORTABILITY		YDDY	a NaCe	3 14					+				
wift         UEPPX USACZ         41 50         41 50         41 50         20 00	CEATIBE	Local runner rotatury (   per port)	-	3		,							-		
WINT         UEPPX USACZ         41 50         41 50         41 50         753	NONREC														
with-repair (1962)         Liebby (1962)         4150 <t< td=""><td></td><td>2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is</td><td></td><td>UEPPX</td><td>USAC2</td><td></td><td>41 50</td><td>41 50</td><td></td><td></td><td></td><td>30.89</td><td>7.03</td><td>+</td><td></td></t<>		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPPX	USAC2		41 50	41 50				30.89	7.03	+	
wift-         LEPPX LSAS2         0 00	<b></b>	2-Wire Volce Grade Loop/ Line Port Combination - Switch with Change	-	UEPPX		-	41 50	41 50							
##PT UEPCO UEPLX 14 60 000 000 000 000 000 000 000 000 000	ADDITION	AL NRCs												2000	20 00
Name		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2		000	000				30 89	7 03	+	
1464   1464   1464   1896		1 Activity-					000	000					•		
1							14 64	14 64				19 89	19 99	19 99	19 99
10   10   10   10   10   10   10   10	2-WIRE V			1						1		$\frac{1}{1}$	+		
UEPCO   UEPLX   12.46	UNE Port					28.48									
1				1		3031						-			
UEPCO   UEPLX   12.48						35 32									
UEPCO   UEPTX   12.48	UNE LOOK											1			
UEPCO UEPUX			+		X A	12 48							+	1	
4)         UEPCO LEPTB         14 00         90 00         90 00         30 89         7           A, 1+DDD         UEPCO LEPTB         14 00         90 00         90 00         30 89         7           DD 011+         UEPCO LEPTA         14 00         90 00         90 00         30 89         7           DDD, 011+         UEPCO LEPTA         14 00         90 00         90 00         30 89         7           DDD, 011+         UEPCO LEPTA         14 00         90 00         90 00         30 89         7           DDD, 011+         UEPCO LEPTA         14 00         90 00         90 00         30 89         7           DDD, 011+         UEPCO LEPTA         14 00         90 00         90 00         30 89         7           UEPCO LINPCX         0 35         41 50         41 50         81 50         30 89         7           UEPCO USACC         41 50         41 50         41 50         81 50         80 89         7				200	אַ אַ	16 31							-		
4)         UEPCO UEPTB         14 00         90 00         90 00         90 00         30 89         7           A. 1+DDD         UEPCO UEPTB         14 00         80 00         90 00         30 89         7           DDD 011+.         UEPCO UEPTA         14 00         80 00         90 00         30 89         7           DDD, 011+.         UEPCO UEPTA         14 00         80 00         90 00         30 89         7           DDD, 011+.         UEPCO UEPTA         14 00         90 00         90 00         30 89         7           DDD, 011+.         UEPCO UEPTA         14 00         90 00         90 00         30 89         7           UEPCO USACZ         41 50         41 50         41 50         81 50         80 89         7	2.Wire Vo.	C DIOY -		3	5	30							-		
1,1+DDD UEPCO UEPRP 14 00 80 00 90 00 30 00 30 89 7 7 10 10 10 10 10 10 10 10 10 10 10 10 10		2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)		3		7	20	00.00				6			
DDD, 011+.         UEPCO UEPTA         14 00         90 00         90 00         90 00         30 89         7           DDD, 011+.         UEPCO UEPTA         14 00         90 00         90 00         30 89         7           DDD, 011+.         UEPCO UEPCT         14 00         90 00         90 00         30 89         7           DDD, 011+.         UEPCO UEPCT         14 00         90 00         90 00         30 89         7           DDD, 011+.         UEPCO UEPCT         14 00         90 00         90 00         30 89         7           UEPCO USACZ         41 50         41 50         41 50         80 89         7		2 Win Colo 2 Way with Onember Streaming and Blocking 011 9001978 1+000	+	בר בר		14 00	3	90.00				80 OF	3		
ODD, 011+.         UEPCO LEPTA         14 00         90 00         90 00         90 00         30 89         7           ODD, 011+.         UEPCO LEPCA         14 00         90 00         90 00         30 89         7           ODD, 011+.         UEPCO LEPCT         14 00         90 00         90 00         30 89         7           ODD, 011+.         UEPCO LINPCX         0.35         15         4150         30 89         7           UEPCO USACZ         4150         4150         4150         30 89         7		(NC, TN)		UEPCO	UEPRP	14 00						30 89	7 03		
DDD 0114.         UEPCO UEPCT         14 00         90 00         90 00         90 00         30 89         7           DDD, 0114.         UEPCO UEPCT         14 00         90 00         90 00         90 00         30 89         7           DDD, 0114.         UEPCO UEPCT         14 00         90 00         90 00         30 89         7           UEPCO USAC2         41 50         41 50         41 50         30 89         7		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)		- Jan	ATOSI	00.77	8	8				20.80	2 03	•	
ODD, 011+, UEPCO LUEPCT         UEPCO LUEPCT         14 00         90 00         90 00         90 00         30 89         7           ODD, 011+, UEPCO LINPCX         0.35         41 50         41 50         30 00         30 00         30 00         30 00         7		2-Wire Coln 2-Way with Operator Screening and Blocking 900/976, 1+DDD 011+,	-	3		3	8	200				3	3	-	
ODD, 011+, UEPCO UEPTC         UEPCO UEPTC         14 00         90 00         90 00         30 89         7           UEPCO UEPCO UEPCT         14 00         90 00         90 00         30 00         30 89         7           UEPCO USACZ         41 50         41 50         41 50         7         30 89         7		and Local (NC, TN)		UEPCO	UEPCA	14 00	80 00	00 06				30 89	7 03	+	
ODD. 011+, UEPCO UEPOT         14 00         90 00         90 00         30 89         7           UEPCO USAC2         41 50         41 50         41 50         7		2-Wire Coin Ouward with Operator Screening and 011 Blocking (TN)		UEPCO		14 00	00 08	00 08				30.89	7 03		
UEPCO LINPCX         0.35         4150         4150         4150         7           UEPCO USAC2         4150         4150         7		2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+,	_										-		
UEPCO LNPCX         0.35         4150         4150         30.89         7           UEPCO USACC         4150         4150         7	N WOOL	and Local (TN)		UEPCC		14 00	80	80 68				30 63	B)	-	
UEPCO LINECX         U.35           UEPCO USAC2         4150         4150         7	LOCAL			1		1							-		
UEPCO USAC2         41 50         41 50         30 89         7           UEPCO USACC         41 50         41 50         89         7	CHANCK	Local Number Portability (1 per port)	1	3		8						-	-	+	
UEPCO USACC 4150 4150				1			94.50	74.60				50 00			
UEPCO USACC 41.50		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As is	-	) I			00 14	4 30			1	20.03	20/	†	
		2 Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPCO	USACC		4150	41 50				-			

)

}

)

り

2 140

OSS RATES (\$) 30 89 NOTE If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BetSouth tanif or as negotated by the Partes upon request by either Party 80 ьМ RATES (\$) 000 Fire UEPCO USAS2 200 BCB Zone meter 2-Wire Voice Grade Loop/ Line Port Combination - Subsequent UXBUNDLED NETWORK ELEMENT CATEGORY

Version 3Q01 10/18/01

# ATTACHMENT B

Issue Number	Position of the Parties
1. Line Sharing	Covad: Because BellSouth is obliged to provide access to line sharing under 47 U.S.C. § 271, Covad proposes the same access requirements set-forth in the Parties current IA, with modifications to the pricing consistent with the FCC's TRO guidance BellSouth's proposed TRO amendment improperly relies on the transitional pricing set-forth by the FCC under its 201 and 202 authority and fails to address line sharing ordering after October 2004. However, the just and reasonable standard under 201 and 202, and not the FCC's transitional pricing, applies to the access requirements for line sharing under Section 271. Because BellSouth is obliged to offer line sharing under Section 271, the proper 201 and 202 pricing is the just and reasonable rate, not the transitional rate identified by the FCC. In most instances, the just and reasonable rate will be lower than the rates proposed by BellSouth in its December 4, 2003 IA amendment. Because the access requirements have not changed, Covad is not proposing any change to the existing IA regarding access to line sharing apart from the introductory language in Attachment 2.

Issue Number	Position of the Parties
	BellSouth: BellSouth's position, pursuant to the clear language of our contract, is that this petition results from the application of the "change in law" provisions in Covad's current interconnection agreement, and is not an arbitration petition within the meaning of 47 U.S.C. § 252. BellSouth has previously stated its position publicly that it has no obligation under 47 U S C. §271 to provide line sharing. Moreover, even if such an obligation did exist, and if, as Covad suggests, the appropriate standard for determining the rates for such an obligation is that the rates must be "just and reasonable" under 47 U.S.C. §§ 201 and 202, only the FCC would have jurisdiction to review such rates

## ATTACHMENT C

#### PROPOSED AMENDMENTS

New language is underlined

Deleted language is crossed through

#### Covad Proposed Amendments to Attachment 2

- This Attachment sets forth the unbundled network elements and combinations of unbundled network elements that BellSouth agrees to offer to Covad in accordance with its obligations under Section 251(c)(3) of the Act This Attachment also setsforth the High Frequency Portion of the Loop (HFPL) that BellSouth agrees to offer to Covad on an unbundled basis in accordance with its obligations under Section 271 of the Act beginning October 1, 2004. The specific terms and conditions that apply to the unbundled network elements are described below in this Attachment 2. The price for each unbundled network element and combination of unbundled Network Elements are set forth in Exhibit C of this Agreement.
- 1.2. For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment provided by BellSouth on an unbundled basis as is used by the CLEC in the provision of a telecommunications service. These unbundled network elements will be consistent with the requirements of the FCC 319 rule. The provision of the HFPL, as a Network Element, under Section 271 of the Act is addressed in section 2.11 et seq\_of this Agreement For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."

#### Covad Proposed Amendments to Exhibit C

[A set of spreadsheets outlining Covad's proposed 271 pricing for line sharing is attached hereto as Exhibit 1]

## **BellSouth Proposed Amendments to Attachment 2**

[Note: BellSouth proposed changes based on its template IA, not Covad's current Interconnection Agreement, thereby essentially striking out the similar sections of Attachment 2 and replacing them entirely. For ease of reading, no underlining is used to denote new language as it is essentially all new. BellSouth's proposed language largely replaces sections 2.11.2 through 2.11 4 2 of the Parties' current Interconnection Agreement.]

- Line Sharing
- 3.1 General
- Line Sharing is defined as the process by which <<customer\_short\_name>> provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and <<customer\_short\_name>> using the high frequency spectrum (as defined below) of the loop.
- Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with <<customer\_short\_name>> Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- For the period from October 2, 2003, through October 1, 2004, 
  <customer\_short\_name>> may request new Line Sharing arrangements. For 
  Line Sharing arrangements placed in service between October 2, 2003, and 
  October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, 
  <customer\_short\_name>> may not request new Line Sharing arrangements 
  under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with <<customer\_short\_name>>, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow <<customer\_short\_name>> the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission

960150 v1 101717-001 6/23/2004 Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. <<customer\_short\_name>> shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the abovementioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1 413 and T1.601.
- BellSouth will provide Loop Modification to <<customer\_short\_name>> on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If <<customer\_short\_name>> requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, <<customer\_short\_name>> shall pay for the Loop to be restored to its original state
- Line Sharing shall only be available on Loops on which BellSouth is also 319 providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and <<customer\_short\_name>> desires to continue providing xDSL service on such Loop, <<customer\_short\_name>> shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give <<customer\_short\_name>> notice in a reasonable time prior to disconnect, which notice shall give <<customer short name>> an adequate opportunity to notify BellSouth of its intent to purchase such Loop In those cases in which BellSouth no longer provides voice service to the End User and <<customer\_short\_name>> purchases the full stand-alone Loop, <<customer\_short\_name>> may elect the type of Loop it will purchase. <<customer\_short\_name>> will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment In the event <<customer\_short\_name>> purchases a voice grade Loop, <<customer\_short\_name>> acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If <<customer\_short\_name>> reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge <<customer\_short\_name>> for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

- 3.2 Provisioning of Line Sharing and Splitter Space
- 3.2.1 BellSouth will provide <<customer\_short\_name>> with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, <<customer\_short\_name>> must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3 2.1.2 
  <customer\_short\_name>> may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of 
  <customer\_short\_name>>'s submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- Once a splitter is installed on behalf of <<customer\_short\_name>> in a central office in which <<customer\_short\_name>> is located, <<customer\_short\_name>> shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and <<customer\_short\_name>> shall pay the electronic or manual ordering charges as applicable when <<customer\_short\_name>> orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for <<customer\_short\_name>>'s data.
- 3.3 BellSouth Provided Splitter Line Sharing
- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide <<customer\_short\_name>> access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to <customer\_short\_name>>'s xDSL equipment in <<customer\_short\_name>>'s collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide <<customer\_short\_name>> with a carrier notification letter, informing <<customer\_short\_name>> of change. <<customer\_short\_name>> shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. <<customer\_short\_name>> shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- BellSouth will install the splitter in (i) a common area close to <customer\_short\_name>>'s collocation area, if possible, or (ii) in a BellSouth relay rack as close to <customer\_short\_name>>'s DS0 termination point as possible <customer\_short\_name>> shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point A Termination Point is defined as the point of termination for <customer\_short\_name>> on the main distributing frame in the central office and is not the demarcation point set

forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified <<customer\_short\_name>> DS0 at such time that a <<customer\_short\_name>> End User's service is established.

- 3.4 CLEC Provided Splitter Line Sharing
- 3.4.1 
  <customer\_short\_name>> may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements
  <customer\_short\_name>> may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- Any splitters installed by <<customer\_short\_name>> in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. <<customer\_short\_name>> may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 Ordering Line Sharing
- 3 5 1 
  <customer\_short\_name>> shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3 5.2 BellSouth will provide <<customer\_short\_name>> the LSR format to be used when ordering the High Frequency Spectrum
- BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- BellSouth will provide <<customer\_short\_name>> access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and <<customer\_short\_name>> shall pay the rates for such services, as described in Exhibit A.
- 3.6 Maintenance and Repair Line Sharing
- 3.6.1 
  <customer\_short\_name>> shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If 
  <customer\_short\_name>> is using a BellSouth owned splitter, 
  <customer\_short\_name>> may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If 
  <customer\_short\_name>> provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. <<customer\_short\_name>> will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment

- 3.6 3 
  <customer\_short\_name>> shall inform its End Users to direct data problems to 
  <customer\_short\_name>>, unless both voice and data services are impaired, in which event the End Users should call BellSouth
- Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to <<customer\_short\_name>>, BellSouth will notify <<customer\_short\_name>>. <<customer\_short\_name>> will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, <<customer\_short\_name>> will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue <<customer\_short\_name>>'s access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

#### BellSouth Proposed Amendments to Exhibit C

[A set of spreadsheets outlining BellSouth's proposed pricing for line sharing is attached hereto as Exhibit 2]

# **EXHIBIT 1**

960150 v1 101717-001 6/23/2004

# Exhibit 1 Amendment to Interconnection Agreement

Attachment 2, Exhibit C

TENNESSEE

SME	CATEGORY	NOTES	Market Based Element	mterim	Zone BCS	usoc			, in the second			
									TAILES			
								Nonrecurring	urring	Nonrecuring	pin g	П
COSTID							Rec	First	Add I	First	- 8	Source
												T
	MARKET BA	ASED	CIVE DACETO INIC CUADUNO									Π
		מבוע ושיר	Land Date Carros Bases Live Sharing Splitter - per Splitter System 96-Line Capacity in the Central Office w/o			-						$\top$
			Line Sharing Splitter - per Splitter System 24-Line Capacity in the Central Office w/o		SIO	ULSDA	\$117.18	\$150.00	20 00	\$150 00	8008	Œ S
			Test Jack Ina Sharing Shitter , per Shitter System 8.1 the Centering Office with	1	OLS	ULSDB	\$29.30	\$150 00	80 00	\$150 00	\$0.00	ξ
			Test Jack		OLS	ULSD8	29 77	\$150 00		\$150 00		Ξ
			Line Sharing Splitter per Splitter Port in the Central Office w/o Test Jack Line Sharing – ber Line Activation in the Central Office				\$1 22	\$1.56	\$0.00	\$1.56	\$0.00	Σ Ω
					3		07.09	2				2
				T								T
				<del> </del>								
					1							T
										-		
				T								
				İ								
												Ţ
				Ħ								П
				1	_							7

# **EXHIBIT 2**

•

UNBUNDL	UNBUNDLED NETWORK ELEMENTS - Tennessee															
												Svc Order	=	Incremental	=	Incremental
											Submitted	Submitted	Charge -	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svo
CATEGORY	RATE ELEMENTS	Interim Zone	Sone	BCS	nsoc			RATES (\$)			per LSR	per LSR	Order vs	Order vs	Order vs	Order vs
												Ē	Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonrecurring	irring	Nonrecurring Disconnect	Disconnect			1 880	OSS Rates (\$)		
			Н			чес	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE SHARIN	LINE SHARING AND LINE SPLITTING		<b>-</b>													1
LON N	NOTE 1 The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnig NOTE 1 10/02/2003 - 10/01/2004 25% of the rate for an unbinding consections and distinct time.	completed	from O	stober 02, 2003 thr	ough midnigh	t October 01, 20	ht October 01, 2004 shall be billed as follows	d as follows								
	NOTE 1 10002000 - 1001200 - 23 to 1111 rate of 10 di dibindida copper 1000 noticesigned ( UCLND NOTE 1 10002000 - 1001200 E 604 4115 - 115 10 di di dibindida copper 1000 noticesigned ( UCLND NOTE 1 10002000 - 10001200 E 604 4115 - 115 10 di di di di di di di di di di di di di	u door Jack	-00-00	signed ( OCCND )												
ON	NOTE 1 10/02/2005 - 10/01/2006 35% of the rate for UCLND		†													
NOTE	NOTE 1 Above will apply to USOCS ULSDT and ULSCT		$\dagger$													
ON.	"NOTE 2 The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed ar	C and ULS	CC app	lies only to circuits		inservice on or	d inservice on or before October 1, 2003	1, 2003								
LINE	LINE SHARING		H													
SPLI	SPLITTERS-CENTRAL OFFICE BASED	_														
	Line Sharing Splitter, per System 96 Line Capacity		7	STO	ULSDA	100 00	150 00	00 0	000	000			20 35	10 54	13 32	13 32
	Line Sharing Splitter, per System 24 Line Capacity		7	ULS	ULSDB	25 00	150 00	00 0	00 0	000			20 35	10 54	13 32	13 32
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-															
CNU	joeactivation (per LSUD)	1	7	ULS	ULSDG		163 06	00 0	92 71	00 0			20 35	10 54	13 32	13 32
	I no Change nor I no Actuation (DCT Owner military	1	$\dagger$													
	OBSOLETE see "NOTE 2		_=	s:	SDC	0.61	40.00	31 30		5			30.00	79 01	13 33	1000
	Line Share Service, TRO per line activation, BST owned splitter-		+		2		3	3	3	3			200	5	20.01	20.01
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E 10/2/2003)		<u>- </u>	ULS	ULSDT	2 94	40 00	31 39	000	000						
	Line Share Service, TRO per line activation, BST owned splitter -	_														' '
	Central Office Located (50% of UCLND) - prease see NOTE 1 (E 10/2/2004)		===	S	TOS	7.87	40.00	31 30	C	c						
	In Share Service TBO ner line activation BST owned splitter		+			5	3	5	3				1			,
	Line Oracle Decated (75% of UCLND) please see NOTE 1			C .	i C	, 6										
	Line Shanno per Subsequent Activity per Line		1		UL3D!	000	40.00	80.10	200	000			1			1
	Rearrangement(BST Owned Splitter)		j	ULS	ULSDS		30 00	15 00					20 35	10 54	13 32	13 32
	Line Sharing - per Subsequent Activity per Line		-													;
	Hearrangement(DLEC Owned Splitter)		2	ULS	ULSCS		30 00	15 00					20 35	10 54	13 32	13 32
	Line Shanng - per Line Activation (DLEC owned Splitter)  OBSOLETE see "NOTE 2		_5	Sin	COS	0.61	47.44	19 31	000	000			30.00	10.64	10.00	20 01
	Line Share Service, TRO per line activation, CLEC owned splitter -		+					2	3	3			200	5	20.01	20.01
	Central Office Located (25% of UCLND) - please see NOTE 1 (F 10/2/2003)		_=	v =	LUS III	2 04	A7 AA	10 01	c	c c						
	Line Share Service, TRO per line activation, CLEC owned splitter-		+			100		2	3	80						
	Central Office Located (50% of UCLND) please see NOTE 1 (E 10/2/2004)		5	OLS	ULSCT	5.87	47 44	19.31	000	000						
	Line Share Service, TRO per line activation, CLEC owned splitter -		$\vdash$													
	Central Office Located (75% of UCLND) please see NOTE 1		=	ď	TJS	ă	7,7		c c	c c						
	((-, )		2	3		-										

Page 1 of 1

쫎
8
8
797
=
16
842
유
2
9-4
ķ
_

[CCCS Amendment 20 of 20]

OSS Amend.

Page 9 of 9

UNBUNDLE	UNBUNDLED NETWORK ELEMENTS - Tennessee											-	Attachment 2	ent 2	Exhibit C	ن <u>ن</u> ـــــــــــــــــــــــــــــــــــ
CATEGORY	RATE ELEMENTS	Interi	2010	BCS	OSO			RATES (\$)			Submitted Submitted Selection	Svc Order Ir Submitted Manually N per LSR	Svc Order Svc Order Incremental Incrementa	Incremental I Charge - Manual Svc Order vs Electronic- Add'I	Charge - Cha	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						000	Nonrecurring		Nonrecurring Disconnect	1 Disconnect			OSS R	OSS Rates (\$)		
						196	First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN SOMAN	SOMAN	SOMAN	SOMAN
															ĺ	
OPERATION	OPERATIONAL SUPPORT SYSTEMS (OSS) RATES															
NOTE	NOTE (1) CLEC should contact its contract negotiator if it prefers the "regional" OSS charges as offered by	Gional" C	SS cha	arges as offered by B	T divoslla	a OSS charges	cirrently conta	ned in this rate	owhite are the	OCC ctote Col						
specif	specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, or CLEC may elect the regional service ordering charges or charges or the new contractions are market as the new contractions are market as the new contractions are market as the new contraction or the new contractions are market as the new contractions are not contracted as the new contraction or the new contractions are not contracted as the new contraction or the new contrac	LEC may	elect th	ne regional service on	dering charg	a however. CLF	Commission of the state of the state of the state of the state state specific service ordering charges. CLEC may elect either the state specific service ordering charges. CLEC may elect either the state of the state of the state of the two states of the two states or the state of the state of the state of the state or the state of the state	neu in mistare of t	earlicht ale the	rac state orde	red state spi	ecilici sevice	s ordering char	rges CLEC#	ay elect eithe	r the state
NOTE	NOTE (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in	according	to the	SOMEC rate listed in	this category	/ Please refer	this calendory Plase refer in Bell-Smith's Business Bulles for I mail Ordenno (BBB.) On a delections to conduct on the description.	Sinese Bules	or Local Orden	of (O Laga) oc	to composito	to to the control	4.	Anna Landin.		
canno	cannot be ordered electronically at present per the BBR-LO, the listed SOMEC rate in this category reflects to	OMEC ra	te in thi	-	e charge tha	t would be billed	he charge that would be billed to a CLEC once electronic ordering a continue for that element a photos can be ordered and roughly and the charge that would be billed to a CLEC once electronic ordering continues enterens to	e electronic ord	erino canabilitik	es come on-line	for that etem	ent Otherwa	se the manual	ectrotifically	ror mose ele	ments man
NOTE	NOTE (3) The actual state specific electronic OSS rate ordered by the Tennessee Regulatory Authority is \$0	Tennesse	e Regu	latory Authority is \$0	00 Recover	y of OSS interfa	00 Recovery of OSS interfaces is built into the recurring charges of the elements ordered	the recurring c	larges of the ele	ements ordered	-	-	-	5000	2000	00
	OSS - Electronic Service Order Charge, Per Local Service															
_	Request (LSR) - UNE Only				SOMEC		000/	000	000	6	_					
_	OSS - Manual Service Order Charge, Per Element - UNE Only															
	**Please see applicable rate element for OSS charge				SOMAN		1									
			1													

## **CERTIFICATE OF SERVICE**

I hereby certify that on June 23, 2004, a copy of the foregoing document was served via U.S. mail to the following:

Guy Hicks, Esq.
BellSouth Telecommunications, Inc.
333 Commerce Street, Suite 2101
Nashville, TN 37201-3300

BellSouth Telecommunications, Inc. BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 8<sup>th</sup> Floor Birmingham, AL 35203

ICS Attorney 675 W. Peachtree Street, Suite 4300 Atlanta, GA 30375

> Henry Walker Henry Walker K6